

YOUR SOLUTION FOR HURRICANE SAFETY

CRC Industries
Contact Cleaner
QD®



A petroleum distillate and alcohol blended precision cleaner suitable for sensitive electronics. QD Contact Cleaner contains no Class I or Class II ozone depleting chemicals.

- Quick drying, leaves no residue, safe on all plastics
- Effectively removes soil and other contaminants from electronic components
- Ideal for applications where lower flashpoint solvents can be used
- NSF K2 Registered for use in meat and poultry plants
- Compliant in all states.

Vallen#	Part#	Size
07825403130	03130	11oz

PLASTIC PROCESS EQUIP.
Mold Cleaner
Heavy Duty



PPE Mold Cleaner MCJ-24 is a heavy-duty cleaner formulated to remove stubborn mold releases, oils, greases, exude, etc., from your highly polished molds. It is strong enough to remove the above materials without rubbing or wiping. We suggest a thorough flushing from top to bottom without wiping dry. Evaporation has been slowed to allow more time to clean the mold surfaces. Do not leave an unused mold unprotected after cleaning. Always use a rust preventative. The cleaning solvents used in PPE mold cleaner can be used in the molding room.

Vallen#	Description
509080MCJ-24	Part#: MCJ24 Part#: MCJ24 Size: 24oz Container Type: Jumbo Can Appearance: Liquid Flash Point: 30.2°F Specific Gravity: 1.43

Loctite
Mold Cleaner
Solvent Based
Frekote® PMC™



Loctite Frekote PMC is a post-cleaner with a special blend of solvents designed to dissolve and remove wax from polyester moulds without dulling the surface. It can also be used to clean epoxy and metal mould surfaces, as well brushes and equipment. It is highly recommended for preparing polyester mould surfaces prior to the application of LOCTITE FREKOTE mould sealers and release agents.

- Dissolves and removes wax from polyester moulds
- No surface dulling
- Also cleans epoxy and metal mould surfaces
- Removes dirt, dust, fingerprints and oils

Vallen#	Description
434677FRK835	Part#: 83562 Part#: 83562 Size: 1gal Appearance: Liquid Odor: Solvent Flash Point: 32°F Specific Gravity: .712 VOC: 100% Color: Colorless Boiling Point: 79-110°C

Simple Green
Simple Green® Industrial
Cleaner & Degreaser
Simple Green®



A powerful all-purpose cleaner and degreaser that provides a safer alternative to toxic cleaners, bleaches & solvents. The trusted formula is orally non-toxic*, non-abrasive, noncorrosive and readily biodegradable**. Safe for all washable surfaces, Simple Green can be used to remove heavy dirt, grease, food residue and stains from surfaces including countertops, sinks, tile, carpet, flooring, upholstery and more. The cost-effective concentrate can be used manually or in cleaning equipment such as such as floor scrubbers, dip tanks, carpet extractors, pressure washers, parts washers, steam extractors and foamers. It easily cuts through tough grease, oils, cutting fluids, built-up grime and residue on equipment, engines, machinery, vehicles and manufactured parts making it ideal for a wide range of industries including janitorial, manufacturing, MRO, food processing, mining, automotive, transportation and engineering. An EPA Safer Choice product.

*Orally non-toxic formula per the Globally Harmonized System of Classification & Labelling of Chemicals.

**Readily biodegradable formula per OECD 301D.

Vallen#	Part#	Size
04331800000	2710200613005	1gal

YOUR SOLUTION FOR HURRICANE SAFETY

CRC Industries
Heavy Duty Degreaser
 Non-Flammable



Quickly and effectively removes grease, oil, tar, dirt, grime, corrosion, sludge and other stubborn substances to increase operating efficiency of equipment. Heavy Duty Degreaser offers quick and efficient degreasing action and fast evaporation with no residue. Use caution on plastics.

- No flash or fire point
- Non-corrosive, non-staining and non-conductive
- High dielectric strength of 39,200 volts
- Contains no Class I or Class II Ozone Depleting Chemicals
- NSF K1 Registered for use in meat and poultry plants
- Not for sale in CA, NJ, CT, DE, IN, ME, MD, MA, MI, NY, RI, DC, IL

Vallen#	Part#	Size
07825403095	03095T	19oz

WD-40
Penetrating Lubricant
 Smart Straw



This Product Record replaced by P1503711

Do not publish this record.

- Finds squeaks and lubricates them in hard-to-reach mechanisms
- Silicone-free, no residue
- Protects metal against moisture and corrosive elements with an invisible
- Loosens rusted parts, frees sticky mechanisms and keeps controls and li
- Displaces moisture
- New "Smart Straw" -Straw is integrated in to the spray valve

Vallen#	Part#	Size	Pkg. Qty.
07956749004	490040	11oz Aerosol	12 per Case

CRC Industries
3-36® Multi-Purpose Lubricant & Corrosion Inhibitor



Multi-purpose lubricant, penetrant and corrosion inhibitor forms a clear, thin film that prevents corrosion, displaces moisture and lubricates without leaving a sticky mess.

- Advantages:
- VOC compliant in all 50 states
 - Penetrates through corrosion, loosening frozen parts
 - Leaves a corrosion resistant barrier
 - NSF H2 Registered for use in federally inspected meat and poultry plants

- Applications:
- Process Manufacturing - Heat treated parts, Machined surfaces, Finished welds, In-process aluminum extrusions
 - Machining - Fixtures, Dies, Jigs, Shim stock, Chucks, Drill rod
 - Material Storage - Tubing, Castings, Gears, Weld rod and wire
 - Maintenance - Air actuated tools, Conveyors, Frozen joints, Locks, Hoists

Vallen#	Part#	Size		
07825403005	03005	11oz	3-36	Multipurpose Lubricant, Lubricant

Lenox
Hacksaw Blades
 T2 Technology

A revolutionary new blade design that delivers up to 100% longer blade life versus the prior generation of Lenox hacksaw blades

Up to 2X Life

Bi-metal construction allows blades to bend and flex without breaking

Blades are priced each but must be purchased in package quantities.

Vallen#	Part#	Size	TPI	Use
08247220116	20116	12"x 1/2 "	18	Heavy Metal

Milwaukee Electric Tool
Metal Cutting Sawzall
Reciprocating Saw Blades
 Reciprocating Saw



Optimized for best cutting performance in pipe, conduit, strut, threaded rod, angle iron, duct and other metal building materials.

- Long Life - Double relief angle reduces tooth stress
- Fast Cutting - Precision forming process creates sharper teeth
- Blades are priced each but must be purchased in package quantities
- Matrix II bi-metal teeth for greater durability

Vallen#	Part#	LxWxT	TPI	Use
04524208285	48-00-5184	6"x 3/4 "x0.035"	18	Metal 1/8" thru 3/16"
04524208289	48-00-5188	9"x 3/4 "x0.035"	18	Metal 1/8" thru 3/16"
04524208290	48-00-5189	12"x 3/4 "x0.035"	18	Metal 1/8" thru 3/16"

YOUR SOLUTION FOR HURRICANE SAFETY

Channellock

Tongue & Groove Pliers

Blue Comfort Grips - Straight Jaw



- Right angle, laser heat-treated teeth grip better and last longer.
- Undercut tongue & groove design won't slip.
- Patented reinforcing edge minimizes stress breakage.
- PermaLock® fastener eliminates nut and bolt failure.
- CHANNELLOCK® uses high-carbon C1080 steel for superior performance on the job and electronic coating for ultimate rust prevention. CHANNELLOCK BLUE® grips for comfort. Made in the U.S.A.

Vallen#	Part#	Length	Jaw Capacity	Adjustment
025582420	420	9 1/2 "	1 1/2 "	5
025582430	430	10"	2"	7

Stanley Tools

Safety Blade Utility Knife

Self-Retracting



- Durable, all-metal knife body construction
 - Machine screw firmly holds knife body together - Screwdriver required for blade change
 - Contoured handle and textured, die-cast body for slip-resistance
 - Interlocking nose design helps secure blade and helps prevent body separation
 - Comes with hang-hole for adding a wrist strap or lanyard
 - Auto-retracting blade: spring-loaded. Retracts when slide button is released
 - Blade included (11-987): 1
 - Works with most standard utility blades
- Specs:
- Length: 5-7/8"
 - Blades included (11-987): 1

Vallen#	Part#	Length
07617410189	10-189C	5 7/8 "

Stanley Tools

Utility Knife Blades

Round Point



- This round point utility blade is 1-7/8" long
- .024" thickness
- Reduces risk of accidental cuts and reduces damage to interior contents when cutting open cartons
- 100 Blade dispenser

Vallen#	Part#
07617411988	11-988

Stanley Tools

Retractable Blade Utility Knife

3 Position
99



- All metal handle is durable and lightweight
- Furnished with 3 11-921 heavy duty blades
- Blade storage in handle

Vallen#	Part#	Length	Description
07617410099	10-099	6"	

Stanley Tools

Heavy-Duty Utility Blades



- Blade made of high carbon steel
- Precision honed edge
- Blade is made for general purpose cutting
- Fits most standard utility knives

Vallen#	Part#	Length	Thickness	Pkg. Qty.
07617411992	11-921A	2 7/16 "	.024"	100 Blades W/Dispenser

Ampco Safety Tools

Round Point Shovel



Non-Sparking, Non-Magnetic, Corrosion-Resistant.

Vallen#	Part#	Length	Width
503765S-81FG	S81FG	56 1/2 "	9"

Ampco Safety Tools

Round Point Shovel



Non-Sparking, Non-Magnetic, Corrosion-Resistant.

Vallen#	Part#	Length	Width
404059S-83FG	S83FG	37"	9"

YOUR SOLUTION FOR HURRICANE SAFETY

Ampco Safety Tools Square Head Shovel



Non-Sparking, Non-Magnetic, Corrosion-Resistant.

Vallen#	Part#	Length	Width
404059S-82FG	S82FG	58"	9"

Ampco Safety Tools Square Head Shovel



Non-Sparking, Non-Magnetic, Corrosion-Resistant.

Vallen#	Part#	Length	Width
404059S-84FG	S84FG	37"	9"

Stanley Tools Tape Measures PowerLock



- Mylar® polyester film helps extend life of entire blade
- High-impact, chrome plated ABS case
- Secure blade lock won't creep during measurements
- Corrosion-resistant Tru-Zero™ end hook for accurate measurement
- Stud marking: 16" & 19.2"

Vallen#	Part#	Blade Width	Blade Length	Type
07617433312	33-312	3/4 "	12'	English

Stanley Tools Tape Measures PowerLock



- 7' blade standout
- Mylar® polyester film extends life of entire blade
- Chrome high-impact ABS case is job site tough
- Secure blade lock won't creep during measurements
- 16" and 19.2" stud center markings simplify framing jobs
- Corrosion-resistant Tru-zero end hook for accurate measurements

Vallen#	Part#	Blade Width	Blade Length	Type
07617433425	33-425	1"	25'	English

Stanley Tools Smooth Nailing Hammer Hickory Handle



- Forged high-carbon steel and heat-treated head for increased durability
- Gray polished head
- Hardwood handle is lightweight and absorbs vibrations
- Double wedge head-to-handle assembly for extremely secure fit
- Rim tempered face reduces incidences of chipping or spalling
- Overall Length: 13 1/4"

Vallen#	Part#	Size	Length	Type
07617451616	51-616	16oz	13 1/4 "	Curve

VERSAPRO Cable Ties Natural



Vallen#	Description
11910167	Part#: N-50-8 Part#: N-50-8 Length: 7.6" Width: 0.18" Thickness: 0.054" Tensile: 50lb Color: Natural Pkg. Qty.: 100
11910168	Part#: N-50-11 Part#: N-50-11 Length: 11.1" Width: 0.18" Thickness: 0.054" Tensile: 50lb Color: Natural Pkg. Qty.: 100
11910169	Part#: N-50-14 Part#: N-50-14 Length: 14.6" Width: 0.18" Thickness: 0.054" Tensile: 50lb Color: Natural Pkg. Qty.: 100
11910170	Part#: N-120-14 Part#: N-120-14 Length: 15" Width: 0.298" Thickness: 0.069" Tensile: 120lb Color: Natural Pkg. Qty.: 100
11910171	Part#: N-175-24 Part#: N-175-24 Length: 24" Width: 0.335" Thickness: 0.087" Tensile: 175lb Color: Natural Pkg. Qty.: 50

YOUR SOLUTION FOR HURRICANE SAFETY

**VERSAPRO
Cable Ties
UV Black**



**Airmaster Fan
Portable Direct Drive Mancooler
42 Inch - 2 Speed - 1/2 HP**



- 115V, 1 phase, 2 speed, ODP, 1/2 HP Motor
- 42" Diameter three bladed aluminum propeller
- Two speed rocker switch
- 8" steel wheels with rubber tires
- Handle with cord wrap
- 10' three conductor SJT type cord
- Guards black epoxy coated
- Barrel epoxy coated
- 2 year warranty
- cULus listed

Vallen#	Description
11910163	Part#: UV-50-8 Part#: UV-50-8 Length: 7.6" Width: 0.18" Thickness: 0.054" Tensile: 50lb Color: UV Black Pkg. Qty.: 100 Ties
11910164	Part#: UV-50-11 Part#: UV-50-11 Length: 11.1" Width: 0.18" Thickness: 0.054" Tensile: 50lb Color: UV Black Pkg. Qty.: 100 Ties
11910165	Part#: UV-50-14 Part#: UV-50-14 Length: 14.6" Width: 0.18" Thickness: 0.054" Tensile: 50lb Color: UV Black Pkg. Qty.: 100 Ties
11910166	Part#: UV-120-14 Part#: UV-120-14 Length: 15" Width: 0.298" Thickness: 0.069" Tensile: 120lb Color: UV Black Pkg. Qty.: 100 Ties

Vallen#	Description
78342960007	Part#: 60007 Part#: 60007 Blade Diameter: 42" Motor: 115V, 1/2 HP, 1 phase ODP CFM: 14000/8000 RPM: 540/400 Model: EMC42D

**Airmaster Fan
Portable Utility Fan Blower
300 CFM**



- 120V - 60 Hz, 12 Amps, 3 Speed, up to 300 CFM
- 3 Speed Selector Switch
- 8-1/2' power cord with grounded plug
- Impact resistant shell
- Compact portable design
- Rubber contact pads to reduce scratches
- Long life ball bearing motor
- Two 120 volt receptacles with protective covers
- Instant adjustable air direction
- Resettable circuit breaker protection
- Carrying handle
- 12-1/2" x 9" x 13"
- CSA listed

Vallen#	Part#
78342978967	78967

**Marley Engineered Products
Portable Blower Fan**



Patton Power Cats® portable blowers deliver high-velocity volume of air. High capacity makes it perfect for providing fresh air to a confined area or exhausting fumes from a work station. Includes a 25 foot, 3 conductor, 14 gauge cord and duplex weather resistant receptacle.

- Blower head tilt - 90 degree
- Motor Amps - 3.6
- CFM - 1120/877

Vallen#	Part#
0983191200XL	1200XL

YOUR SOLUTION FOR HURRICANE SAFETY

Marley Engineered Products
Portable Blower
Power Cat



CB7895 Part#: 091220W
 Part#: 091220W
 Size: 9"x12"
 Thickness: .002
 Color: Clear
 Type: Write-On Block

Portable unit with high power output -- the Patton Power Cat is several units in one: a high velocity blower that can be used for ventilating, cooling, and heating, with a flood light for added convenience. Each is fitted with a duplex electrical receptacle and features a 25 ft., heavy-duty grounded extension cord. Use it to cool or ventilate a stifling workshop, dry a damp surface, remove harmful fumes from a freshly-painted room, brighten work space underneath a car's hood, or remove irritating smoke from any area.

- 120 volts, 60 hz motor
- 300 CFM blower
- 40 watts at 120 volts, 60 hz lamp
- Duplex, grounded receptacle
- Heavy-duty, 25 ft., 14-gauge grounded cord

Vallen#	Part#
098319A300	A300

VERSAPRO
Germicidal Bleach



An effective sanitizer and bleaching compound for a wide variety of applications. It provides an easy and economical way of cleaning and removing stains without scratching porcelain finishes. Liquid chlorine 6%

Vallen#	Part#	Size
CB8472	BL100	1gl

VERSAPRO
LDPE Reclosable Bags
 Single Track Zipper Type Sealing



These are standard duty/general use low density polyethylene (LDPE) bags with a zipper type closure for convenient access to the contents. They are excellent for storing, displaying and protecting all types of products.

- 2 mil or 4 mil thickness are great for short term, lightweight or refrigerated storage
- Meet FDA requirements for use in food applications

Vallen#	Description
488094CB7850	Part#: 050820 Part#: 050820 Size: 5"x8" Thickness: .002 Color: Clear Type: Plain
CB7886	Part#: 081021 Part#: 081021 Size: 8"x10" Thickness: .002 Color: Clear Type: Plain
CB7915	Part#: 101221 Part#: 101221 Size: 10"x12" Thickness: .002 Color: Clear Type: Plain
CB7919	Part#: 101320 Part#: 101320 Size: 10"x13" Thickness: .002 Color: Clear Type: Plain

VERSAPRO
Plastic Bottles



- Use with trigger sprayer, sold separately.
- Features molded-in dilution scale, ounces and milliliters.
 - Made of high density polyethylene plastic.
 - 28/400 neck finish.
 - Made in the U.S.A.

Vallen#	Part#	Size
11279526	92-725	24oz

VERSAPRO
Floor Brooms



- Quality line of economical products
- Blocks have threaded holes for wood or fiberglass handles
- Fill materials are staple set for longer life
- Plastic blocks are used in the food service industry and meet FDA standards

Vallen#	Description
CB7207	Part#: 4412-10253 Part#: 4412-10253 Fill Material: Blue Flagged Polypro Block Length: 18" Block Type: Wood Style: Fine Sweeping Trim Length: 2 3/4"

YOUR SOLUTION FOR HURRICANE SAFETY

- CB7208 Part#: 4412-10254
Part#: 4412-10254
Fill Material: Blue Flagged Polypro
Block Length: 24"
Block Type: Wood
Style: Fine Sweeping
Trim Length: 2 3/4"
- CB7209 Part#: 4412-10255
Part#: 4412-10255
Fill Material: Brown Synthetic Horsehair
Block Length: 18"
Block Type: Wood
Style: Fine Sweeping
Trim Length: 2 3/4"
- CB7234 Part#: 4412-10256
Part#: 4412-10256
Fill Material: Brown Synthetic Horsehair
Block Length: 24"
Block Type: Wood
Style: Fine Sweeping
Trim Length: 2 3/4"
- CB5444 Part#: 4412-10210
Part#: 4412-10210
Fill Material: Black Tampico & Mix
Block Length: 18"
Block Type: Wood
Style: Medium Sweeping
Trim Length: 2 3/4"
- CB5445 Part#: 4412-10220
Part#: 4412-10220
Fill Material: Black Tampico & Mix
Block Length: 24"
Block Type: Wood
Style: Medium Sweeping
Trim Length: 2 3/4"
- CB7202 Part#: 4412-10228
Part#: 4412-10228
Fill Material: Black Tampico
Block Length: 18"
Block Type: Wood
Style: Medium Sweeping
Trim Length: 2 3/4"
- CB7203 Part#: 4412-10238
Part#: 4412-10238
Fill Material: Light Blue & Dark Blue Polypro
Block Length: 18"
Block Type: Wood
Style: Medium Sweeping
Trim Length: 2 3/4"
- CB5447 Part#: 4412-10240
Part#: 4412-10240
Fill Material: Light Blue & Dark Blue Polypro
Block Length: 24"
Block Type: Wood
Style: Medium Sweeping
Trim Length: 2 3/4"
- CB7204 Part#: 4412-10248
Part#: 4412-10248
Fill Material: Medium Brown Styrene
Block Length: 18"
Block Type: Wood
Style: Medium Sweeping
Trim Length: 2 3/4"
- CB5448 Part#: 4412-10250
Part#: 4412-10250
Fill Material: Medium Brown Styrene
Block Length: 24"
Block Type: Wood
Style: Medium Sweeping
Trim Length: 2 3/4"
- CB7213 Part#: 4412-10262
Part#: 4412-10262
Fill Material: Safety Orange Polypro
Block Length: 18"
Block Type: Plastic
Style: Coarse Sweeping
Trim Length: 3 1/4"
- CB7214 Part#: 4412-10263
Part#: 4412-10263
Fill Material: Safety Orange Polypro
Block Length: 24"
Block Type: Plastic
Style: Coarse Sweeping
Trim Length: 3 1/4"

- CB7205 Part#: 4412-10251
Part#: 4412-10251
Fill Material: Brown Palmyra
Block Length: 18"
Block Type: Wood
Style: Garage Sweeping
Trim Length: 3 7/8"
- CB7206 Part#: 4412-10252
Part#: 4412-10252
Fill Material: Brown Palmyra
Block Length: 24"
Block Type: Wood
Style: Garage Sweeping
Trim Length: 3 7/8"
- CB7211 Part#: 4412-10257
Part#: 4412-10257
Fill Material: Brown Durapalm
Block Length: 18"
Block Type: Wood
Style: Garage Sweeping
Trim Length: 4"
- 69777736020 Part#: 4412-10258
Part#: 4412-10258
Fill Material: Brown Durapalm
Block Length: 24"
Block Type: Wood
Style: Garage Sweeping
Trim Length: 4"

VERSAPRO
Corn/Rattan Blend Warehouse
Brooms
4 Sew Wire Binding



30% corn / 70% rattan. Corn-blend brooms are adaptable for many cleaning tasks. Applicable in both industrial and janitorial sweeping.

Vallen#	Part#	WxLxH	Color
11910174	VP-2022	10.75x2.75x56.4375	Natural/Black Handle

VERSAPRO
Plastic Handle Parts Cleaning
Brushes



- Ideal for pick up of heavy chips
- Ergonomically designed handle

Vallen#	Description
CB7226	Part#: 4412-10306 Part#: 4412-10306 Size: 1 1/8 " Length: 11" Fill Material: Polyester Trim: 2 3/4"

YOUR SOLUTION FOR HURRICANE SAFETY

VERSAPRO Hand Cleaning Brushes



- For general purpose cleaning
- Solid wood block
- Excellent of hand grooming

Vallen#	Part#	Size	Trim	Fill Material
CB7791	4412-10410	3 3/4 "x1 11/16 "	5/8 "	White Tampico

VERSAPRO Plastic Round Bucket



- Lid not included

Vallen#	Description
CB9100	Part#: 1WB Part#: 1WB Capacity: 1gl Color: White Thickness: 65ml Type: Bucket
CB9101	Part#: 1WL Part#: 1WL Capacity: 1gl Color: White Thickness: 65mil Type: Lid - Slotted provides tamper evidence
CB9102	Part#: 1BB Part#: 1BB Capacity: 1gl Color: Black Thickness: 65mil Type: Bucket
CB9103	Part#: 1BL Part#: 1BL Capacity: 1gl Color: Black Thickness: 65mil Type: Lid
CB9104	Part#: 2WB Part#: 2WB Capacity: 2gl Color: White Thickness: 65ml Type: Bucket
CB9105	Part#: 2WL Part#: 2WL Capacity: 2gl Color: White Thickness: 65ml Type: Lid - Tear-tab design provides ease of opening
CB9106	Part#: 35WB Part#: 35WB Capacity: 3.5gl Color: White Thickness: 90ml Type: Bucket
CB9999	Part#: 5WB2 Part#: 5WB2 Capacity: 5gl Color: White Thickness: 90ml Type: Bucket

CB9995	Part#: 5WB3 Part#: 5WB3 Capacity: 5gl Color: White Thickness: 75ml Type: Bucket
CB9108	Part#: 5BBR Part#: 5BBR Capacity: 5gl Color: Black Thickness: 90ml Type: Bucket
CB9109	Part#: 5BL Part#: 5BL Capacity: 5gl Color: Black Thickness: 90ml Type: Lid
CB9111	Part#: 5WL Part#: 5WL Capacity: 5gl Color: White Thickness: 90mil Type: Lid - Tear-tab design provides ease of opening
CB9998	Part#: 5WLUN Part#: 5WLUN Capacity: 5gl Color: White Thickness: 95mil Type: Lid - UN certified with spout

VERSAPRO All Purpose Cleaners



- USDA Approval
- Cherry fragrance
- Ideal for use in hospitals, offices, hotels, and restaurants
- Use 1 to 4 oz. per gallon of water for cleaning floors

Vallen#	Part#	Size
CB5076	5040-01011	1gl
CB5077	5040-01015	5gl

VERSAPRO Heavy-Duty Cleaner & Degreasers EnviroGreen



- Biodegradable
- Concentrated formula
- Non-butyl
- Can be diluted up to 50:1
- For use on surfaces not harmed by water

Vallen#	Part#	Size
CB5112	5040-02559	1qt
CB5107	5040-02551	1gal

YOUR SOLUTION FOR HURRICANE SAFETY

CB5110

5040-02557

55gal

VERSAPRO Disinfectant Cleaner



- Disinfectant, deodorant and air sanitizer
- Effective against TB and HIV
- Pleasant floral scent

Vallen#	Part#	Size	Pkg. Qty.
CB5116	5040-03320	17oz	12/Case

VERSAPRO Non-Acid Disinfectant Cleaners



Ready-to-use disinfectant, cleaner, fungicidal, mildewstat, virucide and deodorizer. This product contains four strains of ammonium chloride to protect from and aid in the reduction of cross contamination of a broad spectrum of Gram negative and Gram positive organisms. Effective against HI V-1 (AIDS virus), Trichophytonmentagrophytes (Athletes Foot Fungus) and many other organisms. Pleasant floral fragrance leaves areas smelling fresh and clean.
NOTE: Do not use on new or untreated grout. May stain.

Vallen#	Part#	Size	Type
CB5129	5040-04059	32oz	Bottle

VERSAPRO All Purpose Cleaners Biodegradable



- Ready-to-use
- Biodegradable
- Special detergents cut through grease, grime and soil

Vallen#	Part#	Size
CB5095	5040-02100	18oz Aerosol
CB5102	5040-02182	1qt

VERSAPRO Premium Weight Microfiber Cloths



Excellent cleaning for surfaces like counter tops, porcelain, chrome, glass and wood. Available in multiple colors for color coding by area or application. Can be extensively laundered.

Vallen#	Part#	Size
11910189	VP-2037	16"x16"

VERSAPRO Waste Containers & Lids Plastic



6 Air-venting passages provide up to 75% reduction in the force to remove a filled liner. Built-in poly bag cinches keep liners in place. Deeper wider bottom hand grip pockets slot for easier container dumping.
Lid locks tight even when tipped over. One-piece molded construction.

Vallen#	Part#	Capacity	Color	Type
CB8599	TCL132	32gal	Gray	Container
CB8595	TCL132	32gal	Gray	Lid
CB8622	TC144	44gal	Gray	Container
CB8596	TCL144	44gal	Gray	Lid
CB8623	TC155	55gal	Gray	Container
CB8597	TCL155	55gal	Gray	Lid

VERSAPRO Liquid Disinfectant Concentrates PineCon



Effective against influenza, staph, salmonella, herpes, rubella and many others. Dilute at 32:1 for cleaning and disinfecting.

Vallen#	Part#	Size
CB5189	5040-08055	5gl

YOUR SOLUTION FOR HURRICANE SAFETY

Essendant Disinfectant Sprays Lysol



This tuberculocidal, virucidal, fungicidal, and bactericidal formula kills 99.9% of germs on hard, nonporous surfaces and is effective against over 100 microorganisms including Influenza A Virus, MRSA, Norovirus, Rhinovirus, Poliovirus Type 1, Hepatitis A virus, Hepatitis B virus and HIV-1 (AIDS Virus) when used as directed. Effective against Mycobacterium bovis BCG (TB) in two minutes (pre-cleaned surfaces). Eliminates odors and prevents the growth of mold and mildew. Use on showers, sinks, countertops, around toilet areas, toys, telephones, garbage bins, waiting rooms and in laboratories.

Vallen#	Part#	Scent	Size
440235RAC046 75CT	RAC04675CT	Fresh	19oz

VERSAPRO Seat Cover Dispensers



Holds two sleeves of 250 half-fold seat covers.
2 dispensers/box.

Vallen#	Part#	Color
CB8553	DSC250	White Plastic

VERSAPRO C-Fold/Multi-fold Manual Towel Dispensers



Vallen#	Part#
11833924	CFMFDISP

VERSAPRO Center Pull Towels Dispensers



Vallen#	Part#
11833926	CPDISP

VERSAPRO Flat Floor Squeegee Fiberglass Handles

This non-tapered fiberglass design fits most squeegee handles. Extend your reach with a confident grip.

Vallen#	Part#	Length
11910186	VP-2034	54"

VERSAPRO Quick Change Mop Handles



Accommodates any size mop – both narrow and wide band. Simply snap lever open to insert new mop head or discard soiled mop head. Ideal for the most sanitary areas.

Vallen#	Part#	Size	Material
CB8517	4408-11810	1.75"x64"	Fiberglass

VERSAPRO Regular Cotton Wet Mop Heads Screw-Type Cut-End Layflat®



Ideal for general and rough surface use. 1" headband.

Vallen#	Part#	WxLxH	Capacity	Color
11910192	VP-2040	6.5x16.8x2.15	16oz	White
11910193	VP-2041	6.35x21.7x2.9	24oz	White
11910194	VP-2042	7x23.75x2.55	32oz	White

YOUR SOLUTION FOR HURRICANE SAFETY

VERSAPRO Trigger Spray Heads Plastic



28/400 Closure. 0.8 ml output. 3 settings: Cone Spray, Stream Spray, Off.

Vallen#	Part#	Size
11910182	VP-2030	1.3x3.4x11.2

VERSAPRO Trigger Spray Heads General Purpose



Adjustable nozzle provides a variety of streams.

Vallen#	Part#	Size	Tube Length	Use With
11910190	VP-2038	10.55x3.65x1.3	7 1/4 "	PB116 Bottle
11910188	VP-2036	1.25x3.65x11.25	8 1/8 "	-

VERSAPRO High Density Can Liners



- HMW/HD liners are about 3 times stronger and more durable than ordinary polyethylene liners of the same thickness.
- HMW/HD liners require two-thirds less petroleum based raw material to manufacture. Accordingly, they can be made about one-third the thickness of ordinary low density polyethylene liners, so they require only about one-third the ordinary shipping, storage and warehousing cost.
- Substantial cost savings per liner.
- When they are properly made, HMW/HD liners will rarely "zipper" if punctured.
- Extremely wide range of temperature resistance from -40 °F to +212 °F (boiling).
- USDA and FDA approved (natural colored liners).

Vallen#	Description
CB0820	Part#: 6217-18602 Part#: 6217-18602 Size: 17"X18" Capacity: 4-7gal. Color: Natural Thickness: 6 microns Strength Rating: Regular Maximum Load: 15lbs

CB0827 Part#: 6220-22602
Part#: 6220-22602
Size: 20"X22"
Capacity: 7-10gal.
Color: Natural
Strength Rating: Regular
Maximum Load: 15lbs

CB7066 Part#: 6224-24600
Part#: 6224-24600
Size: 24"X24"
Capacity: 10gal.
Color: Natural
Strength Rating: Regular
Maximum Load: 15lbs

CB7069 Part#: 6224-33600
Part#: 6224-33600
Size: 24"X33"
Capacity: 12-16gal.
Color: Natural
Strength Rating: Regular
Maximum Load: 15lbs

CB7071 Part#: 6224-33800
Part#: 6224-33800
Size: 24"X33"
Capacity: 12-16gal.
Color: Natural
Strength Rating: Regular
Maximum Load: 20lbs

CB7073 Part#: 6230-37100
Part#: 6230-37100
Size: 30"X37"
Capacity: 20-30gal.
Color: Natural
Strength Rating: Medium
Maximum Load: 30lbs

CB7075 Part#: 6230-37120
Part#: 6230-37120
Size: 30"X37"
Capacity: 20-30gal.
Color: Natural
Strength Rating: Heavy
Maximum Load: 50lbs

CB7077 Part#: 6230-37160
Part#: 6230-37160
Size: 30"X37"
Capacity: 20-30gal.
Color: Natural
Strength Rating: Extra Heavy
Maximum Load: 75lbs

CB7080 Part#: 6233-40121
Part#: 6233-40121
Size: 33"X40"
Capacity: 33gal.
Color: Natural
Thickness: 12 microns
Strength Rating: Medium
Maximum Load: 45lbs

CB7081 Part#: 6233-40160
Part#: 6233-40160
Size: 33"X40"
Capacity: 33gal.
Color: Natural
Strength Rating: Extra Heavy
Maximum Load: 75lbs

CB7656 Part#: 6233-40220
Part#: 6233-40220
Size: 33"X40"
Capacity: 33gal.
Color: Natural
Strength Rating: XX Heavy
Maximum Load: 85lbs

CB7083 Part#: 6236-30161
Part#: 6236-30161
Size: 36"X60"
Capacity: 55gal.
Color: Natural
Strength Rating: Extra Heavy
Maximum Load: 80lbs

CB7089 Part#: 6238-60140
Part#: 6238-60140
Size: 38"X60"
Capacity: 60gal.
Color: Natural
Strength Rating: Heavy
Maximum Load: 55lbs

YOUR SOLUTION FOR HURRICANE SAFETY

CB7092 Part#: 6238-60161
Part#: 6238-60161
Size: 38"X60"
Capacity: 60gal.
Color: Natural
Strength Rating: Extra Heavy
Maximum Load: 80lbs

J04315 Part#: 6238-60221
Part#: 6238-60221
Size: 38"X60"
Capacity: 60gal.
Color: Natural
Strength Rating: XX Heavy
Maximum Load: 85lbs

CB7053 Part#: 6138-60220
Part#: 6138-60220
Size: 38"X60"
Capacity: 60gal.
Color: Black
Strength Rating: XX Heavy
Maximum Load: 85lbs

CB7102 Part#: 6252-72170
Part#: 6252-72170
Size: 40"X12"x72"
Color: Natural

CB7094 Part#: 6240-48120
Part#: 6240-48120
Size: 40"X48"
Capacity: 40-45gal.
Color: Natural
Strength Rating: Heavy
Maximum Load: 50lbs

CB7096 Part#: 6240-48160
Part#: 6240-48160
Size: 40"X48"
Capacity: 40-45gal.
Color: Natural
Strength Rating: Extra Heavy
Maximum Load: 75lbs

CB7098 Part#: 6240-48221
Part#: 6240-48221
Size: 40"X48"
Capacity: 40-45gal.
Color: Black
Strength Rating: XX Heavy
Maximum Load: 85lbs

CB7099 Part#: 6243-48120
Part#: 6243-48120
Size: 43"X48"
Capacity: 56-GLUTTON
Color: Natural
Strength Rating: Heavy
Maximum Load: 50lbs

CB7100 Part#: 6243-48160
Part#: 6243-48160
Size: 43"X48"
Capacity: 56-GLUTTON
Color: Natural
Strength Rating: Extra Heavy
Maximum Load: 75lbs

CB7101 Part#: 6243-48161
Part#: 6243-48161
Size: 43"X48"
Capacity: 56-GLUTTON
Color: Natural
Strength Rating: Extra Heavy
Maximum Load: 75lbs

CB7063 Part#: 6143-48220
Part#: 6143-48220
Size: 43"X48"
Capacity: 56-GLUTTON
Color: Black
Strength Rating: XX Heavy
Maximum Load: 85lbs

VERSAPRO Linear Low Density Can Liners



- Maximum puncture and stretch resistance compared to High Density.
- Multi-purpose applications.
- Most prevalent type of film used in the industry today.
- Manufactured in a wide variety of colors.
- Compared to traditional low density film, linear low can be run at a lighter gauge with equal strength.
- USDA and FDA approved (clear and white color liners).

Vallen#	Description
CB7108	Part#: 6338-63305 Part#: 6338-63305 Size: 20"x18"x63" Capacity: 60gal. Color: Clear Strength Rating: Extra Extra Heavy
CB7653	Part#: 6238-60220 Part#: 6238-60220 Size: 22"x16"x60" Capacity: 60gal. Color: Black Strength Rating: Extra Extra Heavy
CB7143	Part#: 6724-23040 Part#: 6724-23040 Size: 24"x23" Capacity: 10gal. Color: Buff Maximum Load: 15lbs. Strength Rating: Regular
CB7112	Part#: 6424-23040 Part#: 6424-23040 Size: 24"x23" Capacity: 10gal. Color: Gray Maximum Load: 15lbs. Strength Rating: Regular
CB8884	Part#: 6124-32035 Part#: 6124-32035 Size: 24"x32" Capacity: 12-16gal. Color: Black Maximum Load: 15lbs. Strength Rating: Regular
CB7040	Part#: 6124-32090 Part#: 6124-32090 Size: 24"x32" Capacity: 12-16gal. Color: Black Maximum Load: 60lbs. Strength Rating: Extra Heavy
CB8886	Part#: 6124-32091 Part#: 6124-32091 Size: 24"x32" Capacity: 12-16gal. Color: Black Maximum Load: 60lbs. Strength Rating: Extra Extra Heavy
CB8912	Part#: 6324-32035 Part#: 6324-32035 Size: 24"x32" Capacity: 12-16gal. Color: Clear Maximum Load: 15lbs. Strength Rating: Regular
CB7113	Part#: 6424-32040 Part#: 6424-32040 Size: 24"x32" Capacity: 12-16gal. Color: Gray Maximum Load: 15lbs. Strength Rating: Regular

YOUR SOLUTION FOR HURRICANE SAFETY

CB7125	Part#: 6524-32045 Part#: 6524-32045 Size: 24"x32" Capacity: 12-16gal. Color: White Maximum Load: 30lbs. Strength Rating: Medium	CB8896	Part#: 6133-39095 Part#: 6133-39095 Size: 33"x39" Capacity: 33gal. Color: Black Maximum Load: 65lbs. Strength Rating: Extra Heavy
CB7105	Part#: 6324-33125 Part#: 6324-33125 Size: 24"x33" Capacity: 12-16gal. Color: Clear Maximum Load: 75lbs. Strength Rating: Extra Extra Heavy	CB8383	Part#: 6133-39120 Part#: 6133-39120 Size: 33"x39" Capacity: 33gal. Color: Black
CB8888	Part#: 6130-36045 Part#: 6130-36045 Size: 30"x36" Capacity: 20-30gal. Color: Black Maximum Load: 30lbs. Strength Rating: Medium	CB8897	Part#: 6133-39140 Part#: 6133-39140 Size: 33"x39" Capacity: 33gal. Thickness: 35 micron Color: Black
CB7999	Part#: 6130-36120 Part#: 6130-36120 Size: 30"x36" Capacity: 20-30gal. Color: Black	CB7149	Part#: 6733-39080 Part#: 6733-39080 Size: 33"x39" Capacity: 33gal. Color: Buff Maximum Load: 55lbs. Strength Rating: Heavy
CB7127	Part#: 6530-36075 Part#: 6530-36075 Size: 30"x36" Capacity: 20-30gal. Thickness: 19 micron Color: White	CB7116	Part#: 6433-39070 Part#: 6433-39070 Size: 33"x39" Capacity: 33gal. Color: Gray Maximum Load: 55lbs. Strength Rating: Heavy
CB7128	Part#: 6530-36095 Part#: 6530-36095 Size: 30"x36" Capacity: 20-30gal. Color: White	CB7129	Part#: 6533-39075 Part#: 6533-39075 Size: 33"x39" Capacity: 33gal. Color: White
CB7146	Part#: 6730-36060 Part#: 6730-36060 Size: 30"x36" Capacity: 20-30gal. Color: Buff Maximum Load: 40lbs. Strength Rating: Medium	CB7130	Part#: 6533-39095 Part#: 6533-39095 Size: 33"x39" Capacity: 33gal. Color: White
CB7114	Part#: 6430-36050 Part#: 6430-36050 Size: 30"x36" Capacity: 20-30gal. Color: Gray Maximum Load: 40lbs. Strength Rating: Medium	CB7117	Part#: 6433-39100 Part#: 6433-39100 Size: 33"x39" Capacity: 33gal. Color: Gray Maximum Load: 75lbs. Strength Rating: Extra Heavy
CB7115	Part#: 6430-36070 Part#: 6430-36070 Size: 30"x36" Capacity: 20-30gal. Color: Gray Maximum Load: 55lbs. Strength Rating: Heavy	CB7138	Part#: 6633-40150 Part#: 6633-40150 Size: 33"x40" Capacity: 33gal. Color: Silver Maximum Load: 80lbs. Strength Rating: Extra Heavy
CB7137	Part#: 6630-37150 Part#: 6630-37150 Size: 30"x37" Capacity: 20-30gal. Color: Silver Maximum Load: 80lbs. Strength Rating: Extra Extra Heavy	CB7150	Part#: 6736-46080 Part#: 6736-46080 Size: 36"x46" Capacity: 44-BRUTE Color: Buff Maximum Load: 75lbs. Strength Rating: Extra Heavy
CB7147	Part#: 6730-46080 Part#: 6730-46080 Size: 30"x46" Capacity: 38gal. Color: Buff Maximum Load: 55lbs. Strength Rating: Heavy	CB8899	Part#: 6136-58190 Part#: 6136-58190 Size: 36"x58" Capacity: 55gal. Color: Black Maximum Load: 90lbs. Strength Rating: Extra Extra Heavy
CB8895	Part#: 6133-39060 Part#: 6133-39060 Size: 33"x39" Capacity: 33gal. Color: Black Maximum Load: 45lbs. Strength Rating: Heavy	CB7085	Part#: 6236-60122 Part#: 6236-60122 Size: 36"x60" Capacity: 55gal. Color: Natural
		CB7665	Part#: 6336-58600 Part#: 6336-58600 Size: 36"x58" Capacity: 55gal. Thickness: 152 micron Color: Clear

YOUR SOLUTION FOR HURRICANE SAFETY

CB7120	Part#: 6436-58110 Part#: 6436-58110 Size: 36"x58" Capacity: 55gal. Color: Gray Maximum Load: 75lbs. Strength Rating: Extra Heavy	X78713	Part#: 6338-63250 Part#: 6338-63250 Size: 38"x63" Capacity: 60gal. Color: Clear Strength Rating: Super Extra Heavy
CB7119	Part#: 6436-58070 Part#: 6436-58070 Size: 36"x58" Capacity: 55gal. Color: Gray Maximum Load: 55lbs. Strength Rating: Heavy	CB7139	Part#: 6639-47170 Part#: 6639-47170 Size: 39"x47" Capacity: 40-45gal. Color: Silver Maximum Load: 95lbs. Strength Rating: Extra Extra Heavy
CB8902	Part#: 6138-58095 Part#: 6138-58095 Size: 38"x58" Capacity: 60gal. Color: Black Maximum Load: 65lbs. Strength Rating: Extra Heavy	CB7140	Part#: 6639-57170 Part#: 6639-57170 Size: 39"x57" Capacity: 55gal. Color: Silver Maximum Load: 95lbs. Strength Rating: Extra Extra Heavy
J04227	Part#: 6138-58135 Part#: 6138-58135 Size: 38"x58" Capacity: 60gal. Color: Black Maximum Load: 75lbs. Strength Rating: Extra Heavy	CB8904	Part#: 6140-46050 Part#: 6140-46050 Size: 40"x46" Capacity: 40-45gal. Thickness: 50 micron Color: Black Maximum Load: 35lbs.
CB7051	Part#: 6138-58140 Part#: 6138-58140 Size: 38"x58" Capacity: 60gal. Color: Black Maximum Load: 75lbs. Strength Rating: Extra Extra Heavy	CB8905	Part#: 6140-46070 Part#: 6140-46070 Size: 40"x46" Capacity: 40-45gal. Color: Black Maximum Load: 45lbs. Strength Rating: Heavy
CB8903	Part#: 6138-58180 Part#: 6138-58180 Size: 38"x58" Capacity: 60gal. Color: Black Maximum Load: 90lbs. Strength Rating: Extra Extra Heavy	CB8906	Part#: 6140-46095 Part#: 6140-46095 Size: 40"x46" Capacity: 40-45gal. Thickness: 24 micron Color: Black
CB8920	Part#: 6238-58180 Part#: 6238-58180 Size: 38"x58" Capacity: 60gal. Thickness: 45 micron Color: Natural	CB7659	Part#: 6140-46120 Part#: 6140-46120 Size: 40"x46" Capacity: 40-45gal. Color: Black
CB7131	Part#: 6538-58074 Part#: 6538-58074 Size: 38"x58" Capacity: 60gal. Color: White Maximum Load: 60lbs. Strength Rating: Heavy Plus	CB8907	Part#: 6140-46180 Part#: 6140-46180 Size: 40"x46" Capacity: 40-45gal. Thickness: 45 micron Color: Black
CB7132	Part#: 6538-58097 Part#: 6538-58097 Size: 38"x58" Capacity: 60gal. Color: White Maximum Load: 65lbs. Strength Rating: Extra Heavy	CB7154	Part#: 6740-46080 Part#: 6740-46080 Size: 40"x46" Capacity: 40-45gal. Color: Buff Maximum Load: 55lbs. Strength Rating: Heavy
CB7121	Part#: 6438-58110 Part#: 6438-58110 Size: 38"x58" Capacity: 60gal. Color: Gray Maximum Load: 75lbs. Strength Rating: Extra Heavy	CB7133	Part#: 6540-46075 Part#: 6540-46075 Size: 40"x46" Capacity: 40-45gal. Color: White
CB7106	Part#: 6338-63180 Part#: 6338-63180 Size: 38"x63" Capacity: 60gal. Color: Clear Maximum Load: 90lbs. Strength Rating: Extra Extra Heavy	CB7135	Part#: 6540-46150 Part#: 6540-46150 Size: 40"x46" Capacity: 40-45gal. Color: White Maximum Load: 80lbs. Strength Rating: Extra Extra Heavy
CB7107	Part#: 6338-63240 Part#: 6338-63240 Size: 38"x63" Capacity: 60gal. Color: Clear Strength Rating: Super Extra Heavy	CB7123	Part#: 6440-46110 Part#: 6440-46110 Size: 40"x46" Capacity: 40-45gal. Color: Gray Maximum Load: 75lbs. Strength Rating: Extra Heavy
		CB8923	Part#: 6340-46130 Part#: 6340-46130 Size: 40"x46" Capacity: 40-45gal. Color: Clear Maximum Load: 80lbs. Strength Rating: Extra Extra Heavy

YOUR SOLUTION FOR HURRICANE SAFETY

- CB7059 Part#: 6143-47120
Part#: 6143-47120
Size: 43"x47"
Capacity: 56-GLUTTON
Color: Black
- CB8909 Part#: 6143-48095
Part#: 6143-48095
Size: 42.5"x48"
Capacity: 56-GLUTTON
Color: Black
Maximum Load: 65lbs.
Strength Rating: Extra Heavy
- CB7062 Part#: 6143-48140
Part#: 6143-48140
Size: 42.5"x48"
Capacity: 56-GLUTTON
Color: Black
Maximum Load: 75lbs.
Strength Rating: Extra Extra Heavy
- CB8910 Part#: 6142-48190
Part#: 6142-48190
Size: 42.5"x48"
Capacity: 56-GLUTTON
Color: Black
Maximum Load: 90lbs.
Strength Rating: Extra Extra Heavy
- CB7156 Part#: 6742-48120
Part#: 6742-48120
Size: 42.5"x48"
Capacity: 56-GLUTTON
Color: Buff
Maximum Load: 75lbs.
Strength Rating: Extra Heavy
- CB8927 Part#: 6343-48070
Part#: 6343-48070
Size: 42.5"x48"
Capacity: 56-GLUTTON
Color: Clear
Maximum Load: 55lbs.
Strength Rating: Heavy
- CB8926 Part#: 6342-48100
Part#: 6342-48100
Size: 42.5"x48"
Capacity: 56-GLUTTON
Color: Clear
Maximum Load: 75lbs.
Strength Rating: Extra Heavy
- CB7124 Part#: 6442-48070
Part#: 6442-48070
Size: 42.5"x48"
Capacity: 56-GLUTTON
Color: Gray
Maximum Load: 55lbs.
Strength Rating: Heavy
- CB7136 Part#: 6542-48095
Part#: 6542-48095
Size: 42.5"x48"
Capacity: 56-GLUTTON
Color: White
- J04213 Part#: 6143-47180
Part#: 6143-47180
Size: 43"x47"
Capacity: 56-GLUTTON
Color: Black
Maximum Load: 90lbs.
Strength Rating: Extra Extra Heavy
- 488096CB8392 Part#: 6243-47150
Part#: 6243-47150
Size: 43"x47"
Capacity: 56-GLUTTON
Color: Natural
- CB7110 Part#: 6343-48047
Part#: 6343-48047
Size: 43"x48"
Capacity: 56-GLUTTON
Color: Clear
Maximum Load: 30lbs.
Strength Rating: Medium
- CB7141 Part#: 6643-49170
Part#: 6643-49170
Size: 43"x49"
Capacity: 56-GLUTTON
Color: Silver
Maximum Load: 95lbs.
Strength Rating: Extra Extra Heavy

- CB9696 Part#: 6344-55160
Part#: 6344-55160
Size: 44"x55"
Thickness: 40 micron
Color: Clear
- CB7646 Part#: 6350-44001
Part#: 6350-44001
Size: 50"x43.5"
Capacity: King Can
Color: Black
Maximum Load: 70lbs.
Strength Rating: Heavy Plus

VERSAPRO
Urinal Mats
Fresh Blast Fragrance - With Velcro
Z-Mat™



Backing grips floor tightly to prevent sliding. Reduces washroom maintenance by protecting grout and floors. Prevents puddling and floor damage.

Vallen#	Part#	WxLxH	Color
488094CB8648	UM200	20.25x17.45x0.75	Black

VERSAPRO
Traditional Large Loop Dust
Mops
Microfiber



Can be used with traditional 5" metal dust mop frames and handles. Large loop microfiber picks up more particles of dust and trash. Mops attract dust electrostatically and require no treatment.

Vallen#	Part#	Size	Color
11910176	VP-2024	24"	Blue
11910177	VP-2025	36"	Blue

YOUR SOLUTION FOR HURRICANE SAFETY

VERSAPRO
Saddle Type Cut-End Wet Mops
 Cotton



Narrow headband construction. Not recommended for laundering.

Vallen#	Part#	Size	Capacity
11910195	VP-2043	6.65x19.8x3.05	24oz

02388363985
 02388366006

63985
 6-6006

Backpack Sprayer
 Disinfectant Spray Nozzle

Chapin Manufacturing
Open Head Pump Sprayers
 3.5 Gallons
Tri-Poxy



- TRI-POXY® lined steel for triple protection against corrosion, rust and damage from denting
- Wide mouth for easy filling and cleaning
- Forged brass shut-off with "Lock-on" and quick release design. Threaded coupling for easy removal
- Hose reinforced with nylon braid and vinyl core to resist chemical attack, crimping, cracking and leaking
- Brass fan spray nozzle for even coverage
- Optional feature: in-tank anti-clog filter
- 24" Curved Brass Wand

Vallen#	Part#	Size
02388301949	1949	3.5gl

VERSAPRO
Liquid Hand Dishwashing Soaps
 Lemon Scent



Premium detergents float away grease and soil, buffered with skin conditioners and emollients.

Vallen#	Part#	Size
CB5131	5040-04062	1qt
CB5130	5040-04061	1gal

Chapin Manufacturing
Heavy Duty Poly Pump Sprayers
 3 Gallons



- Industrial Poly Heavy Duty Sprayer - 3G
- Polyethylene Sprayer
 - Usable Capacity 3.0 Gallons
 - Pressure 35 to 45 PSI
 - Hose Length 36 Inches
 - Extension Tube 18 Inches
 - Nozzle Brass
 - 0.5 GPM Fan Tip
 - Pump Length 9 Inches
 - For Curing Compounds, and General Light Chemical Use

Vallen#	Part#	Size
02388322090XP	22090	3gl

Chapin Manufacturing
20 Volt Wide Mouth Backpack Sprayer
 4 Gallon - Powered by Black & Decker



"NOTE!": Nozzle 6-6006 is required for disinfectant spraying and must be ordered with Backpack sprayer.

- Black & Decker 20-volt Lithium Ion battery
- Up to 1.75 hours of continuous spraying
- 4-gallon translucent tank
- 6-inch wide mouth funnel for easy filling and cleaning
- 35-40 psi
- 20-foot maximum horizontal spray stream and up to 27-foot vertical spray stream
- Cushion grip shut-off with built-in, serviceable filter to assure that no debris can clog the nozzle tip
- Shoulder straps included
- Battery and charger included
- Santoprene seals in the pump offer maximum chemical resistance

Vallen#	Part#	Type
---------	-------	------

YOUR SOLUTION FOR HURRICANE SAFETY

Chapin Manufacturing
Backpack Sprayers
 Poly - 4 Gallon
 Knapsack



- SPR 4.0G/11.4L CHAPIN POLY KNAPSACK
- Large pump makes pressurizing quick with less pumping
- Internal 4 position spray valve for expert pressure control from 15 psi to 60 psi
- Padded carrying straps for fatigue-free operation
- Easy operating spray handle with continuous spray feature
- Multi-use nozzle tips included, Positionable pump handle for right or left hand use
- 48" hose
- 18" curved poly wand
- Wide opening with fitter for filling

Vallen#	Part#	Size
02388361800	61800	4gl

Chapin Manufacturing
Industrial Poly Pump Sprayers
 2 Gallons



- Vitron™ acid and chemical resistant seals and gaskets
- Wide opening for easy filling and cleaning
- Auto/Manual high pressure relief valve
- Adjustable poly cone nozzle sprays coarse stream to a fine mist
- 42" hose length
- 18" wand length
- 40 psi pressure

Vallen#	Part#	Size
02388322350	22350	2gal

Chapin Manufacturing
Industrial Poly Pump Sprayers
 48 Ounces
 Viton



Industrial Poly Sprayers

Vallen#	Part#	Size
02388301046	1046	48oz.

VERSAPRO
All-Purpose Pump Sprayers
 Viton seals/PVC hose



Wide opening for easy filling and a vertical holder for spray wand. Locking handle and twist-to-pump operation. Viton seals and 30" premium PVC hose. Includes carry strap.

Vallen#	Part#	Size
CB8592	PS2100	2gl

Chapin Manufacturing
Premier Poly Pump Sprayers
 2 Gallons
 Premier Pro+



Patented SureSpray® Anti-Clog Filter

- Helps prevent clogging
- Large 4" opening
- Translucent bottle for ease in checking fluid level
- Adjustable Brass Nozzle
- Heavy Duty metal spray handle and brass wand
- Viton™ Equipped
- Drop-in and lock-in wand holder

Vallen#	Part#	Size
02388321220	21220	2gl

VERSAPRO
General Purpose Trigger Sprayer
 Dip Tube Length: 9.25"



- Nozzle tip adjusts from a wide mist to a sharp stream.
- Features long comfortable trigger pad.
- 28/400 neck finish.
- Standard strainer.

Vallen#	Part#	Color	Stroke
11166076	92-705	Red/White	1 mil
11300934	92-709	Yellow/White	3.5 mil

YOUR SOLUTION FOR HURRICANE SAFETY

Carlisle Food Service Products
Moss Foam Rubber Squeegee
 Floor & Window
Flo Pac



- Soft durable moss foam rubber
- Positive locking collar
- Accepts smooth or threaded handle up to 15/16" sold separately
- Non-sparking channel
- Resist corrosion
- Perfect for routine spills and daily maintenance

Vallen#	Part#
4293456222	6222

VERSAPRO
Window Sponge Squeegees



Nylon net covered sponge; improves life of sponge and scrubbing power for tough residue. 8" soft rubber squeegee on opposite side. Each head unit packed with 20" polypropylene handle.

Vallen#	Part#	Size
11910183	VP-2031	8"

Magnolia Brush
Straight Squeegees
 Steel Bracket Handle
Heavy Duty



- Packed 6 squeegees and 6 handles per carton
- Includes handle with steel bracket

Vallen#	Part#	Size	Includes
4200734124	4124	24"	Wood Lacquered Handle
4200734136	4136	36"	Wood Lacquered Handle

VERSAPRO
Window Squeegees
 Replacement Blades & Handle



Fast-lock handle for quick blade and channel changes. Non-slip rubber grip. Can extend reach with standard squeegee handles.

Vallen#	Part#	Size
488007CB8491	WSP114	12" Squeegee
488007CB8493	WSRR14	12" Blade Only
488007CB8492	WSP118	18" Squeegee
488007CB8494	WSRR18	18" Blade Only
488007CB8513	WSSH600	Handle Only

Magnolia Brush
Straight Squeegees
 Tapered Handle Socket



- Does not include handle
- Requires standard tapered handle

Vallen#	Part#	Size
4200734124TP N	4124TPN	24"

VERSAPRO
Flame Resistant Canvas Tarps
 12oz Cotton Canvas



- 12oz Cotton Canvas
- OD Green
- Double Stitched
- Fire Retardant
- Water Resistant
- Grommets/3'

Vallen#	Part#	Size
507968CUTAR P10X12	FR10X12	10'x12'
507968FOSFRT 20X20	FR20X20	20'x20'
507968FOSFRT 10X20	FR10X20	10'x20'
507968FOS12X 12CT	FR12X12	12'x12'

VERSAPRO
Rubber Squeegees
 High-Grade Rubber



Heavy metal frames are zinc plated, therefore corrosion resistant and features a built-in scraper designed for removal of stubborn stains.

- Durable gray/white non-marking blades are secured in place with sturdy rust resistant screws
- These heavy-duty floor squeegees are designed for universal use.
- Ideal for all industries, professional and commercial

Vallen#	Part#	Size	Blade
11910187	VP-2035	36"	Curved

YOUR SOLUTION FOR HURRICANE SAFETY

VERSAPRO Polyethylene Tarps 5 Mil - With Grommets



- Polyethylene material
- 5 mil. gauge thickness
- Heavy-duty double laminated coating
- 8x10 Extra strength weave
- 3.6oz per square yard
- Heat sealed seams
- Grommets every 3'
- Rope reinforced hem
- Sun and fade resistant
- Rot and rust proof
- "No leaks, no tears"
- All tarps packed in heavyweight bags

Vallen#	Part#	Size	Color
488007CB5471	4408-40005	6'x8'	Blue
CB5472	4408-40010	8'x10'	Blue
488007CB5473	4408-40025	9'x12'	Blue
488007CB5474	4408-40030	10'x10'	Blue
488094CB5475	4408-40035	10'x12'	Blue
488007CB5476	4408-40040	10'x12'	Green
488094CB5477	4408-40045	10'x16'	Blue
488007CB5478	4408-40050	10'x18'	Blue
488007CB5479	4408-40055	10'x20'	Blue
488094CB5480	4408-40060	12'x14'	Blue
488007CB5481	4408-40070	12'x16'	Blue
488007CB5482	4408-40072	12'x18'	Blue
488007CB5483	4408-40075	12'x20'	Blue
488007CB5484	4408-40085	12'x25'	Blue
488007CB5485	4408-40090	15'x20'	Blue
488007CB5487	4408-40100	15'x30'	Blue
CB5488	4408-40105	16'x20'	Blue
488007CB8398	4408-40110	18'x24'	Blue
CB5489	4408-40120	20'x20'	Blue
488007CB8399	4408-40125	20'x25'	Blue
CB5490	4408-40130	20'x30'	Blue
488007CB5491	4408-40140	20'x40'	Blue
488094CB5492	4408-40150	25'x40'	Blue
488094CB8400	4408-40151	30'x30'	Blue
488094CB5493	4408-40155	30'x40'	Blue
488094CB5494	4408-40160	30'x50'	Blue
488007CB8401	4408-40170	40'x60'	Blue

Kimberly-Clark Professional Standard Roll Bathroom Tissue Scott®



Designed to fit almost any budget, the Scott® Brand brings you sensible innovations that help reduce waste and labor costs. The ideal balance of strength, softness, absorbency and economy. Meets EPA standards. Minimum 20% post-consumer material. Common Specifications:

- Practical, affordable wash room solutions

Vallen#	Description
03600004460	Part#: 04460 Part#: 04460 Size: 4.1"x4.0" Ply: 2-Ply Pkg. Qty.: 550 Sheets/Roll Description: 20% post consumer material

VERSAPRO Roll Toilet Tissues 2-Ply - White



Soft, absorbent 2-ply bath tissue in a high capacity roll to greatly reduce maintenance demands. Perfect for high-traffic areas. 100% recycled with a minimum of 50% post consumer waste.

Vallen#	Description
CB7664	Part#: TTJR700 Part#: TTJR700 Type: Jumbo Length: 1000' Core: 3.3" Pkg. Qty.: 12 Rolls/Case
11833928	Part#: TTSRD Part#: TTSRD Type: Premium Length: 150' Core: 1.625" Pkg. Qty.: 60 Rolls/Case
11870748	Part#: TTSR Part#: TTSR Type: Standard Length: 183.3' Core: 1.625" Pkg. Qty.: 80 Rolls/Case

VERSAPRO Facial Tissues



Our facial tissue is soft, absorbent, and strong. For use alone or in a countertop dispenser. Because these tissues easily pull out one at a time, fewer are used.

Vallen#	Part#	Size	Pkg. Qty.
---------	-------	------	-----------

YOUR SOLUTION FOR HURRICANE SAFETY

CB8449

FT8575

8.5"x7.5"

100 Sheets/Box - 30
Boxes/Case

VERSAPRO
Multi-Fold Hand Towels
White



These multi-fold towels are soft, strong and absorbent, yet competitively priced. 100% recycled with a minimum of 50% post consumer waste.

Vallen#	Part#	Size	Color	Pkg. Qty.
CB9072	TWLWMF	9.25"x9.50"	White	250 Sheets/Pack - 16 Packs/Case

VERSAPRO
Center Pull Bleached Hand Towels
White - Double Ply



These center pull towels are softer and more absorbent than standard roll towels. Each roll is perforated to deliver only one clean, dry, germ-free sheet at a time to control usage and reduce waste. 100% recycled with a minimum of 50% post consumer waste.

Vallen#	Description
CB9073	Part#: TWLWCP Part#: TWLWCP Type: Double Ply Color: White Size: 8.3"x15" Pkg. Qty.: 6-660/Rolls/Case
11833925	Part#: CP1PLY Part#: CP1PLY Type: Single Ply Color: White Size: 8.3"x15" Pkg. Qty.: 6

VERSAPRO
Standard Bleach Roll Hand Towels
White



Vallen#	Part#	Length	Color
11833930	SB1000	1000'	White

VERSAPRO
Center Pull Bleached Hand Towels
White - Single Ply



These center pull towels are softer and more absorbent than standard roll towels. Each roll is perforated to deliver only one clean, dry, germ-free sheet at a time to control usage and reduce waste. 100% recycled with a minimum of 50% post consumer waste.

Vallen#	Part#	Color
11833925	CP1PLY	White

VERSAPRO
Roll Hand Towels
White/Brown



Vallen#	Part#	Length	Color	Type
11833930	SB1000	1000'	White	Standard
11833931	SN1000	1000'	Brown	Standard

VERSAPRO
C Fold Hand Towels
White



These center fold towels are soft, strong and absorbent, yet competitively priced. White towels, 100% recycled with a minimum of 50% post consumer waste, 2400/case.

Vallen#	Description
CB9072	Part#: TWLWMF Part#: TWLWMF Type: Multi-Fold Size: 9.25"x9.50" Color: White Pkg. Qty.: 250 Sheets/Pack - 16 Packs/Case

YOUR SOLUTION FOR HURRICANE SAFETY

VERSAPRO Shop Towels & Wipers



DRC – Double Re-creped Cellulose – Cellulose Fibers that are held together with binder. General all-purpose wiper, very absorbent and soft. Used in all types of applications.

Hydroentangled Spunlace – Cellulose/Polypropolene – Cellulose fibers are hydroentangled into a polypropolene carrier sheet to form a fabric. The cellulose provides for absorbency while the polypropolene provides wiper strength. Multi use, rag replacement, low lint.

Hydrocell material is a strong absorbent and a virtually lint free wiper that can tackle the toughest jobs. Great for any job that needs a tough wiper. Similar to hydroentagled wipers.

Spunlace – a nonwoven fabric that is produced by hydroentangling the fibers together. Spunlace is a broad term for many different nonwoven wipers.

Scrim – A nylon net sheeting that has layers of paper bonded to either side. Scrim is a good general all-purpose wiper and is available in 2, 3 & 4-ply. It is low lint and non-streaking.

Airlaid – Cellulose fibers held together with binder – a different process than DRC – very absorbent, not as soft as DRC. Does not dry to the touch. One of the “lintier” materials.

Vallen#	Description
CB7693	Part#: WPR40P Part#: WPR40P Size: 9"x17" Color: White Package: 100 Sheets/Pop-Up Box Weight: Medium Material: DRC
CB9428	Part#: WPR53P Part#: WPR53P Size: 9"x17" Color: White Package: 100 Sheets/Pop-Up Box Weight: Heavy Material: DRC
10282357	Part#: WPR3300 Part#: WPR3300 Size: 12"x13" Color: Natural Package: 950 Sheets/Roll Weight: Medium Material: DRC Cellulose
CB8710	Part#: WPR35R Part#: WPR35R Size: 12"x13" Color: White Package: 950 Sheets/Roll Weight: Medium Material: DRC
CB8708	Part#: WPR31Q Part#: WPR31Q Size: 12"x13" Color: White Package: 50 Sheets/Bag-18 Bags/Case Weight: Medium Weight- 1/4 fold Material: DRC
CB8925	Part#: WPR43R Part#: WPR43R Size: 12"x13" Color: White Package: 750 Sheets/Roll Weight: Heavy Material: DRC

CB9954	Part#: WPR55Q Part#: WPR55Q Size: 12"x13" Color: White Package: 50 Sheets/Bag-18 Bags/Case Weight: Heavy Weight- 1/4 fold Material: DRC
CB7692	Part#: WPR70P Part#: WPR70P Size: 9"x17" Color: White Package: 100 Sheets/Pop-Up Box Weight: Medium Material: Hydroentangled Spunlace
CB9982	Part#: WPR75P Part#: WPR75P Size: 9"x17" Color: White Package: 100 Sheets/Pop-Up Box Weight: Heavy Material: Hydroentangled Spunlace
CB9984	Part#: WPR02P Part#: WPR02P Size: 9"x17" Color: Blue Package: 100 Sheets/Pop-Up Box Weight: Extra Heavy Material: Hydroentangled Spunlace
CB9359	Part#: WPR65R Part#: WPR65R Size: 9"x13" Color: White Package: 1100 Sheets/Roll Weight: Medium Material: Hydroentangled Spunlace
CB8711	Part#: WPR61Q Part#: WPR61Q Size: 12"x13" Color: White Package: 50 Sheets/Bag-18 Bags/Case Weight: Medium Weight- 1/4 fold Material: Hydroentangled Spunlace
CB8713	Part#: WPR71Q Part#: WPR71Q Size: 12"x13" Color: White Package: 50 Sheets/Bag-18 Bags/Case Weight: Heavy Weight- 1/4 fold Material: Hydroentangled Spunlace
CB8712	Part#: WPR63R Part#: WPR63R Size: 12"x12" Color: White Package: 1100 Sheets/Roll Weight: Medium Material: Hydroentangled Spunlace
CB8714	Part#: WPR73R Part#: WPR73R Size: 12"x12" Color: White Package: 870 Sheets/Roll Weight: Heavy Material: Hydroentangled Spunlace
CB9957	Part#: WPR75R Part#: WPR75R Size: 6"x12" Center Pull Color: White Package: 120 Sheets/Roll Weight: Heavy Material: Hydroentangled Spunlace
CB8688	Part#: WPR70P1 Part#: WPR70P1 Size: 9"x17" Color: White Package: 100 Sheets/Box Weight: Medium Material: Hydrocell
488007CB8699	Part#: WPR02CPJ Part#: WPR02CPJ Size: 12"x13" Color: Blue Package: 475 Sheets/Roll Weight: Heavy Material: Hydrocell

YOUR SOLUTION FOR HURRICANE SAFETY

10110103 Part#: WPR60P
Part#: WPR60P
Size: 9"x17"
Color: White
Package: 100 Sheets/Pop-Up Box
Weight: Medium
Material: HydroKnit

03600073900

73900

White

Access Dispenser

488007CB9865 Part#: WPR05P
Part#: WPR05P
Size: 9"x17"
Color: Blue
Package: 100 Sheets/Pop-Up Box
Weight: Heavy
Material: Spunlace

CB9565 Part#: WPR67R
Part#: WPR67R
Size: 9"x13"
Color: White
Package: 700 Sheets/Roll
Weight: Medium
Material: Spunlace

CB9996 Part#: WPR87R
Part#: WPR87R
Size: 12"x13"
Color: Blue
Package: 500 Sheets/Roll
Weight: Crepe
Material: Spunlace

CB7698 Part#: WPR28P
Part#: WPR28P
Size: 9"x17"
Color: White
Package: 150 Sheets/Pop-Up Box
Weight: 4-Ply
Material: Scrim

488007CB8465 Part#: WPR5100
Part#: WPR5100
Size: 9.75"x275"
Color: White
Package: 6 Rolls/Case
Weight: 4-Ply
Material: Scrim

CB9953 Part#: WPR30Q
Part#: WPR30Q
Size: 12"x13"
Color: White
Package: 50 Sheets/Bag-18 Bags/Case
Weight: Medium Weight- 1/4 fold
Material: Airlay

CB7696 Part#: WPR18P
Part#: WPR18P
Size: 9"x10"
Color: White
Package: 125 Sheets/Pop-Up Box
Weight: Economy
Material: Economy

Kimberly-Clark Professional Jumbo Roll Dispensers WypAll



Jumbo Roll Dispenser Floor Model. A mobile, efficient dispensing puts the product wherever you need it for efficient wiping.

Vallen#	Part#	Color	Description
03600009107	09107	Gray	Quarterfold Wiper Dispenser
03600080596	80596	Black	Jumbo Roll Dispenser
03600080579	80579	Black	Jumbo Roll Dispenser/ Wall Mount

Scrubs

Scrubs Hand Cleaner Towels



Heavy-duty dual textured blue pre-moistened towels are powerful, yet gentle for away-from-the-sink hand cleaning. Deep-cleaning formula quickly dissolves difficult industrial soils and grease. Locks in dirt, will not transfer soils back to hands or surface. Towels can also clean tools and equipment. Citrus fragrance.

Vallen#	Part#	Size	Pkg. Qty.
75376942272	42272	10"x12", 72 Towels	6/Case

Kimberly-Clark Professional L20 Wipers WypAll



Wypall L20 Towels deliver value and versatility and can be your go-to wipe for reliable performance on everyday wiping tasks. These white wipes are 4-ply for strength and absorbency and are a popular choice for keeping businesses tidy – from retail shops to countertops and light industrial to hospitality environments. They are designed for single-use cleanup, contain no binders or glues and are textured for extra cleaning power. They meet EPA minimum guidelines for recycled fiber content so you can feel good about choosing them as part of your cleaning supply order.

- These top-rated, lightweight towels are 4-ply for strength and absorbency, so you can clean larger spills
- Wipes feature a textured surface for extra cleaning power
- Wypall L20 single-use wiping towels contain no binders or glue

Vallen#	Description
03600034607	Part#: 34607 Part#: 34607 Size: 12.5"x16.8", 176 Wipers Color: White Description: BRAG Box Pkg. Qty.: Box
03600047000	Part#: 47000 Part#: 47000 Size: 12.5"x13", 68 Wipers Color: Tan Description: Quarterfold Pkg. Qty.: 12 Boxes/Case

YOUR SOLUTION FOR HURRICANE SAFETY

Kimberly-Clark Professional
X60 Wipers
*WypAll**



- A versatile reusable cloth to replace assorted rags
- Absorbs 2 times more water & oil than rags for faster clean-up
 - Tough enough for big jobs – soft enough for face & hands
 - Rinse & reuse – reduces waste & cost
 - On average, reduces disposal waste by 78% versus rags
 - Clean & consistent cloth every time
 - Portable dispensing enables you to keep product where you work

Vallen#	Description
03600034770	Part#: 34770 Part#: 34770 Size: 11"x23" Color: White Description: Box Pkg. Qty.: 9 Bx/Case-900 Wipers
03600034790	Part#: 34790 Part#: 34790 Size: 9.1"x16.8" Color: White Description: Pop-Up Box Pkg. Qty.: 10 Bx/Case-1260 Wipers
03600034865	Part#: 34865 Part#: 34865 Size: 12.5"x12" Color: White Description: 1/4 Fold Box Pkg. Qty.: 12 Pkg/Case-912 Wipers
03600034955	Part#: 34955 Part#: 34955 Size: 12.5"x13.4" Color: White Description: Jumbo Roll Pkg. Qty.: Roll-1100 Wipers
03600035401	Part#: 35401 Part#: 35401 Size: 9.8"x13.4" Color: White Description: Small Roll Pkg. Qty.: 12 Rls/Case-1560 Wipers
03600034900	Part#: 34900 Part#: 34900 Size: 12.5"x16.8" Color: White Description: Flat Sheet Pkg. Qty.: 6 Bx/Case-900 Wipers

Kimberly-Clark Professional
X70 Wipers
WypAll



- Ideal for all manufacturing and maintenance & repair
- Durable, absorbent wipers that stay strong for better cleaning performance
- Reusable, long lasting performance for cleaning oil, grime, and solvents
- Made with high-tech HYDROKNIT* Fast Absorbing Material

Vallen#	Description
03600041455	Part#: 41455 Part#: 41455 Size: 9.1"x16.8" Color: White Description: POP-UP Box Pkg. Qty.: 10 Bx/Case-1000 Wipers
03600041600	Part#: 41600 Part#: 41600 Size: 12.5"x13.4" Color: White Description: Jumbo Roll Pkg. Qty.: Roll-870 Wipers
03600041200	Part#: 41200 Part#: 41200 Size: 12.5"x14.4" Color: White Description: Quarterfold Pkg. Qty.: 12 Bx/Case-912 Wipers
03600041611	Part#: 41611 Part#: 41611 Size: 12.5"x13.4" Color: Blue Description: Jumbo Roll Pkg. Qty.: Roll-870 Wipers

Kimberly-Clark Professional
X80 Maximum Duty Reusable Wipers
*WypAll**



- Reinforced for extra scrubbing and cleaning power
- Doesn't fall apart when tackling the most demanding jobs even in solvents
- Rinse & reuse – reduces waste & cost
- Clean & consistent cloth every time
- Portable dispensers enable you to keep product where you work
- Absorbs 30% more water, significantly faster and leaves 3 times less lint than shop towels

Vallen#	Description
03600041043	Part#: 41043 Part#: 41043 Size: 12.5"x13.4" Color: Blue Description: Jumbo Roll Pkg. Qty.: Roll 475 Wipers

YOUR SOLUTION FOR HURRICANE SAFETY

03600041025 Part#: 41025
Part#: 41025
Size: 12.5"x13.4"
Color: White
Description: Jumbo Roll
Pkg. Qty.: Roll 475 Wipers

03600041044 Part#: 41044
Part#: 41044
Size: 12.5"x16.8"
Color: White
Description: Brag* Box
Pkg. Qty.: Box 160 Wipers

03600041041 Part#: 41041
Part#: 41041
Size: 12.5"x16.8"
Color: Blue
Description: Brag* Box
Pkg. Qty.: Box 160 Wipers

03600005930 Part#: 05930
Part#: 05930
Size: 9.1"x16.8"
Color: Red
Description: Pop-Up* Box
Pkg. Qty.: 5 Bx/Case-400 Wipers

03600041048 Part#: 41048
Part#: 41048
Size: 9.1"x16.8"
Color: White
Description: Pop-Up* Box
Pkg. Qty.: 5 Bx/Case-400 Wipers

Milwaukee Electric Tool Water Hose

- 5/8 in. I.D. x 8 ft.
- Standard brass male and female hose fittings

Vallen#	Part#
04524217895	49-18-0055

Allegro Industries Venturi Blowers



- Lightweight construction
- Convenient carry handles for one-person portability to any location
- No guards required
- Multiple inlet ports
- Sturdy steel galvanized steel diffuser
- Include a crow's foot inlet connection
- Static ground is attached to the base of all blowers
- Single piece cast aluminum inlet housing

Air consumed at 40 PSIG: 73 SCFM, Air consumed at 60 PSIG: 98 SCFM, Air consumed at 80 PSIG: 124 SCFM, Total Air Flow at 40 PSIG: 2385 CFM, Total Air Flow at 60 PSIG: 2885 CFM, Total Air Flow at 80 PSIG: 3347 CFM, Overall Length: 44.25 in., Diameter of Base: 11.25 in., Diameter Top of Horn: 12.5 in., NPT Size: 1 in., Bolt Circle Diameter: 10.50 in., Basic Slot Diameter: 0.4

Vallen#	Part#
7418519518-06	951806

Kimberly-Clark Professional L30 Wipers WypAll*



WypAll L30 Towels give high surface softness, while its reinforced grid provides strength for wet-surfacing wiping and cleaning. Cloth-like feel at a value price Strong, yet soft enough for personal use Ideal for a wide range of light-duty maintenance, processing and janitorial wiping-tasks.

- Ideal for general purpose
- Light-duty cleanups
- Remove soils and liquids from face and hands
- One-at-a-time dispensing for users on the go

Vallen#	Description
03600005841	Part#: 05841 Part#: 05841 Size: 12.4"x13.3" Color: White Description: Jumbo Roll Pkg. Qty.: Roll-950 Wipers
03600005812	Part#: 05812 Part#: 05812 Size: 12.5"x12" Color: White Description: Quarterfold Pkg. Qty.: 90 Wipers/Pk, 12PK/Case
03600005816	Part#: 05816 Part#: 05816 Size: 16.4"x9.8" Color: White Description: Pop-Up* Box Pkg. Qty.: 60 Wipers/Pk, 12PK/Case

YOUR SOLUTION FOR HURRICANE SAFETY

Air Systems International
Pneumatic Air Blowers
 Venturi-Style



- Used to ventilate explosive and hazardous vapors or fumes safely
 - No moving parts
 - Lightweight cast aluminum base
 - Static grounding lug is standard
 - Operates on compressed air or steam
 - Galvanized steel horn (replaceable)
 - Operating pressures up to 140 psi
- Total Air Flow at 40 PSIG: 1017 CFM, Total Air Flow at 60 PSIG: 1231 CFM, Total Air Flow at 80 PSIG: 1462 CFM, Air Consumed at 40 PSIG: 36 SCFM, Air Consumed at 60 PSIG: 50 SCFM, Air Consumed at 80 PSIG: 62 SCFM, Overall Length: 30.50 in., Diameter of Base: 7.31 in., Diameter Top of Horn: 7.0 in., NPT Size: 1/2 in., Bolt Circle Diameter: 6.56 in., Base Slot Diameter: 0.4 in.

Vallen#	Part#
404034ASI-1200	1200

Air Systems International
Pneumatic Air Blowers
 Venturi-Style



- Used to ventilate explosive and hazardous vapors or fumes safely
 - No moving parts
 - Lightweight cast aluminum base
 - Static grounding lug is standard
 - Operates on compressed air or steam
 - Galvanized steel horn (replaceable)
 - Operating pressures up to 140 psi
- Total Air Flow at 40 PSIG: 2385 CFM, Total Air Flow at 60 PSIG: 2885 CFM, Total Air Flow at 80 PSIG: 3347 CFM, Air Consumed at 40 PSIG: 73 SCFM, Air Consumed at 60 PSIG: 98 SCFM, Air Consumed at 80 PSIG: 124 SCFM, Overall Length: 44.25 in., Diameter of Base: 11.25 in., Diameter Top of Horn: 12.5 in., NPT Size: 1 in., Bolt Circle Diameter: 10.50 in., Base Slot Diameter: 0.4 in.

Vallen#	Part#
404034ASI-2900	2900

VERSAPRO
Handwrap / Stretch Film
Dispensers
 3" Core - Standard Duty



- For 3" core hand held stretch wrap
- Adjusts easily for 12"-18" handwrap widths using wing nut on bottom of wrapper
- Comfortable rubber handgrips
- Angled handgrip handle reduces fatigue
- Patented Stretch Set tensioning knob.
- Easy film change using slotted top core

Vallen#	Part#
IDG-43-SD1218-300	SD1218-300

VERSAPRO
Stretch Film Cutting Knives
 Heavy Duty



The Film Knife has an angled end for personal safety and product protection.

Vallen#	Part#
488007CB8434	FK500

Wellington
Polypropylene Rope
 Yellow Twisted



- 100% monofilament polypropylene
- Will float
- May be stored wet
- Resists rot, mildew, acids, oil, grease, and most chemicals
- 3 strand twisted
- Sold in full coils only

Vallen#	Part#	Size	Length
697752P9M16S0600Y01	none	1/4 "	600'

YOUR SOLUTION FOR HURRICANE SAFETY

VERSAPRO Chip Brushes

Natural Bristle - Wood Handle - Metal Ferrule



Suitable for a variety of application uses including: paint, adhesives, resins, cleaners, oils, solvents, etc.

Vallen#	Part#	Width	Length
CB9658	486017	1 1/2 "	7.3"

VERSAPRO Foam Brushes

Wood Handle



• Easy clean up

Vallen#	Part#	Size
CB2057	FB5010	1"

3M 3M™ Heavy Duty Duct Tape 3939



Constructed of polyethylene film laminated to cloth with a rubber adhesive, this durable tape resists curling and tears off the roll cleanly for easy application in MRO/construction. Our 3M™ Heavy Duty Duct Tape 3939 has a unique construction that allows for permanent and temporary applications. It is removable with little or no adhesive residue up to three months after application.

- Designed for heavy duty use in MRO/construction applications
- Removes cleanly for up to three months when applied indoors
- Sticks immediately and stays on for up to one year without deterioration
- Strong water-resistant backing resists wear and light abrasion
- Provides a tight, moisture-resistant seal in many containment situations
- Conforms to irregular surfaces without lifting
- Save time and hassle of removing sticky or dried-on residue

Vallen#	Part#	Size
02120085561	02120085561	24mmx54.8m
05113106975	5113106975	48mmx54.8m
02120085563	02120085563	96mmx54.8m

3M General Purpose Duct Tapes 975 Tartan™



Tartan(TM) Duct Tape is a general purpose duct tape for everyday use. It is for simple and temporary repairs. Available in 55-yard rolls.

• Dimensions: 1.88" x 55 yd

Vallen#	Part#	Form	Dimension
05114413937	5114413937	Roll	1.88in x 55 yd

3M Electricians Duct Tapes Scotch®



Description: General purpose easy tear vinyl duct tape, Tape Thickness: 6 mil, Typical Applications: General holding and bundling, Size: 1.9 in. x 50 yd. (50 mm x 46 m), Inner Unit Pack: Bulk, Case Qty.: 24 rolls

Vallen#	Part#
05400743403	2000

3M 3M™ Performance Plus Duct Tape 8979

12.1 Mil
8979



Constructed of polyethylene film laminated to cloth with a rubber adhesive, this tape resists curling and tears off the roll cleanly for easy application on rough surfaces. 3M™ Performance Plus Duct Tape 8979 has a unique construction that allows for applications indoors and outdoors. It is removable with little or no adhesive residue up to six months after application.

- Removes cleanly for up to six months from most opaque surfaces even after UV exposure to sun and outdoor weathering
- Sticks immediately and stays on for up to one year without deterioration
- Save time and hassle of removing sticky or dried-on residue
- Strong water-resistant backing resists wear and light abrasion
- Provides a tight, moisture-resistant seal in many containment situations
- Conforms to irregular surfaces without lifting
- Available in slate blue, black and olive colors

Vallen#	Part#	Color	Size
04801153922	00048011539225	Slate Blue	24mmx54.8m
04801153851	04801153851	Slate Blue	48mmx22.8m
02120056468	2120056468	Slate Blue	48mmx54.8m
04801153918	4801153918	Black	48mmx54.8m
02120056469	00021200564697	Slate Blue	72mmx54.8m

YOUR SOLUTION FOR HURRICANE SAFETY

02120056470	00021200564703	Slate Blue	96mmx54.8m
05113894928	05113894928	Slate Blue	7"x60yds

3M 3M™ Value Duct Tape 1900



Constructed of polyethylene film laminated to cloth with a rubber adhesive, this value tape resists curling and tears off the roll cleanly for simple applications in MRO/construction. Our 3M™ Value Duct Tape 1900 is economically priced to best provide a quick solution for simple tasks. It is removable with little or no adhesive residue up to three months after application.

- For light use in MRO/construction applications
- Removes cleanly for up to three months when applied indoors
- Sticks immediately and stays on for up to one year without deterioration
- Water-resistant backing resists wear and light abrasion
- Provides a tight, moisture-resistant seal in many containment situations
- Conforms to irregular surfaces without lifting
- Save time and hassle of removing sticky or dried-on residue

Vallen#	Part#	Size	Pkg. Qty.
05111523421	05111523421	1.88"x50yds	24
05111197841	5111197841	1.88"x60yds	24
05111523422	05111523422	2.83"x50yds	12

3M FSK Insulation Tape 1525CW Venture Tape



Foil/kraft lamination coated with a cold weather acrylic pressure sensitive adhesive

- UL723 Classified (5/10 Flame/Smoke Rating)
- ASTM C1136, Type II and IV
- Tri-directional reinforcement

Vallen#	Part#	Size	Color
75035115253	15253	3"x50yds	Silver

3M 3M™ Multi-Purpose Duct Tape 3900



General purpose, conformable cloth duct tape made with polyethylene film over cloth scrim and rubber adhesive. A good choice for general maintenance, wrapping, sealing, protecting and color coding.

Vallen#	Part#	Color	Size	Mil
---------	-------	-------	------	-----

05113106976	00051131069763	Silver	48mmx54.8m	7.7
02120049833	00021200498336	Black	48mmx54.8m	7.7
02120049828	00021200498282	Yellow	48mmx54.8m	7.7
02120049832	02120049832	Blue	48mmx54.8m	7.7
02120049831	02120049831	Olive	48mmx54.8m	7.7
02120049830	02120049830	Red	48mmx54.8m	7.7
02120049829	02120049829	White	48mmx54.8m	7.7

3M 3M™ Heavy Duty Duct Tape DT11



Constructed of polyethylene film laminated to cloth with a synthetic rubber adhesive, this tough tape resists curling and tears off the roll cleanly for a variety of applications. Our 3M™ Heavy Duty Duct Tape DT11 is designed to provide a formidable, reliable solution for everyday challenges and adheres to numerous substrates, including plastic.

- For everyday use in challenging applications
- Sticks immediately and stays on irregular surfaces without lifting, including plastics
- Polyethylene, water-resistant backing resists wear and light abrasion
- Provides a strong, moisture-resistant seal in many containment situations, such as attaching heavy poly draping and pipe sealing
- Available in black and silver

Vallen#	Part#	Size	Color
07630898120	07630898120	48mmx55m	Black

3M 3M™ Super Duty Duct Tape DT17




Constructed of polyethylene film laminated to cloth with a synthetic rubber adhesive, this very thick and strong tape resists curling and tears off the roll cleanly even when used in the most demanding jobs. 3M™ Super Duty Duct Tape DT17 is designed to provide a maximum-strength, long-lasting solution for the ultimate applications.

- Ultra-thick, water-resistant backing resists wear and abrasion while providing the highest level of strength
- Tears cleanly and easily by hand
- Aggressive, synthetic rubber adhesive provides instant adhesion to a wide variety of surfaces, including metal, glass, plastic and sealed concrete
- Tightly woven scrim provides high tensile strength, which is ideal for bundling applications
- Consistent unwind improves handling in a variety of applications
- Available in black

Vallen#	Part#	Size	Color
07630898121	07630898121	48mmx32m	Black

YOUR SOLUTION FOR HURRICANE SAFETY

3M™ FSK Facing Duct Tape 3320
6.7 Mil



High performance reinforced insulation tape of Foil/Scrim/Kraft. UL Listed and Mold Resistant. FSK has a special acrylic adhesive which excels in very cold and hot temps. Use for a vapor barrier on fibrous duct board for sheet metal ducts. 6.7 mil thickness. UL 723 listed.

Vallen#	Part#	Size	Color
05111531530	00051115315305	48mmx475m	Silver
05111531532	00051115315329	99mmx475m	Silver

3M™ General Use Duct Tape 2929
5.5 Mil



General use grade, conformable cloth duct tape made with polyethylene film over cloth scrim and rubber adhesive. A good choice for temporary repairs, sealing, holding and marking.

Vallen#	Part#	Size	Color
05111524883	00051115248832	2"x50yds	Silver

3M™ Metallized Flexible Duct Tape 3350
3.1 Mil



3M™ Metallized Flexible Duct Tape 3350, is a 3.1 mil thick polypropylene tape with an acrylic adhesive. It is self-wound. For use with flexible ducts.

- High tack rubber adhesive, 1.9 mil backing thickness
- A UV resistant, bi-axially oriented polypropylene (BOPP) coated with a cold weather acrylic adhesive.
- Resists flame, resists moisture, resists weather, resists UV degradation, chemical resistant tape, thermally conductive tape for heating and cooling efficiency, heat reflective tape, light reflective tape, conformable tape

Vallen#	Part#	Size	Color
05111107817	00051111078174	48mmx109.6m	Silver

3M Line Set Tape 1507
Venture Tape



UV resistant bi-axially oriented polypropylene tape with an acrylic adhesive

- UL723 classified
- High tack mold inhibiting adhesive
- UV resistant

Vallen#	Part#	Size	Color
75035115071	15071	2"x60yds	Black

3M Flexible Duct Closure Tape 1599B
Venture Tape



- Printed 3 mil, UV resistant polypropylene film with a cold weather acrylic adhesive system. This adhesive performs well in either sub-zero cold or warm temperatures. Meets or exceeds all requirements of UL181B-FX related to closure systems for flexible air ducts and air connectors. 25/50 rated for Flame Spread and Smoke Development.

Applications: Primarily used for sealing flexible air ducts, air connectors, for securing flex ducts to duct wrap facings and for metal and metal to metal connections. Adheres well to rubberized foam pipe insulation.

- Thickness: 3mils
- Elongation: 130 percent
- Service temperature: -40°F to 185°F

Vallen#	Part#	Size	Color
75035115998	15998	2"x120yds	Black
75035150017	50017	2"x120yds	Silver

3M™ Extra Heavy Duty Duct Tape 6969



Industrial strength duct tape that is abrasion and moisture resistant. The tape consists of polyethylene film over a dense cloth scrim with an aggressive rubber adhesive used for demanding duct tape applications. 10.7 mil.

Vallen#	Part#	Size	Color
02120022773	22773	2"x60yds	Black
02120022780	22780	2"x60yds	Olive Drab
02120085635	85635	3"x60yds	Silver
05113106969	06969	2"x60yds	Silver

YOUR SOLUTION FOR HURRICANE SAFETY

3M 3M™ Vinyl Duct Tape 3903



Embossed vinyl film coated with rubber adhesive effective for color-coding, labeling and other light duty applications where easy unwind, easy tear and less adhesive transfer are important.

Specs:

- Good tape for general bundling applications
- 6.5 mil thickness

Vallen#	Part#	Size	Color
05113106984	5113106984	2"x50yds	Gray
05113106995	06995	2"x50yds	Black
05113106978	00051131069787	2"x50yds	Blue
05113106981	00051131069817	2"x50yds	White
05113106982	00051131069824	2"x50yds	Yellow
4193483M3903-6X50YEL	3M3903-6X50YEL	6"x50yds	Yellow
05113106986	00051131069862	2"x50yds	Green
05113106992	06992	2"x50yds	Red

3M 3M™ All Purpose Duct Tape DT8



Constructed of polyethylene film laminated to cloth with a synthetic rubber adhesive, this aggressive tape resists curling and tears off the roll cleanly even when used in challenging jobs. 3M™ All Purpose Duct Tape DT8 is designed to provide a versatile, conformable, quick stick solution for demanding applications.

- Aggressive, synthetic rubber adhesive provides instant adhesion to a wide variety of surfaces, including metal, glass, plastic and sealed concrete
- Tears easily by hand and provides ease of application and handling
- Conformable backing allows for performance in a variety of surface applications
- Tightly woven scrim provides high tensile strength, which is ideal for bundling applications
- Consistent unwind improves handling in a variety of applications
- Available in silver

Vallen#	Part#	Size	Color
68933017225	7100158345	48mmx55m	Silver

3M Duct Tape 3939 Series - Heavy Duty



Constructed of polyethylene film laminated to cloth with a rubber adhesive, this durable tape resists curling and tears off the roll cleanly for easy application in MRO/construction. Our 3M Heavy Duty Duct Tape 3939 has a unique construction that allows for permanent and temporary applications.

- Designed for heavy-duty use in MRO/construction applications
- Sticks immediately and stays on
- Strong water-resistant backing resists wear and light abrasion
- Provides a tight, moisture-resistant seal in many containment situations
- Conforms to irregular surface
- Low tack roll edges stay cleaner

Vallen#	Description
02120085562	Part#: 70006250156 Part#: 70006250156 Length: 54.8m Width: 72mm Thickness: 9mil Color: Silver Adhesive Material: Rubber Backing Material: Polyethylene Film Over Cloth Scrim Adhesion Strength: 58oz/in Tensile Strength: 432 oz/in

3M Vinyl Duct Tape 3903 Series - General Purpose



3M vinyl duct tape 3903 is a hand-tearable general purpose tape with a rubber adhesive and embossed vinyl backing. This tape is ideal for a variety of purposes including temporary repairs, identification, contrast, decoration, securing wiring, bundling, sealing, holding, protecting, and other jobs including applications requiring moisture resistance.

- Rubber adhesive sticks fast and stays fast on many surfaces, even irregular surfaces
- Embossed vinyl backing seals out dust, dirt, and moisture, and resists abrasion and many chemicals
- Peels off cleanly after 30 min on painted steel as hot as 200 °F (93 °C)
- Easy-to-tear and conforms to irregular surfaces

Vallen#	Description
05111192057	Part#: 70007507042 Part#: 70007507042 Length: 50yds Width: 3" Thickness: 6.5mil Color: Yellow Adhesive Material: Rubber Backing Material: Embossed Vinyl Adhesion Strength: 15.4oz/in Tensile Strength: 14.5 lb/in

YOUR SOLUTION FOR HURRICANE SAFETY

3M
Contractor Poly Stucco Duct Tape
 3260-A Series - Heavy Duty
 Scotch®

Vallen#	Description
05113193947	Part#: 70071497062 Part#: 70071497062 Length: 60yds Width: 1.88" Color: Red Core Size: 3"

3M
Duct Tape
 Durable
 Scotch®



- Tape easily unwinds
- Tape tears by hand
- Tape applies smoothly

Vallen#	Part#	Length	Width	Color
11310612	920-PNK-C	20yds	1.88"	Hot Pink

3M
3M Scotch® General Purpose Cloth Duct Tape 393



- Cloth-reinforced polyethylene laminated body has the strength for bundling pipes and conduit
- Natural rubber adhesive sticks well to many surfaces
- Water-resistant backing seals and protects against humidity and moisture
- Tears cleanly across and down for easy handling and application

Vallen#	Part#	Size	Color
02120003027	03027	48mmx54.8m	Silver

3M
3M™ Performance Plus Duct Tape 8979N
 Nuclear

- Resists UV, sunlight, and weather to stay on for up to one year without deterioration
- Distinctive red and slate blue color available
- Complies with MIL-STD-2041D(SH), Notice 2 for leachable halides and sulfur
- Curl-resistant, moisture-resistant, and conformable backing for easy handling

Vallen#	Part#	Size	Color
04801153914	7000049014	48mmx 54.8m	Red

IPG
AC10 Cloth Duct Tapes
 Light Utility Grade



- 7 mil duct tape ideal for wrapping, sealing and general use. Conforms to irregular surfaces. Available in silver, black and white.
- Backing : PE film
- Enforcement : PET Cloth
- Tensile Strength (lbs/in of width) : 17
- Elongation (% at break) : 15.0
- Adhesive : Natural Rubber/Resin
- Adhesion to Steel (oz/in of width) : 41
- Quick Stick to Steel (oz/in of width) : 13.5
- Total Thickness (mils) : 7.0

Vallen#	Part#	Color	Size
03569487372	87372	Silver	2"x60yds

Honda
Generator Cart
 HandiCart



EU2000i 2-wheel HandiCart (add wheels to your EU2 like a Handi, includes transportation strap)

Vallen#	Part#
78610206710-Z07-000AH	06710-Z07-000AH

YOUR SOLUTION FOR HURRICANE SAFETY

Coleman Cable Indoor/Outdoor Extension Cords Lighted End



- Vinyl jacket resists moisture, abrasion and prolonged exposure to sunlight
- Reinforced blades help prevent accidental bending or breaking
- Molded plugs and heavy-duty strain relief protects electrical connections resulting in longer cord life
- Outer jacket won't mark floors or walls
- General Indoor/Outdoor Cord for power equipment
- UL/cUL Listed / Meets OSHA requirements for Outdoor use

Vallen#	Part#	Length	Wire Gauge / Conductor	Color
02989282588	82588	50'	12/3 SJTW	Yellow

Milwaukee Electric Tool Wet and Dry Vacuum Cordless M28™



With a powerful M28™ motor, the 0780-20 wet/dry vacuum offers longer continuous run time and higher air power and suction to provide quick and easy removal of dust, debris and water. A washable, reusable wet/dry filter delivers excellent fine dust collection and does not need to be changed between wet and dry applications. The stackable toolbox design, on-board hose and accessory storage offer excellent portability and convenience, a built-in blower port allows the vacuum to double as a blower, and the 1-1/4" hose allows standard vacuum attachments to be fastened. It includes vacuum, filter, hose, a crevice tool, and a wide nozzle.

- Works on M28™ battery
- Powerful motor to provide strong suction and air flow
- Tool box style for easy transport and storage
- On-board accessory and hose storage
- Built-in Blower Port
- Reusable wet/dry filter ideal for both wet and dry applications
- Voltage: 28 DC
- Material: Wet/Dry
- Capacity: 2 Gal.
- Max Air Flow: 45 cu. ft./min.
- Sealed Suction in Water: 32 in.
- No of Batteries Included: 0
- Height: 11.5 in.
- Width: 19 in.
- Depth: 8.5 in.
- Tool Weight: 9.4 lbs.
- Shipping Weight: 13.5 lbs.
- Includes: M28™ Wet/Dry Vacuum, Filter Assembly (49-90-1900), Crevice Tool (31-01-2100), Wide Utility Nozzle (31-01-2110), Wireless Vinyl Hose (14-37-0160), Batter Pack and Charger Not Included

Vallen#	Part#
04524215042	0780-20

Honda Generator Parallel Cable Kit

Parallel cable links two EU1000i, two EU2000i, or two EU3000i Handi generators; output is limited by the capacity of the receptacles.

Vallen#	Part#
78610206321-ZT3-H12360	06321-ZT3-H12360

Honda Generator Parallel Cable Kit

Parallel cable kit; links two EU3000is generators; 50A; 5 ft. long

Vallen#	Part#	Model	NEMA
78610208E91-ZT7-6370C	08E91-ZT7-6370C	EU3000is only SN 1034452-later	CS6370

Honda Generator Cord Set

- 10 gauge 4-wire, male/female ends

Vallen#	Part#	Length	Rating	NEMA
78610206581-104-PC3025	06581-104-PC3025	25'	30A	L14-30

YOUR SOLUTION FOR HURRICANE SAFETY

DEWALT 4400 Watt Generator

Gasoline Engine - 18 Volt Battery Start



- DEWALT 18 volt battery start. Battery and charger come with the generator
- DEWALT® 270cc (9HP) OHV engine provides worksite reliability
- 20% more starting watts than generators in its class
- Proper 120v and 240v outlets for jobsite applications
- Worksite tested frame with panel protection bars for increased durability
- Super quiet muffler reduces engine noise
- Idle control saves fuel and reduces noise
- Low oil shut-off (patent pending) provides greater pump protection

Specs

- Max AC Output: 4400 watts
- Rated AC Output: 4180 watts
- Max Current (120V/240V): 38/20 amps
- Alternator Type: Brushless
- Rated Current (120V/240V): 32/16 amps
- Fuel Tank Capacity: 4.8 gal
- Engine Type: DEWALT® 270cc (9HP)
- 120 Volt GFCI Receptacles (20 Amp): 4
- 120 Volt GFCI Twist Locking Receptacle (20 Amp): 1
- 120 Volt Twist Locking Receptacle (30 Amp): 0
- 120V/240V Twist Locking Receptacle (20 Amp): 1
- 120V/240V Twist Locking Receptacle (30 Amp): 0
- Decibel, idle up (calculated 7 yards from unit): 72 dBA
- Run-Time @ 50% Maximum Output : 8 hrs
- Tool Length: 24"
- Tool Width: 19"
- Tool Height: 21"
- Dry Weight: 223 lbs
- Shipping Weight: 223 lbs
- Starting System: Battery start/recoil
- Includes: 18 volt XRP battery, 1 hour DEWALT charger, Wheel kit, Handle kit, Lifting hook

Vallen#	Part#
028876DG4400 B	DG4400B

Honda 3.5 HP Portable Generator

Inverter Technology
Lightweight Series



EU2000i Companion - Same great EU2000 Super quiet generator with 2000 Watts at Maximum output. But also has a 30A 120V twist lock outlet and weighs 45.9 lbs. (Does not have DC Charging outlet). **NOTE - This unit is 50 State Compliant including CA EPA regulations - And can be sold TO CA RESIDENTS!

Specifications:

- Engine: Honda 3.5HP (98.5 cc) Single Cylinder, Overhead Cam, air-cooled
- AC output: 120V 2000W. (2.0 kVA) max. (16.6A), 1600W (1.6kVA) rated (13.3A)
- Rated Frequency: 60 Hz (cycles)
- Receptacles: 30A 120V Locking Plug (Twist Lock L5-30) 20A 120V 1 household type receptacle"
- DC output: N/A
- Starting system: Recoil
- Fuel tank capacity: 1.1 gallon gasoline
- Operational capacity on one tankful: Approx. 4 - 15 hrs. depending on load.
- Dimensions (LxWxH): 20" x 11.4" x 16.7"
- Noise Level: 53dB(A) (No Load) - 59dB(A) (Rated Load) @ 7 Meters
- Dry weight: 46.3 lbs.
- Shipping Weight: 53 lbs.
- Oil Type: 10W-30
- Fuel Type: 89 Octane unleaded gasoline
- Cooling System: Forced Air
- Max. Engine Speed: 3,600 RPM

Vallen#	Part#
786102EU2000I 1A3	EU2000IA3

Honda Portable Generators

5000 Watts
Deluxe Series



Honda EB-type generators come standard with a variety of convenience features, including simultaneous AC/DC use, fuel meter, frequency meter, AVR and large fuel tank capacity. It offer optional electric starting. All are powered by Honda OHV commercial grade engines and feature quality construction for quiet operation. They are used for a variety of applications, including home standby power.

Deluxe 5000-watt model with Honda OHV commercial grade engine, automatic voltage regulator, full frame protection and 120/240V operation.

Vallen#	Part#	Description
786102EB5000 XK2A	EB5000XK2A	5000 Watt with Electric

YOUR SOLUTION FOR HURRICANE SAFETY

Honda Portable Generator Super Quiet Series



- The lightest inverter generator we've ever made
 - Wheels and folding handle for true portability
 - Compact design
 - Offset handles for easier lifting
 - Super quiet
- Specifications
- Single cylinder, overhead valve, air-cooled

Vallen#	Description
786102EU3000I	Part#: EU3000is HANDY Part#: EU3000is Engine: Honda GX160 Displacement: 163cc Watts: 2600 DC Output: 12V, 100w Starting System: Recoil Tank Capacity: 1.56gal Run Time: 3.6 hrs. @ rated load, 7.7 hrs. @ 1/4 load Size: 24.5"x14.9"x19.3" Noise Level: 65 dB @ rated load 57dB@1/4load 91 LwA
786102EU3000I	Part#: EU3000IS1A SA Part#: EU3000IS1A Engine: Honda GX200 Displacement: 196cc Watts: 2800 DC Output: 12V, 144w Starting System: Recoil, Electric Tank Capacity: 3.4gal Run Time: 7.2 hrs. @ rated load, 20.0 hrs. @ 1/4 load Size: 25.8"x18.9"x22.4" Noise Level: 58 dB @ rated load 49dB@1/4load 90 LwA

Igloo Products Cup Dispensers



- Durable metal fits 3 gal through 10 gal

Vallen#	Part#	Description
03422309534	9534	For 7 oz. Cone Cups
0342231113	1113	For 4 oz. Cone Cups

Igloo Products Paper Cone Cups



- Straight rim

Vallen#	Part#	Size
479093037837	9377	7 oz.
0342239344	9344	4 oz.

Gatorade Coolers Gatorade®



- Plastic cup dispenser included with 5 and 7 gal. coolers

Vallen#	Part#	Size
42763749015	49015	1-Gallon
42763749200	49200	3-Gallon with Sigot
42763749201	49201	5-Gallon with Sigot
42763749134	49134	7-Gallon with Sigot

Igloo Products Water Coolers Heat Stress Roller



- 5 gallon drinking water cooler
- Heat stress roller
- Color: Yellow

Vallen#	Part#	Capacity
03422342122	42123	5gal

YOUR SOLUTION FOR HURRICANE SAFETY

Igloo Products Water Coolers Plastic 400 Series



Igloo delivers cold, clean water. Rugged, durable Igloo 400 Industrial water coolers keep water cold, clean and available. Built for the real world, the 400 takes the abuse of the roughest job site and the most punishing work crews.

- Red and Yellow high visibility safety colors
- HDPE hide won't chip, peel, buckle or rust
- Ultraviolet stabilizers prevent fading and cracking in all exposures
- White FDA Grade inner liners are easy to clean and resist stains and odors

Vallen#	Part#	Capacity
03422300421	421	2gl
03422300431	431	3gl
03422300451	451	5gl
03422304101	4101	10gl

Igloo Products Water Cooler With Seat Top



The Igloo 5-gallon Team beverage cooler with seat top keeps you beverages cold and clean. It's insulated with Ultratherm® for maximum cold retention. Comfort-grip side handles provide secure handling and the pressure-fit lid seals tight and won't trap dirt like screw-on lids do. The lid attaches to the handle with a keeper cord.

- Spigot
- Comfort grip side handles for secure carrying
- Insulated body
- Dimensions (L x W x H): 14.32" x 13.06" x 20.38
- Capacity: 5 gal
- Ultratherm Insulation for maximum cold retention
- UV inhibitors
- "Drinking Water" imprint meets OSHA requirements

Vallen#	Part#	Capacity
03422342316	42316	5 gal.

Pelican Products 45-Quart Cooler With Wheels Pelican™ Elite



Pelican™ is proud to announce our bear resistant certification from the Interagency Grizzly Bear Committee.

The purpose of this certification is to help keep bears safe and significantly reduce bear-human encounters by ensuring that bears do not have access and become conditioned to anthropogenic foods and other bear attractants that increase these encounters.

This certification involves intense impact and penetration testing by use of visual inspection, mechanical methods and captive Grizzly Bear testing over extended periods of time.

Information relative to the IGBC testing and certification program can be viewed at www.IGBCOnline.org.

**Pelican™ Elite Coolers are certified bear-resistant by the IGBC under certification numbers 3365, 3366, 3373, 3374, 3375, 3376

- Up to 10 days ice retention, freezer grade gasket, 2" polyurethane insulation
- Press & Pull Latches (Wide for Gloved Use)
- Molded-In Tie Downs
- Non-Skid & Non-Marking Raised Feet
- Molded-In Lock Hasp, Stainless Steel Plate
- Sloped Drain & Tethered Threaded Plug (Garden Hose Attachable)
- Corrosion Resistant Stainless Steel Hardware
- Integrated Fish Scale on Lid
- Made in USA
- Heavy duty wheels
- Molded-In handles with built in trolley handle
- Guaranteed for life
- Custom Color Program
- Built-in Bottle Opener

Vallen#	Part#	Color	Capacity
01942832-45QW-MC-WHT	32-45QW-2-WHT	White	45qt
01942832-45QW-MC-TAN	32-45QW-2-TAN	Tan	45qt

Pelican Products Drink Tumbler With Slide Lid



- Double-wall vacuum insulation
- 18/8 BPA-free stainless steel
- Copper plated inner wall
- Spill-Resistant Lid
- Extreme cold & heat retention
- Guaranteed for life

Vallen#	Part#	Size	Color	Height
019428TRAV-SD22-SLV	TRAV-SD22-SLV	22oz	Silver	8.25"

YOUR SOLUTION FOR HURRICANE SAFETY

019428TRAV-SD22-BLK	TRAV-SD22-BLK	22oz	Black	8.25"	0791541610-01-11	1610-01-11	16 1/8 " x 20 3/4 "	10gal
019428TRAV-SD22-OD	TRAV-SD22-OD	22oz	OD Green	8.25"				
019428TRAV-SD32-SLV	TRAV-SD32-SLV	32oz	Silver	10.50"				
019428TRAV-SD32-BLK	TRAV-SD32-BLK	32oz	Black	10.50"				
019428TRAV-SD32-OD	TRAV-SD32-OD	32oz	OD Green	10.50"				

Igloo Products Water Coolers Metal 300 Series



The original dependable and durable water coolers. Igloo makes two lines of industrial galvanized steel water coolers. The 300 features high grade Ultratherm foam insulation.

- Pressure-fit lid keeps water cold and clean, reinforced top handle makes opening simple
- Meets OSHA requirements
- Corrugated galvanized steel exterior and Perm-A-Lined vinyl coated liner
- Solid construction-double lock seams and reinforced bottoms
- Heavy duty handles and improved drip-proof spigot have no protruding parts

Vallen#	Part#	Capacity (gal.)
034223351	351	5
0342233101	3101	10

Rubbermaid Commercial Products Victory Jug Drink Coolers Plastic - Drip-Resistant Spigot



Great for sporting events or outdoor activities, this jug has durable construction that resists scratching, denting and fading. It has a drip-resistant spigot and a leak resistant lid and spout. The urethane based foam has superior thermal retention to keep your drink cool. It is stain and odor resistant with an easy-to-clean liner.

- Durable construction resists scratching, denting and fading.
- Drip-resistant spigot; screw-tight lid
- Leak resistant lid and spout
- Urethane-based foam for superior thermal retention.
- Stain and odor resistant, easy-to-clean liner.
- Swing-top bail handle for easy carrying
- Great for sporting events or outdoor activities!
- Rubbermaid® is the industry leader in water coolers
- Made in USA

Vallen#	Part#	Capacity
07169141920	153004MODRD	2gal

Rubbermaid Commercial Products Water Coolers White Screw On Lid



- UV stabilized to resist fading
- Screw-on lid for easy access
- Sturdy molded-in handles
- Extra thick insulation
- Fast flow faucet is recessed to protect against damage
- Meets OSHA requirements
- Orange

Vallen#	Part#	Size	Capacity
0791541530-04-11	1530-04-11	9 3/4 " x 15 1/2 "	2gal
0791541683-01-11	1683-01-11	10 7/8 " x 16 3/4 "	3gal
0791541685-01-11	1685-01-11	12 1/2 " x 19"	5gal

Gatorade Electrolyte Drink Cups



Gatorade cups available in 8 oz. and 12 oz. size.

Vallen#	Part#	Size	Description
42763749037	49037	48 qt.	Ice Chest

Sqwincher Wax Lined Paper Cups



1 case of Sqwincher branded waxed drinking cups. Printed with premeasured fill lines for liquid concentrates and water for perfect product mixing.

Vallen#	Part#	Size
07588060004	200101	12oz
075880200201	200201	7oz

YOUR SOLUTION FOR HURRICANE SAFETY

All Sport Zero Powder Sticks Zero Calories - Zero Sugar



Mix into 17-20oz water bottle.

Vallen#	Part#	Flavor	Pkg. Qty.
408808FASPO WVARZ	FASPOWVARZ	Lemon-Lime, Orange, Grape, Fruit Punch, Blue Raz	500/Case
408808FASPO WBRZ	FASPOWBRZ	Blue Raz	500/Case
408808FASPO WFPZ	FASPOWFPZ	Fruit Punch	500/Case

Gatorade Electrolyte Drinks Variety Packs 20 oz. Wide Mouth Bottles



- Rehydrate. Flavoring stimulates drinking for better hydration. And 6% carbohydrate content in Gatorade helps speed fluid absorption into the body.
- Replenish. Electrolytes, such as sodium, potassium and chloride are lost in sweat. Gatorade helps replace lost electrolytes and stimulates thirst, so workers will drink more and stay better hydrated.
- Refuel. Gatorade contains carbohydrates that give working muscles more energy to help fight fatigue. Feeling less fatigued may provide workers with a mental and physical advantage.

Vallen#	Part#	Flavor	Pkg. Qty.
42763720802	20802	Strawberry Kiwi, Lime & Berry	24

Gatorade Electrolyte Drink Instant Powder



Fight worker dehydration and fatigue with these Gatorade thirst quenchers. Instant powder enhances performance. Promotes rapid fluid absorption. Delays fatigue and maintains strength.

1.34 oz. powder makes 20 ounces of Gatorade.

8 packets per box. 8 boxes per case.

Sold by the box of 8.

Vallen#	Part#	Flavor
42763713163	13163	Lemon-lime
42763713165	13165	Orange
42763713166	13166	Fruit Punch
42763713167	13167	Grape
42763713160	13160	Glacier Freeze
42763713168	13168	Fruit Punch

Gatorade Electrolyte Drink Instant Powder



Gatorade® is specially designed to fill the complete re-hydration needs of workers by providing a scientific blend of fluid, carbohydrates and electrolytes that is ideal for preventing dehydration and promoting peak performance. No other fluid, including water, enters the body faster. Five delicious flavors are available in powder forms.

- Considered low sodium by FDA standards
- Helps prevent dehydration and heat illness
- Delays fatigue, maintains strength to help improve performance
- Promotes rapid fluid absorption
- Helps maintain fluid balance and blood volume
- Promotes energy replacement

Vallen#	Part#	Flavor	Yield
42763703928	03928	Lemon-Lime	1Qt
42763733808	33808	Fruit Punch	1Qt
42763703956	03956	Lemon-Lime	1GL
42763703957	03957	Orange	1GL
42763703808	03808	Fruit Punch	1GL
42763733631	33631	Lemonade	1GL
42763733665	33665	Riptide Rush	1GL
42763701353	01353	Glacier Cherry	2.5GL
42763703969	03969	Lemon-Lime	2.5GL
42763703970	03970	Orange	2.5GL
42763733691	33691	Fruit Punch	2.5GL
42763733677	33677	Glacier Freeze	2.5GL
42763733673	33673	Riptide Rush	2.5GL
42763703967	03967	Lemon-Lime	6GL
42763703968	03968	Orange	6GL
42763733690	33690	Fruit Punch	6GL
42763733676	33676	Glacier Freeze	6GL



Electrolyte Drink Instant Powder Variety Packs



Case contains eight 21 ounce powder packs (2-1/2 gallon yield each) of 4 flavors -- lemon lime, fruit punch, orange, grape -- for a total of 32 packs per case.

Vallen#	Part#	Yield
42763703944	03944	2.5GL

YOUR SOLUTION FOR HURRICANE SAFETY



Electrolyte Drink Original Gatorade®



Gatorade Cherry Electrolyte Drink Powder Glacier



- Gatorade® Frost Glacier Cherry provides a light crisp taste with all of the hydration benefits of Gatorade Thirst Quencher.
- Thirst Quencher hydrates with electrolytes that help replace the carbs, electrolytes and fluids loss when you sweat.
- Carbohydrates help stimulate rapid fluid absorption and fuel the active body.

SOLD ONLY BY THE CASE

Vallen#	Part#	Flavor	Yield
42763701353	01353	Cherry	2.5gal

GATORADE® "Ready to Drink" Wide Mouth Plastic Bottle.

Vallen#	Part#	Flavor	Size	Pkg. Qty.
42763732867	32867	Orange	20oz	24
42763732868	32868	Lemon-Lime	20oz	24
42763732866	32866	Fruit Punch	20oz	24
42763732481	32481	Cool Blue Raspberry	20oz	24
42763732482	32482	Fierce Grape	20oz	24
42763732486	32486	Glacier Freeze	20oz	24
42763732488	32488	Riptide Rush	20oz	24
42763720890	20890	Rain Berry	20oz	24
42763712196	12196	Fruit Punch	12oz	24
42763712937	12937	Orange	12oz	24
42763712178	12178	Lemon-Lime	12oz	24
42763712176	12176	Ice Punch	12oz	24

Gatorade G-2 Low Calorie Drink G Series



Our lightest way to help replace what you sweat out. G2 hydrates with the same electrolyte formula of Gatorade Thirst Quencher, but has less than half the carbs and calories of the Original G.

- 7 grams carbs
- 30 calories
- 160 mg sodium
- 45 mg potassium

Vallen#	Part#	Flavor	Size
42763712007	12007	Glacier Freeze	12oz
42763712463	12463	Lemon-Lime	12oz



Gatorade Liquid Concentrates



Gatorade® Liquid Concentrate, with easy-to-use pump dispenser (sold separately), is the economical way to help replace lost fluids and electrolytes.

- 64 oz. liquid concentrate
- Add two pumps to 12 oz. of water for a single serving

Vallen#	Part#	Flavor	Yield
42763733305	33305	Fierce Grape	5gl
42763703984	03984	Lemon-Lime	5gl
42763703955	03955	Orange	5gl
42763733977	33977	Fruit Punch	5gl
42763749044	49044	Pump Dispenser	

Gatorade Electrolyte Drinks Thirst Quencher - 11.6 Ounce Can



Can, Non Carbonated and Caffeine Free, Specially Formulated with Key Electrolytes, Minerals and Carbohydrates to Hydrate Better than Water Alone

Vallen#	Part#	Flavor
42763700901	00901	Lemon Lime

YOUR SOLUTION FOR HURRICANE SAFETY

42763700902
42763730903

00902
30903

Orange
Fruit Punch

Gatorade
**G2™ Thirst Quencher Gatorade
Electrolyte Drinks**
Thirst Quencher
G2™



- When you sweat, you lose more than water. G2 contains critical electrolytes to help replace what's lost in sweat.
- Top off fuel stores with carbohydrate energy, your body's preferred source of fuel. G2 has less than half the carbs of Original Gatorade.
- Half the calories and all the electrolytes that the original Gatorade Thirst Quencher brings to your game.
- Flavors include G2 Grape, G2 Fruit Punch, and G2 Glacier Freeze

Vallen#	Part#	Flavor	Size	Pkg. Qty.
42763720405	20405	Fruit Punch	20oz	24
42763720406	20406	Grape	20oz	24
42763720006	20006	Glacier Freeze	20oz	24
42763712202	12202	Fruit Punch	12oz	24
42763712203	12203	Grape	12oz	24
42763712007	12007	Glacier Freeze	12oz	24
42763712204	12204	Orange	12oz	24

Nestle
Purified Water



- 16.9oz Bottles
- 24 bottles per case

Vallen#	Part#	Size	Pkg. Qty.
126866353646	353646	16.9oz	24 Bottles/Case

Sqwincher
Electrolyte Drinks
Sqwincher® Ready-To-Drink Cans



- Ready-to-drink
- 24 per case

Vallen#	Part#	Flavor
07588095035	100109TC	Tropical Cooler

Sqwincher
Regular Electrolyte Drink Powder
QwikServ®



Add to bottled water.
Helps Workers Rehydrate Quickly After Exposure to Excessive Heat or Physical Activity.
Restores Mineral Salts and Fluids Lost Through Dehydration, Physical Exertion and Heat Stress

Vallen#	Part#	Yield	Flavor
07588001200	159060900	16.9oz	Orange
07588001201	159060901	16.9oz	Fruit Punch
07588001202	159060902	16.9oz	Lemon Lime
07588001203	159060904	16.9oz	Grape

Sqwincher
Zero Electrolyte Drink Mix Powder
2.5 Gallon Yield - Zero Sugar - Powder Pack



When setting out coolers for your crew, pouring in a convenient Sqwincher Powder Pack™ gives workers the electrolytes required to stay hydrated. Zero Sugar, Low Carbs. Sqwincher preferred great-tasting powder mixes are scientifically formulated to return all those important minerals and fluids lost in the line of duty. Sqwincher Powder Pack™.

Vallen#	Part#	Flavor	Yield
07588000400	016800-LL	Lemon Lime	2.5gal
07588000401	016801-OR	Orange	2.5gal
07588000402	016803-FP	Fruit Punch	2.5gal

YOUR SOLUTION FOR HURRICANE SAFETY

07588000403

016804-GR

Grape

2.5gal

Squincher
Electrolyte Drink Mix Powder
Powder Pack



Squincher® Powder Packs™ are formulated to replace important mineral salts and fluids lost due to dehydration or physical exertion. The unique formulation helps keep workers hydrated under the most severe conditions and aids in maintaining worker performance and deterring mental apathy.

Vallen#	Description
07588056484	Part#: 159016004 Part#: 159016004 Flavor: Orange Yield: 1gl Pkg. Qty.: 80
07588026484	Part#: 159016005 Part#: 159016005 Flavor: Fruit Punch Yield: 1gl Pkg. Qty.: 80
07588047484	Part#: 159016006 Part#: 159016006 Flavor: Grape Yield: 1gl Pkg. Qty.: 80
07588048409	Part#: 159016007 Part#: 159016007 Flavor: Assorted Yield: 1gl Pkg. Qty.: 80 Description: Assorted flavors include: Fruit Punch, Grape, Lemon-Lime, and Orange
07588016484	Part#: 159016008 Part#: 159016008 Flavor: Lemon-Lime Yield: 1gl Pkg. Qty.: 80
07588025003	Part#: 159016040 Part#: 159016040 Flavor: Lemonade Yield: 2.5gl Pkg. Qty.: 32
07588025004	Part#: 159016041 Part#: 159016041 Flavor: Orange Yield: 2.5gl Pkg. Qty.: 32
07588025001	Part#: 159016042 Part#: 159016042 Flavor: Fruit Punch Yield: 2.5gl Pkg. Qty.: 32
07588025019	Part#: 159016044 Part#: 159016044 Flavor: Assorted Packages Yield: 2.5gl Pkg. Qty.: 32 Description: Assorted flavors include: Fruit Punch, Grape, Lemon-Lime, and Orange
07588025002	Part#: 159016043 Part#: 159016043 Flavor: Lemon-Lime Yield: 2.5gl Pkg. Qty.: 32

07588025006

Part#: 159016045
Part#: 159016045
Flavor: Tea
Yield: 2.5gl
Pkg. Qty.: 32

07588025007

Part#: 159016046
Part#: 159016046
Flavor: Grape
Yield: 2.5gl
Pkg. Qty.: 32

07588025005

Part#: 159016047
Part#: 159016047
Flavor: Cherry
Yield: 2.5gl
Pkg. Qty.: 32

07588025009

Part#: 159016048
Part#: 159016048
Flavor: Mixed Berry
Yield: 2.5gl
Pkg. Qty.: 32

07588025008

Part#: 159016049
Part#: 159016049
Flavor: Tropical Cooler
Yield: 2.5gl
Pkg. Qty.: 32

07588025010

Part#: 159016050
Part#: 159016050
Flavor: Cool Citrus
Yield: 2.5gl
Pkg. Qty.: 32

07588008833

Part#: 159016403
Part#: 159016403
Flavor: Lemonade
Yield: 5gl
Pkg. Qty.: 16

07588008834

Part#: 159016404
Part#: 159016404
Flavor: Orange
Yield: 5gl
Pkg. Qty.: 16

07588008831

Part#: 159016405
Part#: 159016405
Flavor: Fruit Punch
Yield: 5gl
Pkg. Qty.: 16

07588008832

Part#: 159016408
Part#: 159016408
Flavor: Lemon-Lime
Yield: 5gl
Pkg. Qty.: 16

07588008835

Part#: 159016409
Part#: 159016409
Flavor: Tropical Cooler
Yield: 5gl
Pkg. Qty.: 16

07588008837

Part#: 159016406
Part#: 159016406
Flavor: Grape
Yield: 5gl
Pkg. Qty.: 16

07588008836

Part#: 159016401
Part#: 159016401
Flavor: Cherry
Yield: 5gl
Pkg. Qty.: 16

07588008838

Part#: 159016400
Part#: 159016400
Flavor: Mixed Berry
Yield: 5gl
Pkg. Qty.: 16

07588008839

Part#: 159016402
Part#: 159016402
Flavor: Cool Citrus
Yield: 5gl
Pkg. Qty.: 16

YOUR SOLUTION FOR HURRICANE SAFETY

Sqwincher
Sqwincher Sugar Free Liquid Concentrates
Sqwincher "Zero"



Ideal for anyone looking to cut out unnecessary carbs or calories. Each 64 oz bottle yields 5 gallons of Sqwincher ZERO.

Sqwincher
Electrolyte Drink
 Single Serving
Sqwincher Fast Pack



Sqwincher single-serve Fast Packs® eliminate the need for cups. Each foil pack contains .6oz of liquid concentrate. To use, simply add water to the fill line indicated on each pack to yield a handy 6-ounce single serving. Fast Pack® easily fits in a pocket, lunch box or glove box. Fast Packs® fit easily into a pocket, lunch box or glove box. Packed 50/box, 4 boxes/case.

Vallen#	Part#	Flavor	Yield	Pkg. Qty.
07588033405	050102-FP	Fruit Punch	5gl	6
07588033402	050103-GR	Grape	5gl	6
07588033407	050104-LL	Lemon-Lime	5gl	6
07588033404	050107-OR	Orange	5gl	6

Vallen#	Part#	Flavor	Pkg. Qty.
07588000069	015300-MB	Mixed Berry	200
07588000065	015301-CH	Cherry	200
07588000067	015302-GR	Grape	200
07588000061	015303-LA	Lemonade	200
07588000064	015304-OR	Orange	200
07588000063	015305-FP	Fruit Punch	200
07588000062	015308-LL	Lemon-Lime	200
07588000068	015306-TE	Tea	200
07588000066	015309-TC	Tropical Cooler	200
07588000060	015310-CC	Cool Citrus	200

Sqwincher
Electrolyte Single Serve Drink Mix Powder
 Sugar Free
Only 64 ZERO



Hydration solution without the sugar or calories. Simply rip open a pack, pour into a bottle of water and let the hydration hit the spot.

- 20 oz. Yield (for more intense flavor, mix with standard 16.9 oz bottled water)
- Sugar Free
- Low sodium
- Potassium
- Gluten free
- Each tube contains 10 sticks per tube with 20 tubes per case.

Vallen#	Part#	Description	Yield	Pkg. Qty.
07588041401	060119-AS	Assorted Flavors	20oz	200 Sticks
075880060118-MB	060118-MB	Mixed Berry	20oz	200 Sticks
075880060116-ORG	060116-ORG	Orange	20oz	200 Sticks
075880060117-SL	060117-SL	Strawberry	20oz	200 Sticks
075880060115-FP	060115-FP	Fruit Punch	20oz	200 Sticks

Sqwincher
Sqwincher Liquid Concentrates



Sqwincher® provides an optimal balance of electrolytes to keep bodies properly hydrated. Comes in a variety of flavors and mixes instantly upon contact with water.

Vallen#	Part#	Flavor	Yield
07588000052	030319-SL	Strawberry Lemonade	5gl
07588000042	030320-MB	Mixed Berry	5gl
07588000043	030321-CH	Cherry	5gl
07588000045	030322-GR	Grape	5gl
07588000046	030323-LM	Lemonade	5gl
07588000047	030324-OR	Orange	5gl
07588000048	030325-FP	Fruit Punch	5gl
07588000050	030328-LL	Lemon-Lime	5gl
07588000044	030329-TC	Tropical Cooler	5gl
07588000051	030330-CC	Cool Citrus	5gl

YOUR SOLUTION FOR HURRICANE SAFETY

Sqwincher
Electrolyte Single Serve Drink
Mix Powder
 Sugar Free
Quick Start ZERO



Hydration solution without the sugar or calories. Simply rip open a pack, pour into a bottle of water and let the hydration hit the spot.

- 20 oz. Yield (for more intense flavor, mix with standard 16.9 oz bottled water)
- Sugar Free
- Low sodium
- Potassium
- Gluten free
- Case contains individual 500 sticks packed in 10 bags of 50 sticks per bag.

Vallen#	Part#	Flavor	Yield	Pkg. Qty.
11291674	159060097	Watermelon	20oz	500 Sticks
10765147	159060098	Lemonade	20oz	500 Sticks
07588041200	060099-SL	Strawberry Lemonade	20oz	500 Sticks
07588021201	060100-OR	Orange	20oz	500 Sticks
0758810412021	060101-MB	Mixed Berry	20oz	500 Sticks
07588021203	060102-FP	Fruit Punch	20oz	500 Sticks
0758810412038	060102-FP	Fruit Punch	20oz	Single
07588021204	060103-LA	Lemonade	20oz	500 Sticks
0758810412045	060103-LA	Lemonade	20oz	Single
0758810412083	060106-LL	Lemon-Lime	20oz	500 Sticks
07588021208	060106-LL	Lemon-Lime	20oz	Single
07588021207	060107-GR	Grape	20oz	500 Sticks
0758810412076	060107-GR	Grape	20oz	Single
455670060109-CC	060109-CC	Cool Citrus	20oz	500 Sticks

Sqwincher
Sqwincher Original Electrolyte
Drinks
 20oz - Wide Mouth - Ready to Drink



Chill, serve and enjoy the great taste of Sqwincher® electrolyte replenishment in convenient ready to drink packages.

- Low sodium
- Gluten free

Vallen#	Part#	Flavor
07588016024	159030530	Mixed Berry
07588016025	159030531	Cool Citrus
07588016021	159030532	Grape
07588016020	159030534	Orange
07588016022	159030535	Fruit Punch
07588016026	159030536	Strawberry-Lemonade
07588016023	159030538	Lemon-Lime

Sqwincher
Zero Electrolyte Drinks
 Single Serving - Zero Sugar
Fast Packs® Zero



Sqwincher "ZERO" is a great-tasting, sugar free, low-sodium electrolyte replacement solution. The ZERO formulation contains the same electrolyte content as regular Sqwincher, but without unwanted carbs and calories. Each single-serve package eliminates the need for cups because the package becomes its own cup! Simply add water to the fill line indicated on the package to yield one 6-ounce single serving. Fast Packs® fit easily into a pocket, lunch box or glove box. Packed 50/box, 4 boxes/case.

Vallen#	Part#	Flavor	Pkg. Qty.
07588000080	015500-OR	Orange	200
07588000081	015501-FP	Fruit Punch	200

Sqwincher
Electrolyte Drinks
 Liquid Concentrate "Lite"
Sqwincher®



- Sqwincher "Lite" is a zero carb/zero calorie solution formulated for diabetics or consumers who are watching their daily intake.
- "Lite" contains the same levels of sodium and potassium as normal Sqwincher without carbs or sugars.
- Packaged Size: 32 oz
- Yield Size: 2.5 gallons

Vallen#	Part#	Flavor
07588031002	050203-GR	Grape

YOUR SOLUTION FOR HURRICANE SAFETY

Sqwincher Squeeze Freezer Pops



Assorted flavors: orange, lemon-lime, grape, mixed berry and cherry

Vallen#	Part#	Flavor	Pkg. Qty.
07588024000	159200201	Assorted	150

Sqwincher Electrolyte Drink Powder Single Serve - 20oz Yield EVERLYTE™



Sqwincher EVERLYTE™ stick packs are perfect for those looking for less calories, no color and no artificial flavor or additives. Sqwincher Lite contains the perfect electrolyte blend, are naturally flavored and naturally sweetened and contain no added color.

Vallen#	Part#	Flavor	Yield	Pkg. Qty.
07588016510	159060280	Grape	20oz	96
07588016511	159060281	Orange	20oz	96
07588016512	159060282	Fruit Punch	20oz	96
07588016513	159060283	Lemon Lime	20oz	96

Sqwincher Electrolyte Single Serve Drink Mix Powder Sugar Free Squeeze Freezer Pops



Hydration solution without the sugar or calories. Simply rip open a pack, pour into a bottle of water and let the hydration hit the spot.

- 10 oz. Yield
- Sugar Free
- Excellent Source of Vitamin C
- Low sodium
- Potassium
- Gluten free
- Each case contains individual 500 sticks packed in 10 bags of 50 sticks per bag.

Vallen#	Part#	Flavor	Yield	Pkg. Qty.
07588000280	060200-OR	Orange	10oz	500 Sticks
07588000282	060201-MB	Mixed Berry	10oz	500 Sticks

07588000281	060202-FP	Fruit Punch	10oz	500 Sticks
07588000283	060203-LA	Lemonade	10oz	500 Sticks
07588000284	060204-GR	Grape	10oz	500 Sticks
07588000285	060205-LL	Lemon-Lime	10oz	500 Sticks

Sqwincher Sqwincher ZERO Electrolyte Drinks Sugar Free - Ready To Drink - 20oz Sqwincher ZERO



Chill, serve and enjoy the great taste of Sqwincher® electrolyte replenishment in convenient ready to drink packages but without the sugar.

- Sugar free
- Low sodium
- Gluten free

Vallen#	Part#	Flavor
07588016030	159030800	Fruit Punch
07588016031	159030801	Orange
07588016033	159030803	Grape
07588016034	159030804	Mixed Berry

Igloo Products Drink Jug 400 Series



- Rubberized grip handle and body with non-slip texture for ease of transport and easy handling
- Leak-resistant to prevent spills during transport or if tipped
- Cool Riser Technology™ improves cooling performance by elevating away from hot surfaces
- Chain Links™ integrated hooks easily hang jug on game field fences, backpacks, and more;
- Keeping hydration clean and within easy reach
- Removable freeze stick improves cooling performance with a non-toxic ice substitute
- Sturdy swing-up handle for easy carrying; folds down for storage
- Flip-cap snaps shut securely and folds out of the way for use
- Wide opening allows for easy chugging our pouring

Vallen#	Part#	Capacity
03422331008	31008	80oz

YOUR SOLUTION FOR HURRICANE SAFETY

Sqwincher Zero Freezer Pops Sugar Free - No Calories



Frozen electrolyte replenishment. Quickly Cools Body Temperature.
Assorted Flavors: Punch, Orange, Watermelon, Dragon Fruit & Mixed Berry

Vallen#	Part#	Flavor
07588024119	159200228	Fruit Punch
11285431	159200231	Assorted

Sqwincher Truck Cooler Racks For Large Coolers



- Truck cooler rack
- Fits 3, 5 & 5.5 gallon coolers

Vallen#	Part#
075880600200	600200

Sqwincher Plastic Mixing Spoons

- Powdered Electrolytic Drinks

Vallen#	Part#	Length
075880300309	300309	27"

Sqwincher Pump Spout



Use with Sqwincher 64 oz. liquid concentrate bottles. Each pump stroke dispenses 1 oz. of liquid.

Vallen#	Part#
---------	-------

075880500101

500101

CRC Industries FR Clothing Insect Repellent



A special insect repellent to be used as a clothing treatment for Flame Resistant Clothing. Product is tested safe per ASTM F2621-06, Electrical ARC and Flammability Test. Long lasting formula binds to fabric and protects for up to two weeks, even through washing. Nonflammable. Will not negatively affect properties of flame resistant clothing. Non-DEET formula is safe for clothing

Vallen#	Part#	Size
07825414036	14036	6oz.

3M Rope Grabs 5/8" Style



- Revolutionary design is less sensitive to rope variations - it works on worn rope with no nuisance lock-ups
- Mobile type, automatically follows worker providing maximum freedom of movement
- Utilizes both inertia and cam locking system for added safety - preventing "panic-grab" situations
- Energy absorbing design reduces the forces generated upon a worker in the event of a fall
- Attach or detach anywhere along the lifeline for added versatility
- Corrosion resistant stainless steel and thermoplastic construction
- Fits 5/8" diameter rope lifeline
- Use with 3 ft. EZ Stop® II shock absorbing lanyard (part#1220007)
- Meets or exceeds all applicable industry standards including OSHA, ANSI and the stringent ANSI Z 359
- This DBI/SALA rope grab automatically follows you, giving you greater freedom of movement and virtually hands-free operation.
- They can be installed or removed at any point on the lifeline.
- The rope grab utilizes a cam lever as well as a friction sensitive brake to lock the rope grab onto the lifeline in case of a fall, even if the operator holds the device open in a panic situation.

Vallen#	Part#	Description
4061295000335	5000335	5/8" style

YOUR SOLUTION FOR HURRICANE SAFETY

3M
Lifeline Ropes
 Nylon
 AC200A Series



Nylon rope lifeline assemblies increase worker comfort and flexibility. Made from 5/8" filament nylon rope. Each lifeline has a free end and a double-locking snaphook on the other end for attaching to structural support. Use with Cobra Rope Grab.

- 5/8" twisted nylon rope (polyester available)
- 1 AJ520A double locking snaphook, 1 free end
- 50' and 100' length

Vallen#	Part#	Length
64825003090	AC215A	50'
64825003130	AC230A	100'

VERSAPRO
Isopropyl Alcohol



Vallen#	Part#	Size	Type
5084445040-04745	5040-04745	5gl	99%
5084445040-04757	5040-04757		70%

3M
3M Insect Repellent
 Ultrathon™

- Unique slow release technology developed for military use
- Splash and sweat resistant
- Balanced mix between low concentration of DEET and long lasting protection
- No other repellent is like Ultrathon™

Vallen#	Part#	Size	Color
0511316777	7100144217	6oz	Light Yellow

3M
3M Insect Repellent Lotion
 Ultrathon™

The Ultrathon™ Insect Repellent Lotion delivers excellent protection against biting insects, so you can enjoy the great outdoors without the worry. Designed to provide long-lasting mosquito repellency in some of the world's harshest environments, this insect repellent delivers up to 12 hours of powerful protection from mosquitoes with innovative 3M™ Time-Release Technology. This mosquito repellent utilizes a polymer to trap DEET and slowly release it over skin surfaces to provide protection you can rely on for your whole family. This insect repellent is proven to repel mosquitoes that may carry viruses such as Zika, West Nile and Dengue Fever. So get out there, get dirty and explore the wonders of nature—but first protect yourself and your loved ones with Ultrathon™ Insect Repellent Lotion.

- Contains 34.34% DEET for superb protection against insect bites
- Proven to repel mosquitoes, ticks, biting flies, chiggers, gnats, fleas and deer flies
- Repels mosquitoes that may carry Zika Virus, West Nile Virus, Dengue Fever, Chikungunya and deer ticks that may carry Lyme Disease
- Advanced 3M™ Controlled Release Technology provides a continuous shield of protection that lasts up to 12 hours when used as directed
- Unique time-release technology provides long-lasting protection
- 2-ounce tube meets TSA requirements for carryon luggage
- Stable formula lasts up to five years
- Easy-to-apply lotion
- Keep out of reach of children
- Size: 2 ounces

Vallen#	Description
05114467442	Part#: 7100116767 Part#: 7100116767 Size: 2oz Chemical Contains: 34.34% DEET Protection Against: Insect Bites Special Features: Controlled Release Technology Protection Time: 12 h

YOUR SOLUTION FOR HURRICANE SAFETY

Tingley Rubber Corporation
Neoprene Steel Toe Boots
Pylon™



Flexible, durable, comfortable. Designed for tough industrial environments. Made with a multi-ply manufacturing method. Every Pylon boot is dipped with a neoprene coating and sealant, so the foot is surrounded by a layer of 100% waterproof and chemical resistant neoprene for optimum protection and extraordinary comfort.

Ideal Applications: Food processing (particularly red meat and dairy), chemical, petrochemical (particularly exploration and production), and commercial fishing. Chemical Resistance: Animal fats and blood, oils, certain acids, alcohols, alkalies and certain solvents.

- Safety-Loc Outsole: For slip resistance on wet-clean surfaces.
- OR
- Chevron Outsole: Spits out debris for slip resistance on wet contaminated surfaces.
- Neoprene rubber will outwear standard rubber boots in solvents, caustics, hydrocarbons, oils, fats and acids.
- Safety-toe meets ASTM F2413 M/I/75/C/75 EH for steel toe caps and Electrical Hazard protection*.
- Removable polyurethane contour cushion insoles for maximum comfort.
- Dense fabric liner for easy on and off also wicks moisture and condensation.
- Steel shank for added arch support.
- Snugleg design hugs the foot for all day working comfort.

*Electrical Hazard soles and heels are intended to reduce the hazards due to accidental contact with live electrical circuits, electrically energized conductors, parts or apparatus. Electric Hazard soles and heels are not intended for wear in those work environments where volatile chemicals or explosives may be present, where conductive footwear is required.

Vallen#	Description
081138MB921B 10	Part#: MB921B-10 Part#: MB921B-10 Size: 10 Color: Brick Red/Brown Height: 16" Style: Chevron Outsole Toe: Steel
081138MB921B 11	Part#: MB921B-11 Part#: MB921B-11 Size: 11 Color: Brick Red/Brown Height: 16" Style: Chevron Outsole Toe: Steel

Tingley Rubber Corporation
15" PVC Work Boots
 Men's Better Grade



The Profile PVC Knee Boot is durable on the outside and comfortable on the inside. Our Profile knee boot is formulated with high quality PVC resins and low temperature additives. The result is a boot that has good abrasion resistance and excellent flexibility in cold temperatures.

- 15" - Composite Safety-Toe.
- Injection molded seamless construction provides 100% waterproof protection.
- Composite safety-toe meets ASTM F2413 M I/75 C/75 and does not transfer cold or set off metal detectors.
- Calf Relief Expansion (CRE)™ expands up to 1.5 inches for more calf comfort.
- Flexible upper material stays supple in cold temperatures to make walking easier.
- Outsole material is soft for excellent slip resistance and absorbs shock when walking.
- Cleated outsole spits out debris for excellent gripping action.
- Removable polyurethane, contour insole features three layers to wick perspiration, promote faster drying and absorb shock for all day comfort.

Vallen#	Part#	Size	Color
08113851254.10	51254-10	10	Brown
081138012509	51254-13	13	Brown

Ansell
Chemical Resistant Nitrile Gloves
 Unsupported - Sandpatch Finish
 Solvex® 37-175



Solvex® gloves are made of a high-performance nitrile compound which provides an outstanding combination of strength and chemical resistance. When exposed to aromatic and petroleum solvents, as well as caustics and animal fats, Solvex® gloves have proven to be a superior choice over rubber or neoprene. Solvex® gloves won't swell, weaken, or degrade, and they offer better protection against snags, punctures, abrasion, and cuts. And, as an added benefit, Solvex® gloves do not promote contact dermatitis.

- Component materials comply with FDA regulations for food contact.
- Soft cotton flock lining absorbs perspiration, feels comfortable on the hand, and makes donning and doffing easier.

Vallen#	Description
076490117273	Part#: 37-175/7 Part#: 37-175/7 Size: Small/7 Material: Nitrile Color: Green Mil: 15 Length: 13"
076490117274	Part#: 37-175/8 Part#: 37-175/8 Size: Medium/8 Material: Nitrile Color: Green Mil: 15 Length: 13"

YOUR SOLUTION FOR HURRICANE SAFETY

076490117275 Part#: 37-175/9
Part#: 37-175/9
Size: Large/9
Material: Nitrile
Color: Green
Mil: 15
Length: 13"

076490117276 Part#: 37-175/10
Part#: 37-175/10
Size: XLarge/10
Material: Nitrile
Color: Green
Mil: 15
Length: 13"

076490117277 Part#: 37-175/11
Part#: 37-175/11
Size: 2XLarge/11
Material: Nitrile
Color: Green
Mil: 15
Length: 13"

Ansell
Unsupported Chemical Resistant Nitrile Gloves
Unlined
Solvex® 37-145 37-155



Sol-Vex gloves are made of a high-performance nitrile compound which provides an outstanding combination of strength and chemical resistance. When exposed to aromatic and petroleum solvents, as well as caustics and animal fats, Sol-Vex gloves have proven to be a superior choice over rubber or neoprene. Sol-Vex gloves won't swell, weaken, or degrade, and they offer better protection against snags, punctures, abrasion, and cuts.

- All Solvex® gloves comply with FDA food handling requirements (21 CFR 177.2600)
- The new, raised diamond pattern provides a more secure grip, while reducing worker stress and hand fatigue
- The embossed surface texture improves grip, especially when handling wet, slippery objects
- The Soft-Lined has a soft cotton flock lining which absorbs perspiration, feels comfortable on the hand, and makes donning and doffing easier

Vallen# Description

076490117073 Part#: 37-145
Part#: 37-145
Size: Small/7
Material: Nitrile
Color: Green
Thickness: 11 mil
Length: 13"
Description: Embossed, Unlined, 37-145

076490117075 Part#: 37-145
Part#: 37-145
Size: Large/9
Material: Nitrile
Color: Green
Thickness: 11 mil
Length: 13"
Description: Embossed, Unlined, 37-145

076490117076 Part#: 37-145
Part#: 37-145
Size: XLarge/10
Material: Nitrile
Color: Green
Thickness: 11 mil
Length: 13"
Description: Embossed, Unlined, 37-145

076490117077 Part#: 37-145
Part#: 37-145
Size: 2XLarge/11
Material: Nitrile
Color: Green
Thickness: 11 mil
Length: 13"
Description: Embossed, Unlined, 37-145



Ansell
Chemical Resistant Nitrile Compound Gloves
Unsupported - Embossed - Sandpatch

- Sol-Vex gloves are made of a high-performance nitrile compound which provides an outstanding combination of strength and chemical resistance. When exposed to aromatic and petroleum solvents, as well as caustics and animal fats, Sol-Vex gloves have proven to be a superior choice over rubber or neoprene. Won't swell, weaken, or degrade, and they offer better protection against snags, punctures, abrasions, and cuts. Do not promote contact dermatitis, and their component materials comply with FDA regulations for food contact. Raised diamond pattern provides a more secure grip, while reducing worker stress and hand fatigue. The embossed surface texture improves grip, especially when handling wet, slippery objects
- The Soft-Lined has a soft cotton flock lining which absorbs perspiration, feels comfortable on the hand, and makes donning and doffing easier

Vallen# Description

076490117300 Part#: 37-185-9
Part#: 37-185-9
Size: Large/9
Material: Nitrile
Color: Green
Mil: 22
Length: 18"

076490117302 Part#: 37-185-11
Part#: 37-185-11
Size: 2XLarge/11
Material: Nitrile
Color: Green
Mil: 22
Length: 18"

YOUR SOLUTION FOR HURRICANE SAFETY

Ansell
Cut Resistant Nitrile Foam Coated Kevlar Gloves
 Palm Coated Finish
 HyFlex® 11-500



Ansell's HyFlex 11-500 industrial glove is well suited for a broad range of assembly applications. HyFlex gloves have an exclusive design that helps reduce hand fatigue, provides maximum tactile sensitivity, as well as superior grip, abrasion, and cut resistance.

- Stretch *DuPont™ Kevlar® liner provides excellent cut resistance and comfortable fit
- Product provides: ISO Cut Level B Excellent protection from nuisance nicks and abrasion
- Extended cuff offers extra cut protection around the wrist
- Foam nitrile coating channels away oil from the surface of the gloves, providing a sure grip in light oil applications
- Soil-hiding black palm coating
- Also available in vend pack

Vallen#	Part#	Size	Material	Color
076490205576	205576	Medium/8	Kevlar/Nitrile	Yellow/Black
076490205577	205577	Large/9	Kevlar/Nitrile	Yellow/Black
076490205578	205578	XLarge/10	Kevlar/Nitrile	Yellow/Black

SPECFIT
A2 Cut Resistant HPPE PU Palm Gloves
 ANSI Cut Level A2 - Abrasion 4 -
 Puncture 4 - Touchscreen Compatible



- 13-gauge seamless High Performance Polyethylene Fiber (HPPE)
 - ANSI Cut Level – A2
 - ANSI Abrasion Level - 4
 - Gray Polyurethane (PU) Palm Dip – fingers and palm coating
 - Gray Speckled Color
 - High Performance Polyethylene Fiber (HPPE) offers cool comfortable feel & back of hand breathability
 - Thin Polyurethane (PU) palm dip & seamless construction offers better dexterity
 - Touchscreen Compatible
 - Speckled gray shell/gray palm color helps hide grease and dirt
 - Color coded hem for sizing
- Applications: Assembly, Manufacturing, Automotive, Oil and Gas, Metal handling
 Washing / Cleaning Instructions:
- Machine wash in warm water with detergent or soap for 10-15 minutes.
 - Water temperature should not exceed 140°F (60°C).
 - Rinse in warm to cold water.
 - Tumble dry low for 15-20 minutes, not exceeding 120°F (50°C).
 - Do not use bleach or dry-cleaning solution.
- Gloves are cut resistant but not cut proof or puncture proof.

Vallen#	Description
10825550	Part#: HPPUA2XXS Part#: HPPUA2XXS Size: XXSmall Material: PU/HPPE Thickness: 13 Gauge Color: Speckle/Gray
10825551	Part#: HPPUA2XS Part#: HPPUA2XS Size: XSmall Material: PU/HPPE Thickness: 13 Gauge Color: Speckle/Gray
10825552	Part#: HPPUA2S Part#: HPPUA2S Size: Small Material: PU/HPPE Thickness: 13 Gauge Color: Speckle/Gray
10825553	Part#: HPPUA2M Part#: HPPUA2M Size: Medium Material: PU/HPPE Thickness: 13 Gauge Color: Speckle/Gray
10825554	Part#: HPPUA2L Part#: HPPUA2L Size: Large Material: PU/HPPE Thickness: 13 Gauge Color: Speckle/Gray
10825555	Part#: HPPUA2XL Part#: HPPUA2XL Size: XLarge Material: PU/HPPE Thickness: 13 Gauge Color: Speckle/Gray

YOUR SOLUTION FOR HURRICANE SAFETY

10825556 Part#: HPPUA2XXL
Part#: HPPUA2XXL
Size: 2XLarge
Material: PU/HPPE
Thickness: 13 Gauge
Color: Speckle/Gray

10825557 Part#: HPPUA2XXXL
Part#: HPPUA2XXXL
Size: 3XLarge
Material: PU/HPPE
Thickness: 13 Gauge
Color: Speckle/Gray

SPECFIT

A4 Cut Resistant HPPE PU Palm Glove

ANSI - Cut Level A4, Abrasion: 6,

Structure: 4 Touchscreen Compatible



- 13-gauge seamless High Performance Polyethylene Fiber (HPPE)
- ANSI Cut Level – A4
- ANSI Abrasion Level - 6
- Gray Polyurethane (PU) Palm Dip – fingers and palm coating
- Gray Speckled Color
- High Performance Polyethylene Fiber (HPPE) offers cool comfortable feel & back of hand breathability
- Thin Polyurethane (PU) palm dip & seamless construction offers better dexterity
- Touchscreen Compatible
- Speckled gray shell/gray palm color helps hide grease and dirt
- Color coded hem for sizing

Applications: Assembly, Manufacturing, Automotive, Oil and Gas, Metal handling

Washing / Cleaning Instructions:

- Machine wash in warm water with detergent or soap for 10-15 minutes.
- Water temperature should not exceed 140°F (60°C).
- Rinse in warm to cold water.
- Tumble dry low for 15-20 minutes, not exceeding 120°F (50°C).
- Do not use bleach or dry-cleaning solution.

Gloves are cut resistant but not cut proof or puncture proof.

Vallen#	Description
10825544	Part#: HPPUA4XS Part#: HPPUA4XS Size: XSmall/6 Material: PU/HPPE Thickness: 13 Gauge Color: Speckle/Gray
10825545	Part#: HPPUA4S Part#: HPPUA4S Size: Small/7 Material: PU/HPPE Thickness: 13 Gauge Color: Speckle/Gray
10825546	Part#: HPPUA4M Part#: HPPUA4M Size: Medium/8 Material: PU/HPPE Thickness: 13 Gauge Color: Speckle/Gray
10825547	Part#: HPPUA4L Part#: HPPUA4L Size: Large/9 Material: PU/HPPE Thickness: 13 Gauge Color: Speckle/Gray

10825548 Part#: HPPUA4XL
Part#: HPPUA4XL
Size: XLarge/10
Material: PU/HPPE
Thickness: 13 Gauge
Color: Speckle/Gray

Ansell

Disposable Nitrile Gloves

Smooth Texture - 5 Mil

TouchNTuff® 92-500 & 92-600



- The world's leading disposable glove for chemical splash protection
- Proprietary Ansell material formulation offers enhanced chemical splash protection
- Soft nitrile blend provides high levels of comfort
- Robust design for superior durability
- Silicone free for product protection
- EN420, EN374/1,2,3, ASTM D6319,
- Beaded cuff

Vallen#	Description
076490585836	Part#: 585836 Part#: 585836 Size: Large/9 Description: Powder Free Thickness: 5 mil Length: 9.5" Material: Nitrile Color: Green

SHOWA

Disposable Nitrile Gloves

N-DEX



- 100% nitrile protects the hand from a wide array of chemical hazards
- Smooth fingertips
- Lightly powdered
- Rolled cuff
- Standard finish
- Patented low-modulus formulation
- Easy to tear away in case of emergency break
- Ambidextrous
- Reduces hand fatigue

Vallen#	Description
0380547005L	Part#: 7005L Part#: 7005L Size: Large/9 Material: Nitrile Thickness: 4 mil Length: 9.5" Description: Lightly Powdered
0380547005XL	Part#: 7005XL Part#: 7005XL Size: XLarge/10 Material: Nitrile Thickness: 4 mil Length: 9.5" Description: Lightly Powdered

YOUR SOLUTION FOR HURRICANE SAFETY

MCR Safety
Premium Grain Cowhide Leather
Driver's Gloves
 Regular Grade



- Slip-on cuffs
- Elastic Back
- Unlined Styles

Industry Applications:

Operators for construction equipment, farm equipment and fork lifts; ranching, tank truck and tractor trailer operators; utility workers, plus all general purpose applications requiring greater dexterity.

Vallen#	Part#	Size	Material
04514332113	3211L	Large/9	Cowhide

- 10825561 Part#: PPUGYL
Part#: PPUGYL
Size: Large/9
Material: PU/Polyester
Thickness: 13 Gauge
Color: Gray
- 10825562 Part#: PPUGYXL
Part#: PPUGYXL
Size: XLarge/10
Material: PU/Polyester
Thickness: 13 Gauge
Color: Gray
- 10825563 Part#: PPUGYXXL
Part#: PPUGYXXL
Size: 2XLarge/11
Material: PU/Polyester
Thickness: 13 Gauge
Color: Gray

Ansell
Unsupported Latex Gloves
 Fishscale Grip
 FL100 87-198



These natural latex, cotton flock-lined gloves provide a high degree of tensile strength while maintaining excellent sensitivity. For increased snag, puncture, abrasion, and cut resistance, 17 mil thick at the palm. Standard 12" length for added wrist and forearm protection, while pattern-embossed design provide improved grip on wet or dry objects. These are made from component materials which comply with FDA regulations for food contact.

- ANSI Abrasion Level 3
- Cotton flock lining helps maintain excellent sensitivity
- Provides snag, puncture, abrasion and cut resistance
- 87-198 complies with FDA food handling requirements (21 CFR 177.2600)

Vallen#	Description
076490185749	Part#: 185749 Part#: 185749 Size: Small/7 Material: Natural Rubber Latex Color: Yellow Thickness: 17 mil Length: 12"
076490185750	Part#: 185750 Part#: 185750 Size: Medium/8 Material: Natural Rubber Latex Color: Yellow Thickness: 17 mil Length: 12"

SPECFIT
General Purpose – PU Palm
Gloves
 ANSI Abrasion Level 3 - Touchscreen
 Cordless



- 13-gauge seamless polyester shell – ANSI Abrasion Level 3
- Gray Polyurethane Palm Dip – fingers and palm
- Dark Gray Color
- Cool comfortable feel
- Thin PU palm dip offers great dexterity
- Touchscreen Compatible
- Dark Gray color helps hide grease and dirt
- Color coded Hem for Sizing

Applications: Assembly, Light Manufacturing, Automotive, Maintenance

Washing / Cleaning Instructions:

- Wash in 105°F or below. Use mild household detergent, no bleach, dry at 130°F, or below.

Vallen#	Description
10825558	Part#: PPUGYXS Part#: PPUGYXS Size: XSmall/6 Material: PU/Polyester Thickness: 13 Gauge Color: Gray
10825559	Part#: PPUGYS Part#: PPUGYS Size: Small/7 Material: PU/Polyester Thickness: 13 Gauge Color: Gray
10825560	Part#: PPUGYM Part#: PPUGYM Size: Medium/8 Material: PU/Polyester Thickness: 13 Gauge Color: Gray

YOUR SOLUTION FOR HURRICANE SAFETY

SPECFIT Goatskin Mechanics Gloves



- Golden color goatskin
- Black spandex back of hand
- Velcro closure

Vallen#	Part#	Size	Material
488007CB6140	VLMECH6S	Small/7	Goatskin
488007CB6139	VLMECH6M	Medium/8	Goatskin
CB6138	VLMECH6L	Large/9	Goatskin
CB6141	VLMECH6XL	XLarge/10	Goatskin
CB6142	VLMECH6XXL	2XLarge/11	Goatskin

Ansell General Purpose Nitrile Foam Coated HyFlex Foam Gloves

Palm Coated Finish
HyFlex® 11 800



HyFlex gloves have an exclusive design that helps reduce hand fatigue, provide maximum tactile sensitivity, as well as superior grip, abrasion, and cut resistance. For precision assembly applications, HyFlex Foam provides workers with the highest level of comfort and protection. The patented foam nitrile coating is resistant to snags and abrasion, and it provides excellent grip in light oil applications by channeling oil away from the glove surface.

Ansell's ZONZ™ Technology provides a comfort experience for the wearer with an innovative ergonomic design that reduces hand fatigue and enhances hand movement for a better day at work.

- More durability vs the original design
- Benefits from proprietary washing process that efficiently extracts impurities to deliver a cleaner, more comfortable glove
- No transfer of silicone contaminants to metal parts prior to painting
- Also available in vend pack

Vallen#	Part#	Size	Material	Color
076490205572	205572	Large/9	Nylon/Foam Nitrile	White/Gray

SPECFIT Powder Free Disposable Nitrile Gloves 5 Mil



- 5 millimeter
- Blue

Vallen#	Description
435130VLN4PF S	Part#: VLN4PFS Part#: VLN4PFS Size: Small/7 Material: Nitrile Thickness: 5mil Color: Blue
435130VLN4PF M	Part#: VLN4PFM Part#: VLN4PFM Size: Medium/8 Material: Nitrile Thickness: 5mil Color: Blue
662803CB6145	Part#: VLN4PFL Part#: VLN4PFL Size: Large/9 Material: Nitrile Thickness: 5mil Color: Blue
662803CB6148	Part#: VLN4PFXL Part#: VLN4PFXL Size: XLarge/10 Material: Nitrile Thickness: 5mil Color: Blue

SPECFIT Powder Free Nitrile Gloves 4-5 Mil - Open Source Spec



- Rolled cuff
- Textured
- Blue Color
- Latex Free
- Ambidextrous
- Industrial Grade
- AQL 4.0
- This item is an open source spec. Manufacturer may vary.

Vallen#	Description
11905371	Part#: OPENS Part#: OPENS Size: Small Material: Nitrile Thickness: 4-5mil Color: Blue
11905372	Part#: OPENM Part#: OPENM Size: Medium Material: Nitrile Thickness: 4-5mil

YOUR SOLUTION FOR HURRICANE SAFETY

11905373 Part#: OPENL
Part#: OPENL
Size: Large
Material: Nitrile
Thickness: 4-5mil
Color: Blue

11905374 Part#: OPENXL
Part#: OPENXL
Size: XLarge
Material: Nitrile
Thickness: 4-5mil
Color: Blue

**Honeywell®
Safety Glasses**

Over-the-Glasses

Ultraspec® 2001 OTG



Eliminate costly prescription safety eyewear programs with safety specs that easily fit over most prescription glasses. Precise optical quality for better vision. Comfortable, adjustable, duoflex temples provide all-day comfort. Lightweight styling and durable injection molded polycarbonate construction for superior impact resistance. Ultradura® hardcoat scratch resistance coating. Meets ANSI Z87.1-1989 and CSA Z94.3-1992.

Vallen#	Part#	Lens	Coating
60339004710	S0112C	Clear	Anti-Fog

**MCR Safety
Safety Glasses**

Coated Bayonet Temples

Triwear®



- Designed with aspheric lens for 180° optical viewing
- Soft silk carrying case doubles as lens cleaning cloth
- Comfort coated bayonet temple design
- Clip-on breakaway cord for added convenience is FREE with each pair
- All Triwear® lens options feature exclusive Duramass® scratch resistant coating
- Lifetime frame warranty
- Strong lightweight poly carbonate lens filters out 99% of UV
- Soft secure proprietary gel nose piece
- Meet or exceed ANSI Z87.1 safety standard and provide 99.9% ultraviolet protection

Vallen#	Part#	Lens Color & Coating
045143T3110AF	T213R	Fire

**3M
Safety Splash Goggles**



- Converts Lexa lens to the lightest, most comfortable splash goggle
- Soft, comfortable, lightweight shroud with indirect venting
- Lightest, most comfortable splash goggle at only 1.8 oz
- Contoured lens provides wide viewing range of work area
- DX™ anti-fog hard coat standard
- Meets ANSI Z87.1 and CSA Z94.3 standards
- Made in USA
- Standard packaging: 10 per box

Vallen#	Part#	Description
07837162337	1664500000	Clear Lens, Large

**Encon Safety Products
Safety Goggles
500 Series**



- High tech, lightweight body design
- Distortion-free optics
- Superior chemical splash protection
- Impact resistant
- Some models available with QD2® easy adjustment
- Replaceable lens
- Flexible fitting

Vallen#	Description
7923600505720	Part#: 05057204 Part#: 05057204 Lens: Clear Frame: Gray Coating: Regular Venting: Side
4	

**Encon Safety Products
Safety Goggles
160 Series**



- Stylish ergonomic body
- Spherical lens for exceptional optics
- Superior chemical splash protection
- Exceptional ventilation
- Available with QUICKDRAW® easy adjustment
- Replaceable lens
- Oversized to fit over prescription glasses

Vallen#	Part#	Lens Color	Frame	Coating
7923600506822	05068224	Gray		Grey Enfog
4				

YOUR SOLUTION FOR HURRICANE SAFETY

MSA Safety Caps V-Gard



When you need strong, comfortable head protection, try V-Gard slotted caps on for size. V-Gard protective caps from MSA consist of a polyethylene shell and suspension system working together as a protection system. The rigid shell is lightweight and balanced for all-day wearing comfort. The shell is one-piece injection-molded of high-density polyethylene and has high dielectric strength. Meets all applicable requirements of Z89.1-1997 (Type I, Class E and G). Size: 6 1/2 x 8
Other colors available.

Vallen#	Part#	Color	Suspension	Size
641817475358	475358	White	Fas-Trac® Ratchet Suspension	Standard

SPECFIT Standard Suspension Hard Hat



Vallen 4700 low profile hard hat is made from high density polyethylene. The 4-point woven nylon ribbon suspension has slide-lock size adjustment ranging head sizes 6 1/2 - 8. The hard hat shell has a functional rain trough, accessory slots to accommodate a variety of eye, face and hearing protection, and accommodates a 2-point chin strap. The suspension has goggle retaining slots. The moisture wicking brow pad is removable, washable and replaceable. Meets ANSI Z89.1 Type I, Class C, E and G requirements. Made in USA.

Vallen#	Part#	Color	Style	Description
488007CB7607	4700R	White	Hard Hat	Slotted, rain trough, 4 point ratchet suspension
488007CB8009	4700DKBL	Dark Blue	Hard Hat	Slotted, rain trough, 4 point pin lock suspension
488007CB8026	4700RDKBL	Dark Blue	Hard Hat	Slotted, rain trough, 4 point ratchet suspension
488007CB8027	4700RRED	Red	Hard Hat	Slotted, rain trough, 4 point ratchet suspension

SPECFIT Full Brim Standard Suspension Hard Hat



Molded high density polyethylene full brim hard hat provides excellent protection. The 6-point nylon suspension with ratchet knob adjust head sizes from 6 1/2 to 8. The padded, hinged ratchet hangs low on nape of neck and is height adjustable for a personalized fit. Hat accommodates a 2-point chin strap. The moisture wicking brow pad is removable, washable and replaceable. The suspension has slots to hold goggles in place. Meets ANSI Z89.1 Type I, Class C, E & G requirements. Made in USA.

Vallen#	Part#	Style	Color	Description
488094CB7010	9700R	Full Brim	White	6 point ratchet suspension
488007CB7013	9701	Full Brim	Blue	6 point pin lock suspension
488007CB7014	9701R	Full Brim	Blue	6 point ratchet suspension
488007CB7015	9702	Full Brim	Yellow	6 point pin lock suspension
488007CB7016	9702R	Full Brim	Yellow	6 point ratchet suspension
488007CB7017	9703	Full Brim	Red	6 point pin lock suspension
488007CB7019	9704	Full Brim	Green	6 point pin lock suspension
488007CB7025	9708	Full Brim	Orange	6 point pin lock suspension

SPECFIT Bump Caps



Good protection to shield wearer's head from lacerations, minor bumps and bruises in areas that do not require certified safety helmets. Molded from high density polyethylene, the 6700 cap with perforated sides provides cross ventilation. The plastic 4-point suspension adjusts head sizes 6 1/2 - 7 3/4 via its plastic snap closure. Moisture wicking brow pad is removable, washable and replaceable. The bump cap does not meet ANSI/ISEA Z89.1 requirements. This is not a hard hat. Made in USA.

676 replacement suspension fits Vallen 6700 bump cap. The 4-point injection-molded suspension has a blue foam moisture absorbing brow pad. The plastic snap closure adjustable suspension fits head sizes 6 1/2 - 7 3/4. Made in USA. The 677 Brow Pad is made from absorbent blue nylon tricot fabric laminated on top of polyester foam. Brow pad is washable and is compatible with Vallen 6700 suspension. Made in USA.

Vallen#	Part#	Style	Color	Description
488094CB6750	6700	Cap	White	Vented
CB6751	6701	Cap	Blue	Vented
488007CB6754	6703	Cap	Red	Vented
CB6755	6704	Cap	Green	Standard
CB6756	6708	Cap	Orange	Standard
488007CB6758	676	Replacement Suspension		
CB6759	677	Replacement Brow Pad		

YOUR SOLUTION FOR HURRICANE SAFETY

3M
3M™ E-A-R™ Classic™ Foam Earplugs
 NRR 29 dB



- 3M™ E-A-R™ Classic™ earplugs set the standard in hearing protection as the world's first foam earplugs. Constructed from slow-recovery foam, these disposable earplugs are uniquely moisture-resistant.
- 3M™ E-A-R™ Classic™ Earplugs set the standard in hearing protection as the world's first foam earplugs
 - Slow recovery, low pressure foam conforms to the shape of the ear canal for enhanced comfort and wearability
 - Moisture-resistant—helps maintain a consistent expansion time, even in humid environments
 - Flame resistant—important for potential arc flash situations and for storage considerations
 - Noise reduction rating (NRR) 29 dB. CSA Class AL
 - Reusable Pillow Pack helps keep earplugs clean when they are not being worn.

Vallen#	Description
08052910000	Part#: 310-1001 Part#: 310-1001 Cording: Uncorded Size: Regular Pkg. Qty.: 200 Pairs Packaging: Pillow Pack

Cortina Safety
W Series Traffic Cones



- NCHRP-350 Certification and MUTCD standards
- Injection-molded PVC
- 100% fluorescent orange, inside and outside
- One-piece wide body design with rugged base

Vallen#	Part#	Size
03600016399	16399	18"
17908103-500-070	16496	28"


Kimberly-Clark Professional
Traffic Cones
 W Series



- Wide body design with rugged orange base.
 Flow molded, dayglow orange PVC with white inner liner.
- Meets MUTCD standards
 - Wide body design with orange base
 - Flow molded, dayglow orange PVC w/white inner liner
 - Custom stenciling available
 - Made In The USA

Vallen#	Description
02488637995	Part#: 3004182 Part#: 3004182 Height: 28" Collar: 6",4"

Cortina Safety
Safety Fence
 Plastic Mesh
 FNC-450 Orange



- Plastic diamond mesh safety fence
- Mesh size: 1 3/4" x 2 1/8"
- Made of durable polyethylene
- Rugged yet flexible, reusable, highly visible, and UV-stabilized
- Ideal for temporary or permanent enclosures
- Other colors available

Vallen#	Part#
03600017469	2088353

SPECFIT
Barricade Tapes
 Red



Vallen#	Part#	Size	Thickness	Color
11522360	B31000RD	3"x1000'	2mil	Red

YOUR SOLUTION FOR HURRICANE SAFETY

**SPECFIT
Barricade Tapes
DANGER DO NOT ENTER**



Vallen#	Part#	Size	Thickness	Color
11522356	B31000RDBLK	3"x1000'	2mil	Black Letters On Red

**SPECFIT
Barricade Tapes
CAUTION**



Vallen#	Part#	Size	Thickness	Color
11522357	B31000YLWCA	3"x1000'	2mil	Black Letters On Yellow

**SPECFIT
Barricade Tapes
Red/Black**



Vallen#	Part#	Size	Thickness	Color
11522367	B31000RDBLKS TR	3"x1000'	2mil	Red/Black

**SPECFIT
Barricade Tapes
DANGER DO NOT ENTER**



Vallen#	Part#	Size	Thickness	Color
11522359	B31000YLWDO	3"x1000'	2mil	Black Letters On Yellow

**SPECFIT
Barricade Tapes
DANGER**



Vallen#	Part#	Size	Thickness	Color
11522358	B31000RDDGR	3"x1000'	2mil	Black Letters On Red

**Ergodyne
Super Econo Mesh Vest
Type R Class 2
GLoWear® 8205HL**



Class 2 Super Econo Vest: Mesh fabric, Hook & loop closure, no pockets. A super value!

- ANSI-compliant polyester mesh (3.3 oz.)
- Hook & loop closure
- 2" Level 2 ANSI-compliant tape

Applications:

Road Construction, Utility Crew, Survey Crew, Construction, Railway Workers, Baggage Handlers, Emergency Response, Warehousing/Distribution

Vallen#	Part#	Size	Color
72047620965	20965	Large-XLarge	Orange
72047620967	20967	2XLarge-3XLarge	Orange
72047620975	20975	Large-XLarge	Lime
72047620977	20977	2XLarge-3XLarge	Lime

**SPECFIT
Barricade Tapes
Yellow**



Vallen#	Part#	Size	Thickness	Color
11522364	B31000YLW	3"x1000'	2mil	Yellow

**SPECFIT
Barricade Tapes
Yellow/Black**



Vallen#	Part#	Size	Thickness	Color
11522366	B31000YLWBLK STR	3"x1000'	2mil	Yellow/Black

YOUR SOLUTION FOR HURRICANE SAFETY

Ergodyne
Standard Hi-Vis Lime Mesh Vests
 Type R Class 2
GloWear 8220Z



These ANSI Class 2 vests are intended for users where work conditions take place in close proximity to vehicle traffic and where greater visibility is desired during inclement weather conditions.

- ANSI-certified polyester lime mesh with zipper closure
- 2" Level 2 ANSI-certified tape (3M Scotchlite 8906)
- Pockets: one inside
- Enlarged lower front pockets to 8" x 10", added mic tab to wearer's left-hand chest

Vallen#	Part#	Size
72047621123	21123	Small/Medium
72047621115	21125	Large/X-Large
72047621127	21127	2X/3X
72047621129	21129	4X/5X

Kimberly-Clark Professional
Hi-Vis Safety Vests
 Non-Reflective & Reflective
Dayglow Orange ESK



- One size fits most
- Elastic sides for easy fit
- Mesh fabric
- Hook and loop closure
- Dayglow Orange

Vallen#	Part#
03600021659	21659
03600021665	21665

Kimberly-Clark Professional
Hi-Vis Safety Vests
 ANSI Class 2 Deluxe Styles
AllSafe



Details:

- 4 pocket design (2 exterior and 2 interior) for increased carrying space
- Rugged color matched front zipper closure
- 360 degree visibility with high intensity tape
- Machine washable
- Durable material with mesh or solid fabric option
- Silver bead or color prismatic reflective tape
- Meets ANSI / ISEA 107 - 2004 Class 2 standards

Vallen#	Part#	Size	Style
03600022835	302282	XL/2X	ORG/SLV DXL
03600022838	302285	XL/2X	LIME/SLV DLX

VERSAPRO
Ant & Roach Spray



- EPA registered residual crack and crevice insecticide
- Provides residual control up to seven weeks, as well as quick knockdown and flushing action

Vallen#	Part#	Size
CB5146	5040-04280	15oz Aerosol

VERSAPRO
Fly & Mosquito Insecticides



Vallen#	Part#	Size
CB8946	5040-04540	15oz Aerosol

YOUR SOLUTION FOR HURRICANE SAFETY

VERSAPRO Wasp & Hornet Spray



- EPA registered spray
- Contains tetra-methin that provides quick knockdown
- High delivery spray tip to direct powerful stream to nest from 12' to 14'
- Non-flammable
- Dielectric strength to 40,000 volts

Vallen#	Part#	Size
CB5149	5040-04310	12oz Aerosol

VERSAPRO Alkaline Batteries



- Industrial Alkaline Batteries
- Reliable, long lasting
- Outperforms top brands
- 7 Year Shelf Life

Vallen#	Part#	Size	Volts	Pkg. Qty.
11483264	VER-AAA	AAA	1.5V	24
11483263	VER-AA	AA	1.5V	24
11483265	VER-C	C	1.5V	12
11483266	VER-D	D	1.5V	12
11483267	VER-9V	9V	9V	12

VERSAPRO Insect Repellent



Personal insect repellent that contains 31% active ingredients including 23% Deet. Repels mosquitoes, biting flies, chiggers, ticks and other insects when sprayed on exposed skin or clothing.

Vallen#	Part#	Size
CB5152	5040-04580	6.5oz Aerosol

Bright Star Industrial Flashlights Heavy Duty Series 2600



Our Industrial flashlights set the standards proven designs based on decades of experience as "America's First Choice" in the workplace and proven toughness and reliability to match. All models are impervious to oil, grease, and most chemicals. Unbreakable Tuflexx® lenses, and self-cleaning slide switches.

- 2618 - Industrial Standard, 2 D-cell
- K-2618 - Industrial Standard Krypton, 2 D-cell
- 2625 - Standard Industrial, 3 D-cell
- Color: Yellow

Vallen#	Part#	Size	Bulb
0167312618HD	2618HD	2 D	PR-2

Energizer Alkaline Batteries Energizer Industrial



Features:

- Designed for long-lasting performance in the broadest range of device applications
- Broadest range of primary cell types and package configurations
- Up to 10-year shelf life
- No added mercury
- An environmentally responsible battery that can be disposed of with regular trash
- Sold by the pack

Vallen#	Part#	Size	Pkg. Qty.
03980002311	EN92	AAA	4
03980001919	EN91	AA	4
03980001921	EN93	C	2
03980001922	EN95	D	12
03980001912	EN22	9V	12

Streamlight LED Flashlights Luxeon® Task-Light™



- Luxeon® LED 10 times brighter than a high-intensity LED; water resistant, O-ring sealed; enhanced knurled grip; lanyard included
- Battery: (3) AA alkaline
- Bulb: Luxeon® star, one watt super high-flux, 100,000-hour LED
- Material: Computer machined aluminum with anodized finish; unbreakable polycarbonate lens
- Color: Titanium
- Weight (with Batteries): .397 lbs.
- Dimensions: 1.33" D x 6.12" Length
- Run Time: Up to 28 hours
- Standard Packaging: 6 each per case.

Vallen#	Part#	Size
---------	-------	------

YOUR SOLUTION FOR HURRICANE SAFETY

Streamlight LED Flashlights 3C ProPolymer



The 3C ProPolymer LED has 10 ultra-bright LEDs, providing lots of bright white light and an extended run time – up to 336 hrs! Safety-rated for use in hazardous locations.

- Unbreakable, scratch-resistant lens.
 - It has Class I, Division 1 approval. It features ten ultra-bright, 100,000-hour LEDs and a run time of up to 336 hours. The 3C is bright enough to light a path, read a manual or illuminate a tool box. Push-button switching allows one-handed operation. Comes with a spring-loaded pocket clip.
 - Waterproof
 - Color: Yellow
 - 3C LED
- Safety Ratings:
- UL Listed Class 1, Div. 1, Groups D; Class I, Div 2, Groups A,B,C,D; Class II, Div 2., Groups F&G; Class III, T3C
 - UL Listed to Canadian Safety Class I, Div. 2, Groups A,B,C,D; Class II. Div. 2. Groups F&G
 - Class III, T3C
 - Permissible for use in Gassy Mines Methane air only. Appr. No. IOC-658-O
 - Meets applicable European Community Directives

Vallen#	Part#	Size	Color	Lumens
08092633202	33202	3 C	Yellow	85

Streamlight LED Flashlights 3N LED Propolymers®



- Weighing in at just two ounces, this light-weight model has plenty of power to light the way. It features three super-bright, 100,000-hour LEDs which allow its battery to last 20 times longer than standard flashlights. Depend on it to provide up to 120 hours of run time. Class I, Division 1 approved. Also comes with an integral pocket clip
- 3 N alkaline batteries included

Vallen#	Part#	Size	Color
08092662202	62202	3 N	Yellow

Streamlight LED Flashlights 4AA ProPolymer LED



- It is Class I, Division 1 approved. It features seven super-bright, 100,000-hour LEDs - so you will never need to replace a bulb again. It's also remarkably comfortable to use because it's ergonomically shaped for the hand. Comes with helmet clamps for convenient, hands-free operation. Run time of up to 155 hours of continuous use.

- Color: Yellow
 - 4AA LED
- Safety Ratings:
- UL Listed Class 1, Div. 1, Groups C, D; Class I, Div 2, Groups A,B,C,D; Class II, Div 2., Groups F&G; Class III, T3C
 - UL Listed to Canadian Safety Class I, Div. 2, Groups A,B,C,D; Class II. Div. 2. Groups F&G
 - Class III, T3C
 - Permissible for use in Gassy Mines Methane air only. Appr. No. IOC-658-O
 - Meets applicable European Community Directives

Vallen#	Part#	Size
08092668202	68202	4 AA

Streamlight 2AA Propolymer® HAZ-LO® Flashlight



Safety Rated for Hazardous Conditions

Propolymer HAZ-LO®

These lightweight, affordable, alkaline battery-powered personal lights are extremely durable, long-lasting and powerful.

- Powered by 2 "AA" alkaline batteries
- C4® LED technology, impervious to shock with a 50,000 hr lifetime
- 65 lumens typical
- Runs up to 24 continuous hours
- IPX7: Waterproof to 1m for 30 minutes
- Features a wrist lanyard connection and pocket clip
- Weight: 3.6 oz.

- Safety Ratings:
- SGS - Class I, II, Division 1, Groups A, B, C, D, E, F, G; Class III; T-Class: T4
 - MSHA - Permissible Flashlight. Approval No. 20-A140002-0. Tested for Intrinsic Safety in Methane-Air mixtures only.

Vallen#	Part#	Size	Color	Lumens
08092667101	67101	2 AA	Yellow	65
08092667100	67100	2 AA	Black	65

YOUR SOLUTION FOR HURRICANE SAFETY

Streamlight
Survivor® LED Right Angle Flashlights
Survivor LED Series



Safety-Rated Rechargeable Right Angle Light

- C4® LED impervious to shock, with 50,000 hour lifetime
- 3-modes: high, low and strobe functions
- High for a super-bright beam that pierces through smoke: 41,000 candela; 175 lumens; 405m beam distance; runs 3.5 hours (NiCd); runs 4 hours (alkaline) at 405 meters
- Low for bright light and longer run time: 14,000 candela; 60 lumens; 237m beam distance; runs 13 hours (NiCd); runs 15 hours (alkaline)
- Flash for signaling: runs 8 hours
- Moonlight mode provides low-level lighting for battery conservation: runs 20 days
- All openings are O-ring seated for weather resistance
- Industrial rechargeable nickel-cadmium 4.8V, 1.8 amp-hour, 4-cell sub C battery pack or optional (4) "AA" alkaline battery pack (alkaline batteries not included)
- 7.6 in. (17.92 cm); NiCd: 18 oz. (50810 g); Alkaline: 13.17 oz. (37188 g)
- Serialized for easy identification

Safety Ratings: Class I & II, Division 1, Groups CDEFG, Class III, T-Code: T4; Class I, Division 2, Groups ABCD, T-Code: T4

- Charger meets requirements of NFPA 1901-14.1.11.2 (2003) mounted in any position.

Vallen#	Part#	Color	Description
08092690541	90541	Yellow	Alkaline Model

Streamlight
LED Compact Flashlights
 Uses 4 Alkaline Button Cells (Included)
Key-Mate®



This tiny LED flashlight from Streamlight® is super bright, tough, and remarkably handy. It's so compact, you can carry it with you at all times. And it's very powerful. 400 % more lighting range than a penlight, and reflector optics that enhance the brightness of the LED (lighting two to three times the range of the other keychain lights without optics)

Streamlight flashlights® are legendary for their dependability, and the Key-Mate® is no exception. Its high intensity, state-of-the-art LED lasts 100,000-hours, and the anodized, machined aircraft aluminum casing is virtually indestructible. Its high-capacity alkaline button cells allow it to run longer- and stay brighter- than any button cell keychain LED light.

Run Time: up to 96 hours.

The Key-Mate also offers many "extras" that set it apart from other lights:

- Versatile powder-coated spring steel pocket clip
 - Weatherproof - O-ring sealed
 - Rotary head switch. Little chance you'll accidentally turn it on
- Plus, the Key-Mate is convenient tool. Snap the breakway lanyard around your neck or wrist. Use the snap hook with swivel for quick attachment/detachment from your belt loops, backpack, zipper pull, or key ring. And its powder-coated spring steel pocket clip lets you clip it to just about anything.

The tiny, durable, powerful Key-Mate. Ideal for work, auto, and home.

- Super-bright 100,000-hour LED
- Virtually unbreakable machined aircraft aluminum
- Runs longer and stays brighter than any other button cell powered keychain LED light (with focusing optics)

Vallen#	Part#	Size	Color
08092672001	72001	4 LR 44	Black
08092672030	72030	-	Replacement Batteries

Streamlight
Rechargeable LED Flashlights
Dualie®



Durable, intrinsically safe polymer professional flashlight. One rechargeable flashlight, two beams: choose one spot beam or one flood light or both. Multi-directional lighting that allows you to see your entire work area and helps you avoid slips, trips, and falls. Class I, Div. 1 rated.

Safety Ratings: Intrinsically safe, Class I, II, Division 1, Groups A, B, C, D, E, F, G; Class III; CL I, ZN 0, IIC; Exia: T-Code 4

Vallen#	Description
08092668730	Part#: 68730 Part#: 68730 Color: Yellow Battery Size & Type: Rechargeable Lithium Ion Lumens: 275 Run Time: 13.5 IP Rating: IP67 Dust Tight/Waterproof Includes: Battery
08092668731	Part#: 68731 Part#: 68731 Color: Black Battery Size & Type: Rechargeable Lithium Ion Lumens: 275 Run Time: 13.5 IP Rating: IP67 Dust Tight/Waterproof Includes: Battery

YOUR SOLUTION FOR HURRICANE SAFETY

- 08092668732 Part#: 68732
Part#: 68732
Color: Yellow
Battery Size & Type: Rechargeable Lithium Ion
Lumens: 275
Run Time: 13.5
IP Rating: IP67 Dust Tight/Waterproof
Includes: Battery, 120V AC Charger, Charge Cord
- 08092668733 Part#: 68733
Part#: 68733
Color: Black
Battery Size & Type: Rechargeable Lithium Ion
Lumens: 275
Run Time: 13.5
IP Rating: IP67 Dust Tight/Waterproof
Includes: Battery, 120V AC Charger, Charge Cord
- 08092668785 Part#: 68785
Part#: 68785
Color: Yellow
Battery Size & Type: Rechargeable Lithium Ion
Lumens: 275
Run Time: 13.5
IP Rating: IP67 Dust Tight/Waterproof
Includes: Battery, Magnetic Clip
- 08092668786 Part#: 68786
Part#: 68786
Color: Black
Battery Size & Type: Rechargeable Lithium Ion
Lumens: 275
Run Time: 13.5
IP Rating: IP67 Dust Tight/Waterproof
Includes: Battery, Magnetic Clip

Streamlight LED Flashlights Stinger® 2020



The Stinger 2020 is a high-performance flashlight that produces 2,000 lumens. Its aluminum alloy body with an anti-roll design is ergonomically shaped for a sure grip. It features dual power switches and an intuitive mode selector switch for ease of use.

Vallen#	Description
08092678100	Part#: 78100 Part#: 78100 Color: Black Battery Size & Type: SL-B26™ Lithium Ion Battery Pack Lumens: 2000 Run Time: 24 IP Rating: IPX7 Waterproof Includes: (2) SL-B26 Battery Packs, "Y" USB Cord, Lanyard
08092678101	Part#: 78101 Part#: 78101 Color: Black Battery Size & Type: SL-B26™ Lithium Ion Battery Pack Lumens: 2000 Run Time: 24 IP Rating: IPX7 Waterproof Includes: (2) SL-B26 Battery Packs, 120V AC Smart Charger
08092678104	Part#: 78104 Part#: 78104 Color: Black Battery Size & Type: SL-B26™ Lithium Ion Battery Pack Lumens: 2000 Run Time: 24 IP Rating: IPX7 Waterproof Includes: (2) SL-B26 Battery Packs, 12V DC Smart Charger

Streamlight Septor® Headlamp



The Septor has a Tough ABS thermoplastic construction with elastomer over mold with a polycarbonate lens. It is the perfect headlamp for close-up tasks or tasks at arm's length and is now safe to use in hazardous locations and is intrinsically safe.

Features:

- Seven 100,000 hour life 5 mm LEDs
 - 90 degree tilting head with a durable ratcheting system
- Two lighting modes:
- Low for longer run time: 20 lumens; 150 candela; 24m beam; runs 50 hours
 - High for a soft flood light for tasks at arm's length: 85 lumens; 620 candela; 50m beam; runs 8 hours

Safety Ratings:

- Class 1, Div 1 Safety Rated
- Batteries included with headlamp have a 10 year shelf life
- A wide flood pattern illuminates your work area
- IPX4 water-resistant and impact resistance.
- 2 meter impact resistance tested

Unbreakable lens

- Includes rubber hard hat strap and elastic strap
- Seven 100,000 hour life 5mm LEDs

Septor Div. 2 model #61052 has three lighting modes:

- 7 LEDs: 120 lumens; 3.5 hour runtime - for a soft flood light for tasks at arm's length
- 3 LEDs: 45 lumens; 10 hour runtime - for light without the glare and longer run time
- 1 LED: 13 lumens; 55 hour runtime - for extended run times and when a less intense beam is ideal

Vallen#	Part#	Color	Size	Description
08092661024	61024	Yellow	1 3/4 "x2.7/10 "x2.2/5 "	Standard Septor with Div. 1 ratings.

Streamlight Multi-Purpose LED Headlamp 3 AAA Alkaline Batteries Included Trident® HAZ-LO®



With its intense, long-distance beam that reaches as far as 190 meters, the Argo® Haz-Lo® headlamp is ideal any where you need hands-free lighting, even in hazardous environments. It's intrinsically safe and offers 3 lighting modes. Low battery indicator on Div. 2 model.

Features:

- Tough ABS thermoplastic construction with elastomer over mold; polycarbonate lens

- Spot to flood focus - versatile long-range beam with a wide flood pattern
- Adjustable elastic head strap and rubber hard hat strap
- 90 degree tilting head with a durable ratcheting system

- IPX4-rated for water-resistance
- 2 meter impact resistance tested

- C4 LED technology, impervious to shock with a 50,000 hour lifetime

Two lighting modes:

- 3 ultra-bright white 5mm LEDs for intense brightness and longer run time: 30 lumens; 300 candelay; 35m beam; runs 24 hours
- C4 LED for super-bright light with strong beam distance: 85 lumens; 2,600 candelay; 102m beam; runs 8 hours

Safety Ratings:

- Class 1, Div 1 Safety Rated

Vallen#	Part#	Batteries/Size	Lumens
08092661025	61025	3/AAA	85/30

YOUR SOLUTION FOR HURRICANE SAFETY

Streamlight LED Headlamps Argo® HAZ-LO®



The Trident® Haz-Lo® LED UL Headlamp can safely use multi-purpose headlamp in hazardous environments. It is intrinsically safe and gives you the versatility to switch between a bright C4® power LED to illuminate objects at a distance (126 meters!) or a soft flood light for close-up tasks. Push-button sequences through Low, High and Off and are easy to use with gloves - recessed to prevent inadvertent activation.

Features:

- Tough ABS thermoplastic construction with elastomer over mold; polycarbonate lens
- Adjustable elastic head strap and rubber hard hat strap
- 90 degree tilting head with a durable ratcheting system
- IPX4-rated for water-resistance
- 2 meter impact resistance tested
- Unbreakable lens
- 300 mA xenon bi-pin bulb, plus three 100,000-hour life LEDs

Two lighting modes:

- Low for extended run time and when a less intense beam is ideal: 20 lumens, 700 candela; 53m beam; runs 50 hours
- High for maximum output with a long-range beam distance: 90 lumens, 3, 200 candela; 113m beam; runs 8 hours

Safety Ratings:

- Class 1, Div 1 Safety Rated

Vallen#	Part#	Batteries/Size	Lumens
08092661026	61026	3/AAA	90/20

Streamlight LED Headlamps Protac HL®



Designed for maximum illumination with a wide beam to light an entire area TEN-TAP® Programming - Choice of three user selectable programs:

- High/medium/low 2. High only 3. Low/medium/high

Three lighting modes:

- High for super-bright light with far-reaching beam distance; 635 lumens; 184m beam distance; runs 1.75 hours; 8,500 candela
- Medium for bright light and longer run times; 105 lumens; 76m beam distance; runs 8 hours; 1,450 candela
- Low for extended run times and when a less intense beam is ideal; 20 lumens; 33m beam distance; runs 36 hours; 280 candela
- Solid State power regulation provides maximum light output throughout battery life
- 90 degree tilting head reduces neck fatigue
- Powered by two 3V CR123A lithium batteries (included)
- Durable, anodized aluminum construction; gasket-sealed, glass lens
- IPX4 water-resistant; 1 meter impact resistance tested
- Ships with rubber helmet strap installed; also includes adjustable elastic headstrap

Vallen#	Part#	Lumens	Battery Size	Color
08092661304	61304	635	CR123A Lithium	Black

Master Lock Laminated Steel Padlock w/Colored Bumper No. 3



No. 3 padlock for use with lockout hasps to prevent accidental start up of equipment that is shut down for servicing and maintenance. Complies with OSHA rule for safety lockout.

Laminated steel body is 1-9/16" wide with 5/8" horizontal shackle clearance. Steel shackle has 9/32" diameter with 3/4" vertical clearance.

Keyed different. I.D. Tag optional.

Vallen#	Part#	Color
0716493GREEN	3GRN	Green

SPECFIT Disposable Coveralls

Zipper Front - Hood - Elastic Wrist, Cuff & Ankle



- Breathable Micro Porous Fabric
- Zipper Front - Hood - Elastic Wrist, Cuff & Ankle

Vallen#	Part#	Size	Style	Color
11472791	VL3240S	Small	Zipper Front-Hood-Elastic Wrist, Cuff & Ankle	White
11472790	VL3240M	Medium	Zipper Front-Hood-Elastic Wrist, Cuff & Ankle	White
11472789	VL3240L	Large	Zipper Front-Hood-Elastic Wrist, Cuff & Ankle	White
11472792	VL3240XL	XLarge	Zipper Front-Hood-Elastic Wrist, Cuff & Ankle	White
11472793	VL3240XXL	2XLarge	Zipper Front-Hood-Elastic Wrist, Cuff & Ankle	White
11472794	VL3240XXXL	3XLarge	Zipper Front-Hood-Elastic Wrist, Cuff & Ankle	White
11472795	VL3240XXXXL	4XLarge	Zipper Front-Hood-Elastic Wrist, Cuff & Ankle	White
11472796	VL3240XXXXXL	5XLarge	Zipper Front-Hood-Elastic Wrist, Cuff & Ankle	White

YOUR SOLUTION FOR HURRICANE SAFETY

SPECFIT
Disposable Coveralls
 Zipper Front - Open Cuff



- Micro porous fabric
- Zipper Front - Open Cuff

Vallen#	Part#	Size	Style	Color
11472776	VL1040S	Small	Zipper Front-Open Cuff	White
11472775	VL1040M	Medium	Zipper Front-Open Cuff	White
11472774	VL1040L	Large	Zipper Front-Open Cuff	White
11472777	VL1040XL	XLarge	Zipper Front-Open Cuff	White
11472778	VL1040XXL	2Xlarge	Zipper Front-Open Cuff	White
11472779	VL1040XXXL	3Xlarge	Zipper Front-Open Cuff	White
11472780	VL1040XXXXL	4XLarge	Zipper Front-Open Cuff	White
11472781	VL1040XXXXXL	5XLarge	Zipper Front-Open Cuff	White

SPECFIT
Disposable Coveralls
 Zipper Front - Hood - Boots - Elastic
 Wrist, Cuff & Ankle



- Micro porous fabric
- Zipper Front-Hood-Boots-Elastic Wrist, Cuff & Ankle

Vallen#	Part#	Size	Style	Color
11472799	VL3540S	Small	Zipper Front-Hood-Boots-Elastic Wrist, Cuff & Ankle	White
11472798	VL3540M	Medium	Zipper Front-Hood-Boots-Elastic Wrist, Cuff & Ankle	White
11472797	VL3540L	Large	Zipper Front-Hood-Boots-Elastic Wrist, Cuff & Ankle	White
11472800	VL3540XL	XLarge	Zipper Front-Hood-Boots-Elastic Wrist, Cuff & Ankle	White
11472801	VL3540XXL	2XLarge	Zipper Front-Hood-Boots-Elastic Wrist, Cuff & Ankle	White
11472802	VL3540XXXL	3XLarge	Zipper Front-Hood-Boots-Elastic Wrist, Cuff & Ankle	White
11472803	VL3540XXXXL	4XLarge	Zipper Front-Hood-Boots-Elastic Wrist, Cuff & Ankle	White
11472804	VL3540XXXXXL	5XLarge	Zipper Front-Hood-Boots-Elastic Wrist, Cuff & Ankle	White

SPECFIT
Disposable Coveralls
 Zipper Front - Elastic Wrist, Ankle &
 Cuff



- Micro porous fabric
- Zipper Front - Elastic Wrist, Ankle & Cuff

Vallen#	Part#	Size	Style	Color
11472784	VL1540S	Small	Zipper Front-Elastic Wrist, Ankle & Cuff	White
11472783	VL1540M	Medium	Zipper Front-Elastic Wrist, Ankle & Cuff	White
11472782	VL1540L	Large	Zipper Front-Elastic Wrist, Ankle & Cuff	White
11472785	VL1540XL	XLarge	Zipper Front-Elastic Wrist, Ankle & Cuff	White
11472786	VL1540XXL	2XLarge	Zipper Front-Elastic Wrist, Ankle & Cuff	White
11472787	VL1540XXXL	3XLarge	Zipper Front-Elastic Wrist, Ankle & Cuff	White
11472788	VL1540XXXXL	4XLarge	Zipper Front-Elastic Wrist, Ankle & Cuff	White

YOUR SOLUTION FOR HURRICANE SAFETY

DuPont Personal Protection Tyvek® Disposable Clothing Coveralls

Collar - Front Zipper - Serged Seams
Tyvek® 400



Tyvek® 400 garments are composed of flash spun high density polyethylene which creates a unique, nonwoven material available only from DuPont. Tyvek® 400 provides an ideal balance of protection, durability and comfort of any limited use fabric technology. Tyvek® 400 fabric offers an inherent barrier against particles (down to 1.0 micron in size). Protection is built into the fabric itself; there are no films or laminates to abrade or wear away. Tyvek® 400 fabric's durability advantage over microporous film fabrics delivers consistently better barrier, even after wear and abrasion. Applications include: lead and asbestos abatement/remediation, general maintenance/operations, agriculture, microcrystalline silica, environmental cleanup, mold remediation, spray painting, food processing, general clean-up.

- Inherent barrier protection against dry particulate hazards
- An ideal balance of protection, durability and comfort
- Color: White

Vallen#	Part#	Size	Color	Pkg. Qty.
401514TY120S-M	TY120SWHMD002500	Medium	White	25
401514TY120S-WHLG002500	TY120SWHLG002500	Large	White	25
401514TY120S-WHXL002500	TY120SWHXL002500	XLarge	White	25
401514TY120S-WH2X002500	TY120SWH2X002500	2XLarge	White	25

Tingley Rubber Corporation Specialty PVC Rain Jackets Safetyflex®



Safetyflex® - Specialty PVC for aggressive applications. The Safetyflex® flame resistant specialty PVC on polyester suit combines tough protection and comfortable fit. Made to resist industrial acids, chemicals, and caustics, Safetyflex is engineered for protection. Ideal Applications: Chemical environments. Chemical Resistance: Many acids, oils, alcohols, salts and alkalies.

- Full cut shoulder with 90° sleeve to body angle for maximum freedom of movement
- Therm-O-Rad sealed seams for 100% liquid proof protection
- Storm fly front seals out wind, rain, and contaminants
- Non-conductive, non-corrosive snaps
- Hidden hardware for added protection
- Attached hood
- Mildew resistant
- Flame resistant. Self extinguishing with flameout and afterglow less than or equal to 2 seconds after removal of ignition source and char length less than 6 inches. Test method ASTM D6413
- Heavy exterior coating for excellent permeation performance
- Soft, supple feel for all day comfort
- Tapered sleeves are designed to fit in protective gloves or accommodate glove rings for added safety
- Distinctive safety green color for easy identification

Vallen#	Part#	Size	Color
081138J41108S	J41108-S	Small	Green
081138J41108M	J41108-M	Medium	Green
081138J41108L	J41108-L	Large	Green
081138J41108XL	J41108-XL	XLarge	Green
081138J410082XL	J41108-2XL	2XLarge	Green
081138J411083XL	J41108-3XL	3XLarge	Green

MCR Safety PVC/Nylon/PVC Rainwear Resistant to Snags and Tears Wizard



Double coated PVC (.28mm) over 210 denier nylon scrim "Rip-Stop" material provides excellent resistance to snags and tears. Flame retardant. Seams are welded for extra strength. Jacket with detachable hood has storm fly front and take-up snaps at wrist. Bib pants have snap fly front, take-up snaps at hip and ankle, and adjustable elastic suspenders. 49" raincoat has a detachable hood, storm fly front and 2 pockets. Yellow color. Specify jacket and coat size by men's chest size and pants by waist size.

Vallen#	Part#	Size	Type
045143300JM	300J	Medium (38-40)	Jacket

YOUR SOLUTION FOR HURRICANE SAFETY

479998300J	300J	Large ¶(42-44)	Jacket
045143300JXL	300J	XLarge ¶(46-48)	Jacket
045143300JX2	300J	2XLarge ¶(50-52)	Jacket
045143300BPS	300BP	Small (28-30)	Bib Pants
479998300BPM	300BP	Medium (32-34)	Bib Pants
045143300BPL	300BP	Large (36-38")	Bib Pants
045143300BPX L	300BP	XLarge (40-42)	Bib Pants
045143300BPX 2	300BP	2X-Large (44-46)	Bib Pants
045143300CS	300C	Small (34-36)	Coat w/Hood
045143300CM	300C	Medium (38-40)	Coat w/Hood
045143300CL	300C	Large (42-44)	Coat w/Hood
045143300CXL	300C	XLarge (46-48)	Coat w/Hood

0451431003M	1003	Medium (38-40)
0451431003L	1003	Large (42-44)
0451431003XL	1003	X-Large (46-48)

MCR Safety
PVC/Polyester Rain Suits
Comfort and Durability
Classic



MCR Safety
Heavyweight PVC/Nylon/PVC Rainwear
Excellent Tear and Abrasion Resistance
Custom



Rugged construction features a wave-lock nylon material coated on both sides with 35 mm durable, heavyweight PVC. This combination offers excellent resistance to most industrial oils, acids and chemicals. Flame retardant. Leak-resistant heat-sealed seams offers 100% waterproof protection. Jacket features storm fly snap front and detachable hood. Bib pants have fly front, take up snaps at waist and ankles and adjustable elastic suspenders. Yellow color. Specify jacket size by men's chest size and bib pants by waist size.

Vallen#	Part#	Size	Type
045143400JM	400J	Medium ¶(38-40)	Jacket & Hood
045143400JL	400J	Large ¶(42-44)	Jacket & Hood
045143400BPL	400BP	Large¶(36-38)	Bib Pants
045143400BPX L	400BP	XLarge ¶(40-42)	Bib Pants

MCR Safety
PVC Rainwear
Rainsuits & Raincoats, Two-ply .25mm
Stowaway



Two-ply construction provides excellent flexibility. Two sheets of PVC laminated together increases the strength of the material. 3-piece suit has jacket with storm-fly front, take up snaps at wrist, cape-vented back, underarm air vents, detachable hood and no pockets. Bib pants have snap fly front, adjustable elastic suspenders, and take-up snaps at waist and ankle. Raincoat is 49" in length, has cape-vented back, detachable hood and two pockets. Inside of jacket and raincoat is silver color. Outside is yellow color. Pants are yellow. Specify by men's chest size.

Vallen#	Part#	Size
0451431003S	1003	Small (34-36)

PVC (.35mm) on soft polyester fabric provides long term protection, flexibility and comfort at an affordable price. Abrasion, tear and snag resistant. Jacket with detachable hood has storm fly front, take-up snaps at wrist, and 2 pockets. Bib pants have snap fly front, take-up snaps at hip and ankle and adjustable elastic suspenders. 49" raincoat has a detachable hood, cape-vented back, underarm air vents and 2 pockets. Well suited for a wide variety of job applications. Yellow color. Specify jacket and coat size by men's chest size and pants by waist size.

Vallen#	Part#	Size	Color	Description
0451432003M	2003M	Medium (38-40)	Yellow	Rainsuit With Jacket, Pants, Hood
0451432003L	2003L	Large (42-44)	Yellow	Rainsuit With Jacket, Pants, Hood
0451432003XL	2003XL	XLarge (46-48)	Yellow	Rainsuit With Jacket, Pants, Hood
0451432003X2	2003X2	2XLarge (50-52)	Yellow	Rainsuit With Jacket, Pants, Hood
0451432003X3	2003X3	3XLarge (54-56)	Yellow	Rainsuit With Jacket, Pants, Hood
0451432003X4	2003X4	4XLarge (58-60)	Yellow	Rainsuit With Jacket, Pants, Hood
045143200CS	200C	Small (34-36)	Yellow	Raincoat With Detachable Hood
045143200CM	200C	Medium (38-40)	Yellow	Raincoat With Detachable Hood
045143200CL	200C	Large (42-44)	Yellow	Raincoat With Detachable Hood
045143200CXL	200C	XLarge (46-48)	Yellow	Raincoat With Detachable Hood
045143200CX2	200C	2XLarge (50-52)	Yellow	Raincoat With Detachable Hood
045143200CX3	200C	3XLarge (54-56)	Yellow	Raincoat With Detachable Hood

YOUR SOLUTION FOR HURRICANE SAFETY

SPECFIT Disposable Pants



- Micro porous fabric
- Elastic Waist

Vallen#	Part#	Size	Style	Pkg. Qty.
11472818	VL8540M	Medium	Elastic Waist	50 per case
11472817	VL8540L	Large	Elastic Waist	50 per case
11472819	VL8540XL	XLarge	Elastic Waist	50 per case
11472820	VL8540XXL	2XLarge	Elastic Waist	50 per case

Kimberly-Clark Professional Hi-Vis Safety Vests Fluorescent Lime ESK



- One size fits most
- Elastic sides for easy fit
- Mesh fabric
- Hook and loop closure
- Fluorescent Lime ESK

Vallen#	Part#
03600021660	21660

Honeywell - North® Multi-Purpose Cartridge and Cartridge/Filter Combination For Honeywell North Half Mask & Full Facepiece Respirators



75SCL: Multi-Purpose: Approved for use against Organic Vapors, Ammonia, Methylamine, Formaldehyde and Acid Gases (Chlorine, Hydrogen Chloride, Sulfur Dioxide, Hydrogen Sulfide, Chlorine Dioxide, Hydrogen Fluoride)

- 75SCP100L: Multi-Purpose Cartridge with P100 Particulate Filter

All Honeywell North N-Series cartridges are NIOSH approved for use with all Honeywell North air-purifying half masks and full facepiece respirators.

Vallen#	Part#	Filters
821812000763	75SCP100L	P100

MSA Advantage® Chemical and Combination Cartridges



Respirator Cartridges and Filters

Crafted for easy installation and strong protection, Advantage Respirator Cartridges use a bayonet-style design for easy mounting. With low-lug height and lead-in connectors, the cartridges lock into place with only a single twist.

- OV - Organic Vapor
- CL - Chlorine
- SD - Sulfur Dioxide
- CD - Chlorine Dioxide
- HC - Hydrogen Chloride
- HS (escape only) - Hydrogen Sulfide
- AM - Ammonia
- MA - Methylamine
- FM - Formaldehyde
- HF - Hydrogen Fluoride
- MV - Mercury Vapor
- MV - Mercury Vapor
- 2 Cartridges / Pack

Vallen#	Part#	Filters	Protection	Pkg. Qty.
641817815366	815366	P100	Multigas/P100	2

Moldex 2200 N95 Particulate Respirators Collapse-Resistant Polymesh Shell



Popular respirator features a molded nosebridge for a comfortable fit on any face. Collapse-resistant Dura-Mesh® shell holds up in high humidity and keeps the filter clean for longer periods to avoid premature throw-away. For use against dust and non-oil based mists. At least 95% effective in filtering particulate aerosols free of oil. Flame retardants added to the shell. (Note: filter media is not flame resistant.) NIOSH approved. Made in USA.

Vallen#	Part#	Pkg. Qty.
09231122095	2200	20/BX

YOUR SOLUTION FOR HURRICANE SAFETY

3M 3M™ Cartridge/Filter P100 Reusable Respirator Accessories



NIOSH approved against certain organic vapors and particulates. Use with 3M™ Half and Full Facepieces 6000, 7000 and FF-400 Series with bayonet filter holders.

- NIOSH approved for protection against certain organic vapors and particulates
- Swept-back design allows an enhanced field of view and comfort
- Bayonet compatibility allows use with many 3M half and full facepiece designs
- Wide range of applications reduces inventory needs
- Simple installation and usage requirements reduce training needs

Vallen#	Part#	Type	Description
05113846465	60921	Organic Vapor	P100

3M 3M™ Full Facepiece Reusable Respirator Low Maintenance Design



Soft, lightweight facepiece material, three facepiece sizes and easy-to-adjust headstraps allow maximum comfort. The swept back design of the filters/cartridges improve balance and visibility. No retainers or extra parts are required to attach filters, cartridges or dual airline. Used with 3M™ 2000, 5000 and 6000 series filters and cartridges. The large lens provides excellent visibility, and the hard-coated lens reduces scratches that can impair vision. The 6000 series full facepiece respirator is NIOSH approved for negative pressure air purifying and positive pressure dual airline applications. Can be cleaned and reused many times. The actual number of times will vary depending on the conditions of facepiece use, number of cleanings and normal wear and tear. Supplied with reclosable storage bag. NIOSH approved. Lens cover (100 per case) protects the primary lens from scratching prematurely.

Vallen#	Part#	Size	Series	Pkg. Qty.
05113854145	6700	Small	6700	1
05113854146	6800	Medium	6800	1

Eagle Manufacturing Safety Cans Metal Type I



- These Eagle Safety Products meet OSHA requirements and most are either Factory Mutual Approved or listed by Underwriters Laboratories, Inc., (UL) and Underwriters Laboratories of Canada (ULC)
- Eagle Safety Containers are manufactured to exacting standards, reflecting sophisticated technology and superior workmanship
- Eagle equals engineering excellence, providing you with the most dependable containers on the market
- Eagle Type I Safety Cans for safer carrying and storing of gasoline and flammable liquids
- One, two and five gallon models are made of galvanized steel
- Equipped with brass pour spout and flame arrestor
- About Flame Arrestors - Eagle Safety Cans have double-walled brass flame arrestors
- Hot air entering the can is cooled as it passes through the arrestor
- The arrestors absorb and dissipate the heat, keeping the vapor temperature below its ignition (flash) point--another reason for using Eagle Safety Cans for temporary storage of gasoline or other flammable liquids

Vallen#	Description
04844122131	Part#: UI-10-S Part#: UI-10-S Capacity: 1 gal. Approval: UL, ULC, FM Diameter: 9" Height: 10" Weight: 3.31lbs
04844122151	Part#: UI-50-S Part#: UI-50-S Capacity: 5 gal Approval: UL, ULC, FM Diameter: 12 1/2 " Height: 13 1/2 " Weight: 6.75lbs

SPECFIT Petroleum Sorbent Booms White



Vallen#	Description
488007CB7530	Part#: VLPB510 Part#: VLPB510 Size: 5"x10' Absorption Capacity: 34.1gl Weight: Heavy Material: Cellulose Pack: 4 Booms
CB7529	Part#: VLPB810 Part#: VLPB810 Size: 8"x10' Absorption Capacity: 62.3gl Weight: Heavy Material: Cellulose Pack: 4 Booms

YOUR SOLUTION FOR HURRICANE SAFETY

SPECFIT
Petroleum Drum Spill Kit
 55 Gallon Container



Contains:

- 50-15x18 Pads
- 4-3"x12' Socks
- 8-18"x18" Pillows
- 5-Disposal Bags
- 1 Pair Goggles
- 1 Pair Nitrile Gloves
- 1-Emergency Handbook


Vallen#	Part#	Type	Absorption Capacity
12012227	VLSK55	Drum Spill Kit	38gl

SPECFIT
Petroleum Sorbent Pads
 White




Vallen#	Description
12012221	Part#: VLPDHW100 Part#: VLPDHW100 Size: 15"x18" Absorption Capacity: 25.2gl Weight: Heavy Material: Dimpled Meltblown Pack: 100 Pads
12012225	Part#: VLPHW100 Part#: VLPHW100 Size: 15"x18" Absorption Capacity: 28gl Weight: Heavy Material: Standard Meltblown Pack: 100 Pads
12012222	Part#: VLPDHW50 Part#: VLPDHW50 Size: 30"x30" Absorption Capacity: 50.5gl Weight: Heavy Material: Dimpled Meltblown Pack: 50 Pads
12012224	Part#: VLPDMW100 Part#: VLPDMW100 Size: 15"x18" Absorption Capacity: 20.6gl Weight: Medium Material: Dimpled Meltblown Pack: 100 Pads
12012223	Part#: VLPDLW200 Part#: VLPDLW200 Size: 15"x18" Absorption Capacity: 25.2gl Weight: Light Material: Dimpled Meltblown Pack: 200 Pads
12012228	Part#: VLPLW2001517 Part#: VLPLW2001517 Size: 15"x17" Absorption Capacity: 23.9gl Weight: Light Material: Dimpled Meltblown Pack: 200 Pads

SPECFIT
Hazmat Sorbent Pads
 Green



Vallen#	Description
12012206	Part#: VLHMHW200 Part#: VLHMHW200 Size: 12"x12" Absorption Capacity: 28.5gl Weight: Heavy Material: Fine Fiber Pack: 200 Pads

SPECFIT
Maintenance Sorbent Pads
 Gray



Vallen#	Description
488094CB7531	Part#: VLMDW100 Part#: VLMDW100 Size: 15"x19" Absorption Capacity: 25.2gl Weight: Heavy Material: Fine Fiber Pack: 100 Pads
488094CB7532	Part#: VLMDW200 Part#: VLMDW200 Size: 15"x19" Absorption Capacity: 34gl Weight: Heavy Material: Dimpled Meltblown Pack: 200 Pads
12012211	Part#: VLMHW100 Part#: VLMHW100 Size: 15"x18" Absorption Capacity: 25.2gl Weight: Heavy Material: Dimpled Meltblown Pack: 100 Pads
12012212	Part#: VLMHW200 Part#: VLMHW200 Size: 15"x18" Absorption Capacity: 19.6gl Weight: Heavy Material: Spunbound Pack: 200 Pads
12012214	Part#: VLMHW50 Part#: VLMHW50 Size: 30"x30" Absorption Capacity: 50.5gl Weight: Heavy Material: Dimpled Meltblown Pack: 50 Pads
12012209	Part#: VLMFMW100 Part#: VLMFMW100 Size: 15"x18" Absorption Capacity: 20.6gl Weight: Medium Material: Fine Fiber Pack: 100 Pads

YOUR SOLUTION FOR HURRICANE SAFETY

12012218 Part#: VLMMW100
 Part#: VLMMW100
 Size: 15"x18"
 Absorption Capacity: 20.6gl
 Weight: Medium
 Material: Dimpled Meltblown
 Pack: 100 Pads

SPECFIT Hi-Viz Sorbent Pads



Brady SPC General Purpose Absorbent Pads & Rolls



General Purpose MAXX® Enhanced absorbents are economical but offer the look, feel and performance of a premium product.

Your go-to products for general purpose spill clean-up. Clean up oils, coolants, solvents and water-based fluids anywhere in your facility.

- Absorbs all industrial liquids (water, petroleum and chemical-based fluids)
- 1-ply meltblown bonded construction to increase durability
- Made with MAXX technology: greater performance without the extra weight

Vallen#	Description
---------	-------------

12012210	Part#: VLMHVHW100 Part#: VLMHVHW100 Size: 15"x18" Absorption Capacity: 24.4gl Weight: Heavy Material: Hi-Vis Use: Maintenance Pack: 100 Pads
----------	---

12012226	Part#: VLPHW200 Part#: VLPHW200 Size: 15"x18" Absorption Capacity: 24.4gl Weight: Heavy Material: Hi-Vis Use: Petroleum Pack: 200 Pads
----------	---

Vallen#	Description
---------	-------------

66270622140	Part#: GP200 Part#: GP200 Size: 15"x19" Type: Lt. Wt. Pad Absorbency: 44gal Pkg. Qty.: 200
-------------	---

SPECFIT Maintenance Sorbent Rolls Gray



Brady SPC ENV® Oil Only Absorbent Pads & Rolls Maxx Enhanced - ENV Series



ENV® MAXX® Enhanced absorbents are made of highly economical, contractor-grade single-ply meltblown polypropylene for oil clean-up on land or water.

Repels water and floats indefinitely- even when saturated. For use with oil and petroleum based fluids. MAXX means greater performance without the extra weight.

- Oil only sorbent equally effective on land or water
- Efficient single-ply construction
- Ideal for marine applications where low cost and high absorption capacity is desired including emergency spill response, off-shore spills and other outdoor environments.

Vallen#	Description
---------	-------------

66270616049	Part#: ENV300 Part#: ENV300 Size: 15"x19" Type: Med. Wt. Pad Absorbency: 23 gal. Pkg. Qty.: 100
-------------	--

Vallen#	Description
---------	-------------

488007CB7536	Part#: VLMHW15 Part#: VLMHW15 Size: 15"x150' Absorption Capacity: 29.6gl Weight: Heavy Material: Fine Fiber Pack: 1 Roll
--------------	--

12012207	Part#: VLMCHW15 Part#: VLMCHW15 Size: 15"x150' Absorption Capacity: 28.5gl Weight: Heavy Material: Fine Fiber Pack: 1 Roll
----------	--

12012215	Part#: VLMHWS15 Part#: VLMHWS15 Size: 15"x150' Absorption Capacity: 29.6gl Weight: Heavy Material: Fine Fiber Pack: 1 Roll
----------	--

12012213	Part#: VLMHW24 Part#: VLMHW24 Size: 15"x150' Absorption Capacity: 37.6gl Weight: Heavy Material: Fine Fiber Pack: 1 Roll
----------	--

488094CB7535	Part#: VLMHW30 Part#: VLMHW30 Size: 30"x150' Absorption Capacity: 52.7gl Weight: Heavy Material: Fine Fiber Pack: 1 Roll
--------------	--

YOUR SOLUTION FOR HURRICANE SAFETY

CB7533 Part#: VLMDW30
Part#: VLMDW30
Size: 30"x150'
Absorption Capacity: 50.5gl
Weight: Heavy
Material: Fine Fiber
Pack: 1 Roll

12012208 Part#: VLMCHW30
Part#: VLMCHW30
Size: 30"x150'
Absorption Capacity: 57gl
Weight: Heavy
Material: Fine Fiber
Pack: 1 Roll

12012219 Part#: VLMMW15
Part#: VLMMW15
Size: 15"x150'
Absorption Capacity: 41.3gl
Weight: Medium
Material: Dimpled Meltblown
Pack: 2 Roll

12012216 Part#: VLMLW15300
Part#: VLMLW15300
Size: 15"x300'
Absorption Capacity: 31.5gl
Weight: Light
Material: Fine Fiber
Pack: 1 Roll

12012217 Part#: VLMLW30
Part#: VLMLW30
Size: 30"x300'
Absorption Capacity: 44.9gl
Weight: Light
Material: Fine Fiber
Pack: 1 Roll

12012220 Part#: VLMNPLW30
Part#: VLMNPLW30
Size: 30"x300'
Absorption Capacity: 44.9gl
Weight: Light
Material: Fine Fiber - Non Perf
Pack: 1 Roll

CB7542 Part#: VLBS40
Part#: VLBS40
Size: 3"x4'
Absorption Capacity: 52.1gl
Weight: Medium
Material: Cellulose
Pack: 40 Socks

SPECFIT Petroleum Sorbent Socks White



Vallen#	Description
488094CB7540	Part#: VLPS30 Part#: VLPS30 Size: 3"x4' Absorption Capacity: 32.9gl Weight: Medium Material: Cellulose Pack: 30 Socks

MSA Multigas Detector Kits LEL, O2, CO, H2S ALTAIR® 5X



The ALTAIR 5X Detector allows for an industry-first LEL, O2, CO, H2S, 60-second span calibration and 10-second bump test time.

- The ALTAIR 5X Detector is equipped with an internal integral pump
- The ALTAIR 5X Detector is powered by the fast MSA XCell® Sensor family including the introduction of 3 new sensors.
- 4-year expected sensor life on LEL, O2, CO, H2S, and standard 3-year instrument warranty.
- 3-year expected sensor life on NH3, Cl2, and standard 2-year warranty.
- MotionAlert™ feature - "man-down" alarm. InstantAlert™ feature - manual alarm
- The ALTAIR 5X Detector is durable, providing industry - leading impact resistance.

Vallen#	Part#	Display	Description
6418171011692 6	10116926	Monochrome Display	Standard kits -ALTAIR 5X DETECTOR MONO, (LEL, O2, CO, H2S) MONOCHROME Display, 10-ft Sampling LINE, 1-ft probe
6418171011692 8	10116928	Color Display	Deluxe kits - Altair 5X detector mono, (lel, o2, co, h2s) color display, 10-ft sampling line, 1-ft probe

SPECFIT Petroleum Sorbent Rolls White



Vallen#	Description
CB7528	Part#: VLPDW38 Part#: VLPDW38 Size: 38"x144' Absorption Capacity: 54.9gl Weight: Heavy Material: Dimpled Meltblown Pack: 1 Roll

SPECFIT Maintenance Sorbent Socks Gray



Vallen#	Description
---------	-------------